

Index	Type	Capacity [ $\mu$ F]	VDC / VAC	Outer $\varnothing$ [mm]	Length [mm]	Weight [kg]	Price €/pc TVAC
001-0200	Cross Cap	0,10	400 / 250	7	18	0,001	0,71
001-0202	Cross Cap	0,12	400 / 250	7	18	0,002	0,71
001-0204	Cross Cap	0,15	400 / 250	8	19	0,002	0,71
001-0206	Cross Cap	0,18	400 / 250	8	19	0,002	0,74
001-0208	Cross Cap	0,22	400 / 250	9	19	0,002	0,79
001-0210	Cross Cap	0,27	400 / 250	9	19	0,002	0,79
001-0212	Cross Cap	0,30	400 / 250	9	19	0,002	0,79
001-0214	Cross Cap	0,33	400 / 250	9	25	0,002	0,91
001-0216	Cross Cap	0,39	400 / 250	9	25	0,002	0,91
001-0218	Cross Cap	0,43	400 / 250	10	25	0,003	0,91
001-0220	Cross Cap	0,47	400 / 250	10	25	0,003	0,91
001-0222	Cross Cap	0,51	400 / 250	10	25	0,003	0,99
001-0224	Cross Cap	0,56	400 / 250	11	25	0,003	0,99
001-0226	Cross Cap	0,68	400 / 250	11	25	0,003	1,04
001-0228	Cross Cap	0,82	400 / 250	12	25	0,003	1,08
001-0230	Cross Cap	1,00	400 / 250	11	31	0,003	1,29
001-0232	Cross Cap	1,10	400 / 250	12	31	0,003	1,33
001-0234	Cross Cap	1,20	400 / 250	12	31	0,003	1,44
001-0236	Cross Cap	1,50	400 / 250	14	31	0,005	1,53
001-02366	Cross Cap	1,60	400 / 250	14	31	0,005	1,65
001-0237	Cross Cap	1,80	400 / 250	15	31	0,005	1,69
001-02372	Cross Cap	2,00	400 / 250	16	31	0,005	1,82
001-0238	Cross Cap	2,20	400 / 250	15	36	0,005	1,98
001-0239	Cross Cap	2,40	400 / 250	15	25	0,005	2,06
001-0240	Cross Cap	2,70	400 / 250	17	36	0,006	2,22
001-0241	Cross Cap	3,00	400 / 250	18	36	0,008	2,47
001-0242	Cross Cap	3,30	400 / 250	18	36	0,008	2,68
001-0244	Cross Cap	3,60	400 / 250	16	36	0,009	2,76
001-0246	Cross Cap	3,90	400 / 250	17	36	0,009	2,77
001-0247	Cross Cap	4,10	400 / 250	17	36	0,010	2,77
001-0248	Cross Cap	4,30	400 / 250	17	36	0,010	2,79
001-0249	Cross Cap	4,50	400 / 250	18	36	0,010	2,8
001-0250	Cross Cap	4,70	400 / 250	19	36	0,010	2,94
001-0252	Cross Cap	5,10	400 / 250	19	36	0,012	2,96
001-0253	Cross Cap	5,40	400 / 250	20	36	0,013	2,97
001-0254	Cross Cap	5,60	400 / 250	21	36	0,013	3,01
001-0256	Cross Cap	6,20	400 / 250	21	36	0,013	3,05
001-0258	Cross Cap	6,80	400 / 250	24	36	0,014	3,16
001-0260	Cross Cap	7,50	400 / 250	23	36	0,016	3,62
001-0262	Cross Cap	8,20	400 / 250	24	36	0,016	3,78
001-0263	Cross Cap	9,10	400 / 250	25	36	0,016	3,96
001-0264	Cross Cap	10,00	400 / 250	26	36	0,020	4,15
001-0266	Cross Cap	12,00	400 / 250	26	44	0,025	4,47
001-0268	Cross Cap	15,00	400 / 250	29	44	0,029	4,84
001-0269	Cross Cap	16,00	400 / 250	29	44	0,029	5,28
001-0270	Cross Cap	18,00	400 / 250	31	44	0,034	5,57
001-0271	Cross Cap	20,00	400 / 250	33	44	0,034	5,76
001-0272	Cross Cap	22,00	400 / 250	34	44	0,040	6,1
001-0273	Cross Cap	25,00	400 / 250	32	58	0,048	6,45
001-0274	Cross Cap	27,00	400 / 250	32	58	0,048	7,03
001-0276	Cross Cap	30,00	400 / 250	35	58	0,055	7,87
001-0278	Cross Cap	33,00	400 / 250	36	58	0,057	8,5
001-0279	Cross Cap	36,00	400 / 250	38	58	0,070	9,72
001-0280	Cross Cap	39,00	400 / 250	39	58	0,070	11,23
001-0282	Cross Cap	47,00	400 / 250	44	58	0,079	11,78

Index	Type	Capacity [ $\mu$ F]	VDC / VAC	Outer $\varnothing$ [mm]	Length [mm]	Weight [kg]	Price €/pc TVAC
001-0283	Cross Cap	56,00	400 / 250	44	58	0,091	12,73
001-0284	Cross Cap	56,00	400 / 250	46	58	0,091	14,14
001-0286	Cross Cap	68,00	400 / 250	50	58	0,096	15,39
001-0288	Cross Cap	82,00	400 / 250	54	58	0,125	19,31
001-0290	Cross Cap	100,00	400 / 250	59	58	0,150	22,42
001-0292	Cross Cap	120,00	400 / 250	42	112	0,151	31,8
001-0294	Cross Cap	150,00	400 / 250	45	112	0,185	36,43
001-0296	Cross Cap	220,00	400 / 250	57	112	0,237	50,44
001-0298	Cross Cap	270,00	400 / 250	62	112	0,295	59,18
001-0299	Cross Cap	300,00	400 / 250	69	112	0,380	70,67
001-0300	Cross Cap	330,00	400 / 250	69	112	0,380	73,02
001-0410	Standard Z-Cap	1,00	400 / 250	10	31	0,003	1,03
001-0411	Standard Z-Cap	1,20	400 / 250	11	31	0,003	1,08
001-0413	Standard Z-Cap	1,50	400 / 250	12	31	0,004	1,13
001-0416	Standard Z-Cap	1,80	400 / 250	13	31	0,005	1,37
001-0419	Standard Z-Cap	2,20	400 / 250	13	31	0,005	1,63
001-0422	Standard Z-Cap	2,70	400 / 250	15	31	0,006	1,73
001-0425	Standard Z-Cap	3,30	400 / 250	16	31	0,007	1,89
001-0428	Standard Z-Cap	3,60	400 / 250	17	31	0,008	1,99
001-0431	Standard Z-Cap	3,90	400 / 250	18	31	0,008	2,04
001-0434	Standard Z-Cap	4,70	400 / 250	20	31	0,010	2,54
001-0437	Standard Z-Cap	5,60	400 / 250	21	31	0,012	2,94
001-0440	Standard Z-Cap	6,80	400 / 250	23	31	0,013	3,33
001-0443	Standard Z-Cap	8,20	400 / 250	20	46	0,014	4,02
001-0446	Standard Z-Cap	10,00	400 / 250	21	46	0,017	4,83
001-0447	Standard Z-Cap	12,00	400 / 250	22	46	0,017	6,63
001-0449	Standard Z-Cap	15,00	400 / 250	24	55	0,026	7,27
001-0452	Standard Z-Cap	18,00	400 / 250	26	55	0,030	8
001-0455	Standard Z-Cap	22,00	400 / 250	27	60	0,034	10,67
001-0458	Standard Z-Cap	33,00	400 / 250	34	60	0,054	16,1
001-0461	Standard Z-Cap	47,00	400 / 250	42	60	0,080	22,75
001-0464	Standard Z-Cap	56,00	400 / 250	43	63	0,092	27,23
001-0467	Standard Z-Cap	68,00	400 / 250	44	68	0,104	32,88
001-0470	Standard Z-Cap	82,00	400 / 250	41	90	0,121	39,72
001-0473	Standard Z-Cap	100,00	400 / 250	46	90	0,145	48,38
001-0502	Superior Z-Cap	0,10	1200 / 800	17	43	0,012	6,08
001-0506	Superior Z-Cap	0,15	1200 / 800	17	43	0,013	6,25
001-0510	Superior Z-Cap	0,22	1200 / 800	23	45	0,022	6,48
001-0514	Superior Z-Cap	0,33	1200 / 800	26	45	0,029	7,25
001-0516	Superior Z-Cap	0,39	1200 / 800	31	45	0,029	7,52
001-0518	Superior Z-Cap	0,47	800 / 630	17	43	0,011	7,6
001-0522	Superior Z-Cap	0,56	800 / 630	17	43	0,011	7,92
001-0526	Superior Z-Cap	0,68	800 / 630	17	43	0,011	8,19
001-0530	Superior Z-Cap	0,82	800 / 630	19	43	0,013	8,54
001-0534	Superior Z-Cap	1,00	800 / 630	19	43	0,014	8,68
001-0538	Superior Z-Cap	1,50	800 / 630	22	45	0,020	10,38
001-0542	Superior Z-Cap	1,80	800 / 630	26	45	0,025	11,02
001-0546	Superior Z-Cap	2,20	800 / 630	26	45	0,025	11,66
001-0550	Superior Z-Cap	2,70	800 / 630	30	45	0,038	13,61
001-0554	Superior Z-Cap	3,30	800 / 630	30	45	0,035	14,52
001-0558	Superior Z-Cap	3,90	800 / 630	30	57	0,045	16,56
001-0562	Superior Z-Cap	4,70	800 / 630	30	57	0,051	17,2
001-0566	Superior Z-Cap	5,60	800 / 630	35	65	0,078	20,68
001-0570	Superior Z-Cap	6,80	800 / 630	35	65	0,082	22,05

Index	Type	Capacity [ $\mu$ F]	VDC / VAC	Outer $\varnothing$ [mm]	Length [mm]	Weight [kg]	Price €/pc TVAC
001-0574	Superior Z-Cap	8,20	800 / 630	35	70	0,082	27,21
001-0578	Superior Z-Cap	10,00	800 / 630	46	70	0,108	34,7
001-0582	Superior Z-Cap	12,00	800 / 630	46	70	0,121	37,38
001-0586	Superior Z-Cap	15,00	800 / 630	52	70	0,162	39,22
001-0588	Superior Z-Cap	18,00	800 / 630	52	70	0,140	50,67
001-0590	Superior Z-Cap	22,00	800 / 630	52	70	0,154	61,91
001-0602	Silver Z-Cap	0,10	1200 / 800	17	43	0,012	11,44
001-0606	Silver Z-Cap	0,15	1200 / 800	17	43	0,012	11,59
001-0610	Silver Z-Cap	0,22	1200 / 800	23	45	0,022	11,84
001-0614	Silver Z-Cap	0,33	1200 / 800	26	45	0,026	12,56
001-0616	Silver Z-Cap	0,39	1200 / 800	31	45	0,026	12,76
001-0618	Silver Z-Cap	0,47	800 / 630	17	43	0,011	12,91
001-0622	Silver Z-Cap	0,56	800 / 630	17	43	0,011	13,23
001-0626	Silver Z-Cap	0,68	800 / 630	17	43	0,011	13,5
001-0630	Silver Z-Cap	0,82	800 / 630	19	43	0,013	13,85
001-0634	Silver Z-Cap	1,00	800 / 630	19	43	0,014	14,05
001-0638	Silver Z-Cap	1,50	800 / 630	22	45	0,020	15,71
001-0642	Silver Z-Cap	1,80	800 / 630	26	45	0,024	16,39
001-0646	Silver Z-Cap	2,20	800 / 630	26	45	0,025	17,03
001-0650	Silver Z-Cap	2,70	800 / 630	30	45	0,036	18,97
001-0654	Silver Z-Cap	3,30	800 / 630	30	45	0,037	19,61
001-0658	Silver Z-Cap	3,90	800 / 630	30	57	0,045	21,84
001-0662	Silver Z-Cap	4,70	800 / 630	30	57	0,047	22,49
001-0666	Silver Z-Cap	5,60	800 / 630	35	65	0,080	26,02
001-0670	Silver Z-Cap	6,80	800 / 630	35	65	0,074	27,38
001-0674	Silver Z-Cap	8,20	800 / 630	35	70	0,065	32,57
001-0678	Silver Z-Cap	10,00	800 / 630	46	70	0,098	39,99
001-0682	Silver Z-Cap	12,00	800 / 630	46	70	0,122	42,77
001-0686	Silver Z-Cap	15,00	800 / 630	52	70	0,128	44,53
001-0688	Silver Z-Cap	18,00	800 / 630	52	70	0,140	59,6
001-0690	Silver Z-Cap	22,00	800 / 630	52	70	0,154	67,25
001-1001	Premium ELKO	1,00	70 / 50	11	31	0,004	1,11
001-1002	Premium ELKO	1,20	70 / 50	11	31	0,004	1,11
001-1003	Premium ELKO	1,50	70 / 50	11	31	0,004	1,11
001-1004	Premium ELKO	1,80	70 / 50	11	31	0,004	1,11
001-1005	Premium ELKO	2,20	70 / 50	11	31	0,004	1,39
001-1006	Premium ELKO	2,70	70 / 50	11	31	0,004	1,39
001-1010	Premium ELKO	3,30	70 / 50	11	31	0,004	1,23
001-1011	Premium ELKO	3,60	70 / 50	11	31	0,004	1,34
001-1012	Premium ELKO	3,90	70 / 50	11	31	0,004	1,34
001-1015	Premium ELKO	4,70	70 / 50	13	31	0,006	1,44
001-1017	Premium ELKO	5,60	70 / 50	13	31	0,006	1,54
001-1019	Premium ELKO	6,80	70 / 50	15	30	0,007	1,64
001-1021	Premium ELKO	8,20	70 / 50	14	39	0,009	1,85
001-1023	Premium ELKO	10,00	70 / 50	14	39	0,010	2,06
001-1025	Premium ELKO	12,00	70 / 50	16	39	0,012	2,37
001-1027	Premium ELKO	15,00	70 / 50	18	39	0,014	2,57
001-1028	Premium ELKO	18,00	70 / 50	18	39	0,014	2,57
001-1030	Premium ELKO	22,00	70 / 50	26	38	0,021	3,09
001-1031	Premium ELKO	27,00	70 / 50	26	38	0,021	3,09
001-1033	Premium ELKO	33,00	70 / 50	26	38	0,027	4,11
001-1034	Premium ELKO	39,00	70 / 50	26	38	0,027	4,11
001-1036	Premium ELKO	47,00	70 / 50	26	51	0,034	5,14
001-1038	Premium ELKO	56,00	70 / 50	26	51	0,037	5,91

Index	Type	Capacity [ $\mu$ F]	VDC / VAC	Outer $\varnothing$ [mm]	Length [mm]	Weight [kg]	Price €/pc TVAC
001-1040	Premium ELKO	68,00	70 / 50	31	51	0,046	6,79
001-1042	Premium ELKO	82,00	70 / 50	31	51	0,054	6,92
001-1044	Premium ELKO	100,00	70 / 50	31	51	0,064	8,38
001-4037	MKT cap	2,20	160 / 90		19	0,004	0,92
001-4040	MKT cap	2,70	160 / 90		19	0,004	0,92
001-4042	MKT cap	3,30	160 / 90		25	0,004	1,14
001-4046	MKT cap	3,90	160 / 90		25	0,005	1,15
001-4050	MKT cap	4,70	160 / 90		25	0,006	1,22
001-4054	MKT cap	5,60	160 / 90		25	0,007	1,45
001-4058	MKT cap	6,80	160 / 90		25	0,008	1,82
001-4062	MKT cap	8,20	160 / 90		25	0,010	2,13
001-4064	MKT cap	10,00	160 / 90		25	0,011	2,42
001-4066	MKT cap	12,00	160 / 90		30	0,011	2,68
001-4067	MKT cap	14,00	160 / 90		30	0,016	2,93
001-4068	MKT cap	15,00	160 / 90		30	0,016	3,02
001-4070	MKT cap	18,00	160 / 90		30	0,017	3,56
001-6005	Electrolytic cap	1,00	100 / 35	8	13	0,002	0,33
001-6008	Electrolytic cap	1,50	100 / 35	8	18	0,002	0,33
001-6011	Electrolytic cap	2,20	100 / 35	8	18	0,002	0,33
001-6014	Electrolytic cap	2,70	100 / 35	8	18	0,002	0,33
001-6017	Electrolytic cap	3,30	100 / 35	8	18	0,002	0,33
001-6020	Electrolytic cap	3,90	100 / 35	8	18	0,002	0,33
001-6023	Electrolytic cap	4,70	100 / 35	10	19	0,002	0,35
001-6026	Electrolytic cap	5,60	100 / 35	10	20	0,002	0,47
001-6029	Electrolytic cap	6,80	100 / 35	10	20	0,002	0,5
001-6032	Electrolytic cap	8,20	100 / 35	10	20	0,002	0,5
001-6035	Electrolytic cap	10,00	100 / 35	10	20	0,002	0,5
001-6038	Electrolytic cap	12,00	100 / 35	10	20	0,002	0,5
001-6041	Electrolytic cap	15,00	100 / 35	10	20	0,002	0,5
001-6044	Electrolytic cap	18,00	100 / 35	10	20	0,002	0,57
001-6047	Electrolytic cap	22,00	100 / 35	10	24	0,003	0,66
001-6050	Electrolytic cap	27,00	100 / 35	13	27	0,005	0,79
001-6056	Electrolytic cap	33,00	100 / 35	13	27	0,005	0,97
001-6059	Electrolytic cap	39,00	100 / 35	13	27	0,005	1,01
001-6062	Electrolytic cap	47,00	100 / 35	13	27	0,005	1,03
001-6065	Electrolytic cap	56,00	100 / 35	13	32	0,006	1,05
001-6068	Electrolytic cap	68,00	100 / 35	13	32	0,006	1,3
001-6071	Electrolytic cap	82,00	100 / 35	16	33	0,008	1,39
001-6074	Electrolytic cap	100,00	100 / 35	16	33	0,009	1,64
001-6077	Electrolytic cap	120,00	100 / 35	16	34	0,009	1,8
001-6080	Electrolytic cap	150,00	100 / 35	16	34	0,009	2,08
001-6083	Electrolytic cap	220,00	100 / 35	18	27	0,013	3,38
001-6086	Electrolytic cap	270,00	100 / 35	22	44	0,019	4,24
001-6089	Electrolytic cap	300,00	100 / 35	22	44	0,023	4,97
001-6092	Electrolytic cap	330,00	100 / 35	22	44	0,019	5,04
001-6094	Electrolytic cap	470,00	100 / 35	22	45	0,022	6,58
001-6095	Electrolytic cap	560,00	100 / 35	22	44	0,022	7,42
001-6097	Electrolytic cap	820,00	100 / 35	25	52	0,022	12,15
001-7012	Alumen Z-Cap	0,47	100 / 65	17	44	0,012	19,36
001-7022	Alumen Z-Cap	1,00	100 / 65	22	70	0,030	22,51
001-7025	Alumen Z-Cap	1,50	100 / 65	26	70	0,039	27,24
001-7028	Alumen Z-Cap	2,20	100 / 65	22	80	0,039	31,75
001-7030	Alumen Z-Cap	2,70	100 / 65	26	80	0,048	32,38

Index	Type	Capacity [ $\mu$ F]	VDC / VAC	Outer $\varnothing$ [mm]	Length [mm]	Weight [kg]	Price €/pc TVAC
001-7035	Alumen Z-Cap	3,30	100 / 65	26	96	0,056	33,77
001-7037	Alumen Z-Cap	3,90	100 / 65	26	96	0,060	37,09
001-7040	Alumen Z-Cap	4,70	100 / 65	26	96	0,067	41,15
001-7045	Alumen Z-Cap	5,60	100 / 65	30	96	0,086	44,26
001-7050	Alumen Z-Cap	6,80	100 / 65	31	105	0,098	49,51
001-7055	Alumen Z-Cap	8,20	100 / 65	31	105	0,108	58,38
001-7060	Alumen Z-Cap	10,00	100 / 65	36	105	0,128	66
001-7222	Amber Z-Cap	1,00	200 / 160	26	86	0,061	108,46
001-7224	Amber Z-Cap	1,50	200 / 160	26	86	0,076	117,81
001-7228	Amber Z-Cap	2,20	200 / 160	30	86	0,113	160,82
001-7230	Amber Z-Cap	2,70	200 / 160	30	86	0,128	185,13
001-7235	Amber Z-Cap	3,30	200 / 160	30	86	0,151	224,4
001-7237	Amber Z-Cap	3,90	200 / 160	36	96	0,191	273,02
001-7240	Amber Z-Cap	4,70	200 / 160	51	96	0,287	314,15
001-7243	Amber Z-Cap	5,60	200 / 160	51	96	0,316	360,9
001-7250	Amber Z-Cap	6,80	200 / 160	62	96	0,413	385,21
001-7253	Amber Z-Cap	8,20	200 / 160	62	96	0,463	465,62