

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0812	Air Core Coil	0,005	0,060	20	0,80	9	9	8	5,42
000-1619	Air Core Coil	0,005	0,013	14	1,60	8	18	25	3,35
000-1581	Air Core Coil	0,007	0,030	17	1,20	20	28	10	5,65
000-1589	Air Core Coil	0,007	0,150	26	0,40	9	11	8	2,7
000-0051	Air Core Coil	0,008	0,016	14	1,60	8	18	25	3,35
000-0045	Air Core Coil	0,010	0,020	14	1,60	8	21	25	3
000-0849	Air Core Coil	0,010	0,060	13	1,80	8	23	20	4,35
000-1557	Air Core Coil	0,010	0,070	20	0,80	8	14	25	2,45
000-1633	Air Core Coil	0,010	0,025	15	1,40	8	17	25	2,9
000-1251	Air Core Coil	0,012	0,025	15	1,40	8	17	25	3,35
000-1790	Air Core Coil	0,015	0,080	20	0,80	8	14	25	2,93
000-0722	Air Core Coil	0,016	0,050	18	1,00	25	29	15	3,08
000-0176	Air Core Coil	0,020	0,028	14	1,60	8	24	25	3,42
000-0193	Air Core Coil	0,020	0,040	17	1,20	25	34	15	2,84
000-0813	Air Core Coil	0,020	0,100	20	0,80	9	19	8	2,42
000-1233	Air Core Coil	0,020	0,105	22	0,63	9	15	8	2,36
000-1522	Air Core Coil	0,020	0,090	20	0,80	8	14	25	2,51
000-0190	Air Core Coil	0,025	0,035	15	1,40	25	36	15	3,27
000-0192	Air Core Coil	0,025	0,040	17	1,20	25	34	15	2,9
000-1532	Air Core Coil	0,025	0,132	21	0,70	8	13	25	2,9
000-1804	Air Core Coil	0,025	0,060	18	1,00	25	31	15	3,12
000-0834	Air Core Coil	0,028	0,290	26	0,40	9	12	8	2,74
000-0060	Air Core Coil	0,030	0,040	14	1,60	8	30	25	4,04
000-0729	Air Core Coil	0,030	0,060	18	1,00	25	31	15	3,21
000-0814	Air Core Coil	0,030	0,120	20	0,80	9	20	8	2,49
000-0949	Air Core Coil	0,030	0,049	17	1,20	25	34	15	2,94
000-1523	Air Core Coil	0,030	0,120	20	0,80	8	15	25	2,92
000-1805	Air Core Coil	0,030	0,290	26	0,40	9	12	8	2,74
000-0171	Air Core Coil	0,033	0,070	18	1,00	15	29	8	2,63
000-1599	Air Core Coil	0,033	0,240	24	0,50	9	15	8	2,79
000-1544	Air Core Coil	0,035	0,150	22	0,63	9	17	8	2,85
000-0920	Air Core Coil	0,037	0,058	17	1,20	25	34	15	3,43
000-1794	Air Core Coil	0,037	0,140	21	0,70	15	20	15	2,94
000-0727	Air Core Coil	0,040	0,090	18	1,00	15	25	15	3,27
000-1110	Air Core Coil	0,040	0,130	20	0,80	9	21	8	2,54
000-1806	Air Core Coil	0,040	0,240	24	0,50	9	15	8	2,79
000-1902	Air Core Coil	0,040	0,040	15	1,40	25	38	15	3,37
000-0251	Air Core Coil	0,044	0,090	18	1,00	15	25	15	3,27
000-0939	Air Core Coil	0,045	0,090	18	1,00	15	25	15	3,27
000-1318	Air Core Coil	0,047	0,170	21	0,70	15	20	15	2,96
000-0001	Air Core Coil	0,050	0,046	14	1,60	8	30	25	4,14
000-0101	Air Core Coil	0,050	0,038	13	1,80	8	32	25	5,97
000-0191	Air Core Coil	0,050	0,050	15	1,40	25	40	15	3,48
000-0831	Air Core Coil	0,050	0,060	17	1,20	25	34	15	3,11
000-0918	Air Core Coil	0,050	0,124	20	0,80	9	23	8	2,58
000-1024	Air Core Coil	0,050	0,060	17	1,20	25	34	15	3,11
000-1106	Air Core Coil	0,050	0,260	24	0,50	9	15	8	2,81
000-1428	Air Core Coil	0,050	0,178	22	0,63	9	18	8	2,45
000-1603	Air Core Coil	0,050	0,170	21	0,70	15	21	15	2,45
000-1947	Air Core Coil	0,050	0,090	18	1,00	25	33	15	2,9
000-1963	Air Core Coil	0,050	0,090	18	1,00	15	25	15	2,85
000-0150	Air Core Coil	0,055	0,170	21	0,70	15	25	8	2,45
000-0870	Air Core Coil	0,055	0,090	18	1,00	15	25	15	3,3
000-0980	Air Core Coil	0,057	0,770	29	0,30	15	17	8	2,21
000-1053	Air Core Coil	0,060	0,135	20	0,80	9	23	8	2,54
000-1903	Air Core Coil	0,060	0,170	21	0,70	15	25	8	2,45
000-0828	Air Core Coil	0,068	0,100	18	1,00	15	33	8	2,83
000-1693	Air Core Coil	0,070	0,120	18	1,00	25	35	15	2,95
000-1694	Air Core Coil	0,070	0,108	18	1,00	15	33	8	2,83
000-1807	Air Core Coil	0,070	0,330	24	0,50	9	16	8	2,3
000-0997	Air Core Coil	0,074	0,290	22	0,63	15	24	8	2,94
000-1069	Air Core Coil	0,075	0,185	21	0,70	15	25	8	3,03
000-1426	Air Core Coil	0,075	0,157	20	0,80	9	25	8	3,14
000-0839	Air Core Coil	0,080	0,980	29	0,30	15	18	8	2,21
000-1028	Air Core Coil	0,080	0,120	18	1,00	25	35	15	2,95
000-1154	Air Core Coil	0,080	0,157	20	0,80	9	25	8	2,62
000-1517	Air Core Coil	0,080	0,200	21	0,70	15	25	8	2,5
000-1534	Air Core Coil	0,080	0,060	15	1,40	25	39	20	3,89
000-1808	Air Core Coil	0,082	0,370	24	0,50	9	17	8	2,86
000-1032	Air Core Coil	0,085	0,122	18	1,00	25	35	15	3,49
000-0881	Air Core Coil	0,090	0,229	21	0,70	15	22	15	2,54
000-0922	Air Core Coil	0,090	0,378	24	0,50	9	17	8	2,42
000-1141	Air Core Coil	0,090	0,210	21	0,70	15	26	8	2,52

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1646	Air Core Coil	0,090	0,130	18	1,00	15	29	15	3,6
000-0002	Air Core Coil	0,100	0,067	14	1,60	8	35	25	4,45
000-0102	Air Core Coil	0,100	0,055	13	1,80	8	39	25	5,99
000-0206	Air Core Coil	0,100	0,180	18	1,00	10	21	40	2,73
000-0241	Air Core Coil	0,100	0,630	26	0,40	9	15	8	1,67
000-0951	Air Core Coil	0,100	0,096	17	1,20	15	33	15	2,4
000-1002	Air Core Coil	0,100	0,190	20	0,80	20	31	10	1,65
000-1148	Air Core Coil	0,100	0,260	21	0,70	9	24	8	1,62
000-1149	Air Core Coil	0,100	0,190	20	0,80	9	27	8	1,63
000-1234	Air Core Coil	0,100	0,120	18	1,00	20	35	10	1,97
000-1237	Air Core Coil	0,100	0,260	21	0,70	25	30	15	1,67
000-1361	Air Core Coil	0,100	0,330	21	0,70	25	29	30	1,74
000-1449	Air Core Coil	0,100	0,190	20	0,80	15	24	15	1,65
000-1463	Air Core Coil	0,100	0,290	22	0,63	15	25	8	1,51
000-1533	Air Core Coil	0,100	0,117	17	1,20	25	34	30	2,55
000-1535	Air Core Coil	0,100	0,075	15	1,40	25	43	15	3,2
000-1536	Air Core Coil	0,100	0,160	18	1,00	25	31	30	2,15
000-1580	Air Core Coil	0,100	0,082	15	1,40	25	36	30	3,47
000-1740	Air Core Coil	0,100	0,600	24	0,50	25	27	30	1,1
000-1751	Air Core Coil	0,100	0,580	24	0,50	15	19	27	1,48
000-1752	Air Core Coil	0,100	0,290	21	0,70	15	20	27	1,73
000-1801	Air Core Coil	0,100	0,230	21	0,70	15	26	8	1,6
000-1809	Air Core Coil	0,100	0,440	24	0,50	15	21	8	1,41
000-1810	Air Core Coil	0,100	0,090	17	1,20	25	38	15	2,45
000-1900	Air Core Coil	0,100	0,250	21	0,70	15	22	15	1,5
000-1948	Air Core Coil	0,100	0,130	18	1,00	25	35	15	2,02
000-1964	Air Core Coil	0,100	0,130	18	1,00	15	29	15	1,97
000-1617	Air Core Coil	0,107	0,630	26	0,40	9	15	8	2,81
000-1620	Air Core Coil	0,107	0,100	17	1,20	25	38	15	4,09
000-0177	Air Core Coil	0,110	0,440	24	0,50	15	22	8	1,43
000-0894	Air Core Coil	0,110	0,430	24	0,50	9	18	8	1,41
000-0895	Air Core Coil	0,110	1,140	29	0,30	15	18	8	2,74
000-0917	Air Core Coil	0,110	0,133	18	1,00	25	36	15	2,04
000-1621	Air Core Coil	0,110	0,100	17	1,20	25	38	15	2,49
000-1634	Air Core Coil	0,110	0,200	20	0,80	20	31	10	1,67
000-1692	Air Core Coil	0,110	0,250	21	0,70	15	24	15	1,55
000-0003	Air Core Coil	0,120	0,074	14	1,60	8	35	25	4,67
000-0066	Air Core Coil	0,120	0,060	13	1,80	25	46	30	6,32
000-0103	Air Core Coil	0,120	0,060	13	1,80	8	39	25	6,38
000-0928	Air Core Coil	0,120	0,110	17	1,20	25	38	15	2,59
000-1003	Air Core Coil	0,120	0,320	22	0,63	15	26	8	1,56
000-1080	Air Core Coil	0,120	0,700	26	0,40	15	20	8	1,67
000-1090	Air Core Coil	0,120	0,250	21	0,70	15	24	15	1,57
000-1261	Air Core Coil	0,120	0,260	21	0,70	15	27	8	1,52
000-1325	Air Core Coil	0,120	0,440	24	0,50	9	18	8	1,41
000-1543	Air Core Coil	0,120	0,086	15	1,40	25	43	15	3,33
000-1675	Air Core Coil	0,120	0,147	18	1,00	25	35	15	2,08
000-1680	Air Core Coil	0,120	0,150	18	1,00	15	29	15	2,07
000-1682	Air Core Coil	0,120	0,140	18	1,00	20	37	10	2,02
000-1811	Air Core Coil	0,120	0,470	24	0,50	15	22	8	1,43
000-1812	Air Core Coil	0,120	0,210	20	0,80	20	31	10	1,7
000-0999	Air Core Coil	0,125	1,150	29	0,30	15	18	8	2,74
000-0152	Air Core Coil	0,126	0,150	18	1,00	15	29	15	2,79
000-0208	Air Core Coil	0,130	0,300	20	0,80	10	18	40	2,42
000-0901	Air Core Coil	0,130	0,220	20	0,80	20	32	10	1,74
000-0973	Air Core Coil	0,130	0,310	22	0,63	15	25	8	1,58
000-1531	Air Core Coil	0,130	0,290	21	0,70	15	25	15	1,57
000-1738	Air Core Coil	0,130	0,476	24	0,50	15	22	8	1,43
000-1949	Air Core Coil	0,130	0,160	18	1,00	25	37	15	2,15
000-1965	Air Core Coil	0,130	0,160	18	1,00	15	30	15	2,11
000-0168	Air Core Coil	0,135	0,291	21	0,70	15	25	15	1,85
000-0219	Air Core Coil	0,135	0,085	15	1,40	25	45	15	3,62
000-0702	Air Core Coil	0,135	0,160	18	1,00	15	30	15	2,15
000-0706	Air Core Coil	0,135	0,120	17	1,20	25	42	15	2,72
000-0721	Air Core Coil	0,135	1,160	29	0,30	15	18	8	1,6
000-0207	Air Core Coil	0,140	0,220	18	1,00	10	22	40	2,99
000-0247	Air Core Coil	0,140	0,283	21	0,70	15	29	8	1,59
000-0921	Air Core Coil	0,140	0,163	18	1,00	15	30	15	2,15
000-1112	Air Core Coil	0,140	0,225	20	0,80	20	32	10	1,74
000-1813	Air Core Coil	0,140	0,500	24	0,50	15	22	8	1,45
000-0004	Air Core Coil	0,150	0,084	14	1,60	8	38	25	5
000-0104	Air Core Coil	0,150	0,070	13	1,80	8	42	25	6,95
000-1007	Air Core Coil	0,150	0,310	21	0,70	15	25	15	1,61
000-1045	Air Core Coil	0,150	0,240	20	0,80	15	26	15	1,81
000-1051	Air Core Coil	0,150	0,160	18	1,00	25	37	15	2,24

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1061	Air Core Coil	0,150	0,300	21	0,70	20	30	10	1,61
000-1092	Air Core Coil	0,150	0,120	17	1,20	25	41	15	2,74
000-1129	Air Core Coil	0,150	0,330	22	0,63	15	26	8	1,6
000-1130	Air Core Coil	0,150	0,160	18	1,00	15	31	15	2,26
000-1146	Air Core Coil	0,150	0,290	21	0,70	9	25	8	1,59
000-1206	Air Core Coil	0,150	0,193	18	1,00	25	33	30	2,41
000-1236	Air Core Coil	0,150	0,160	18	1,00	20	39	10	2,22
000-1262	Air Core Coil	0,150	0,283	21	0,70	15	29	8	1,59
000-1324	Air Core Coil	0,150	0,490	24	0,50	9	19	8	1,43
000-1358	Air Core Coil	0,150	0,400	21	0,70	25	29	30	1,73
000-1472	Air Core Coil	0,150	0,850	26	0,40	15	20	8	1,67
000-1485	Air Core Coil	0,150	0,099	15	1,40	25	45	15	3,64
000-1496	Air Core Coil	0,150	0,146	17	1,20	25	34	30	3,04
000-1688	Air Core Coil	0,150	0,105	15	1,40	25	38	30	3,97
000-1814	Air Core Coil	0,150	1,160	29	0,30	15	18	8	1,6
000-1815	Air Core Coil	0,150	0,230	20	0,80	20	32	10	1,78
000-1816	Air Core Coil	0,150	0,510	24	0,50	15	23	8	1,45
000-0064	Air Core Coil	0,160	0,070	13	1,80	25	46	30	7,19
000-0225	Air Core Coil	0,160	1,300	29	0,30	15	19	8	1,63
000-0232	Air Core Coil	0,160	0,150	17	1,20	25	37	30	3,14
000-0952	Air Core Coil	0,160	0,123	17	1,20	15	37	15	2,8
000-1008	Air Core Coil	0,160	0,850	26	0,40	15	20	8	1,7
000-1397	Air Core Coil	0,160	0,410	21	0,70	25	29	30	1,77
000-1627	Air Core Coil	0,160	0,180	18	1,00	15	33	15	2,28
000-1684	Air Core Coil	0,160	0,290	21	0,70	15	29	8	1,59
000-1817	Air Core Coil	0,160	0,240	20	0,80	20	33	10	1,78
000-0978	Air Core Coil	0,169	1,170	29	0,30	15	18	8	2,79
000-0822	Air Core Coil	0,170	0,180	18	1,00	10	28	17	2,8
000-0965	Air Core Coil	0,170	0,140	17	1,20	15	38	15	2,97
000-1049	Air Core Coil	0,170	0,111	15	1,40	25	38	30	4,07
000-1270	Air Core Coil	0,170	0,180	18	1,00	15	33	15	2,3
000-0164	Air Core Coil	0,174	0,099	15	1,40	25	49	15	3,93
000-0005	Air Core Coil	0,180	0,094	14	1,60	8	42	25	5,55
000-0105	Air Core Coil	0,180	0,075	13	1,80	25	49	30	7,43
000-0798	Air Core Coil	0,180	0,320	21	0,70	9	27	8	1,67
000-1010	Air Core Coil	0,180	0,180	18	1,00	25	39	15	2,35
000-1066	Air Core Coil	0,180	0,270	20	0,80	15	27	15	1,89
000-1072	Air Core Coil	0,180	0,330	21	0,70	15	25	15	1,68
000-1091	Air Core Coil	0,180	0,420	22	0,63	15	24	15	1,65
000-1207	Air Core Coil	0,180	0,210	18	1,00	25	33	30	2,52
000-1273	Air Core Coil	0,180	0,105	15	1,40	25	56	10	3,91
000-1277	Air Core Coil	0,180	0,180	18	1,00	20	39	10	2,28
000-1289	Air Core Coil	0,180	0,180	18	1,00	15	33	15	2,37
000-1291	Air Core Coil	0,180	0,321	21	0,70	15	30	8	1,61
000-1421	Air Core Coil	0,180	0,430	21	0,70	25	29	30	1,79
000-1475	Air Core Coil	0,180	1,200	29	0,30	15	18	8	1,65
000-1488	Air Core Coil	0,180	0,382	22	0,63	15	27	8	1,65
000-1741	Air Core Coil	0,180	0,850	24	0,50	25	28	30	1,6
000-1750	Air Core Coil	0,180	0,810	24	0,50	15	19	27	1,57
000-1818	Air Core Coil	0,180	0,250	20	0,80	20	34	10	1,85
000-1819	Air Core Coil	0,180	0,900	26	0,40	15	20	8	1,72
000-1820	Air Core Coil	0,180	0,550	24	0,50	15	23	8	1,48
000-1937	Air Core Coil	0,180	0,140	17	1,20	15	38	15	3
000-0163	Air Core Coil	0,185	0,115	15	1,40	25	50	15	4,02
000-0096	Air Core Coil	0,190	0,080	13	1,80	8	46	25	7,62
000-0248	Air Core Coil	0,190	0,115	15	1,40	25	50	15	4,12
000-0941	Air Core Coil	0,190	0,290	20	0,80	15	29	13	1,89
000-1042	Air Core Coil	0,190	0,182	18	1,00	20	41	10	2,33
000-1530	Air Core Coil	0,190	0,920	26	0,40	15	20	8	1,72
000-1576	Air Core Coil	0,190	0,140	17	1,20	20	48	10	3,04
000-1597	Air Core Coil	0,190	0,290	20	0,80	15	28	15	1,89
000-1667	Air Core Coil	0,190	0,345	21	0,70	15	25	15	1,68
000-1763	Air Core Coil	0,190	0,209	18	1,00	8	26	25	2,52
000-1906	Air Core Coil	0,190	0,590	24	0,50	15	23	8	1,48
000-0919	Air Core Coil	0,193	0,145	17	1,20	25	43	15	3,26
000-0057	Air Core Coil	0,200	0,100	14	1,60	8	42	25	5,81
000-0139	Air Core Coil	0,200	0,080	13	1,80	8	46	25	7,91
000-0803	Air Core Coil	0,200	1,690	29	0,30	15	19	8	1,65
000-0854	Air Core Coil	0,200	0,450	22	0,63	15	24	15	1,7
000-1011	Air Core Coil	0,200	0,700	24	0,50	15	20	15	1,53
000-1073	Air Core Coil	0,200	0,600	24	0,50	15	24	8	1,5
000-1100	Air Core Coil	0,200	0,350	21	0,70	20	30	10	1,66
000-1101	Air Core Coil	0,200	0,350	21	0,70	15	25	15	1,7
000-1109	Air Core Coil	0,200	0,290	20	0,80	15	29	13	1,89
000-1147	Air Core Coil	0,200	0,350	21	0,70	9	28	8	1,68

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1276	Air Core Coil	0,200	0,193	18	1,00	20	41	10	2,41
000-1357	Air Core Coil	0,200	0,210	18	1,00	25	35	25	2,54
000-1359	Air Core Coil	0,200	0,450	21	0,70	25	30	30	1,84
000-1462	Air Core Coil	0,200	0,420	22	0,63	15	28	8	1,67
000-1507	Air Core Coil	0,200	0,130	15	1,40	25	41	30	4,43
000-1600	Air Core Coil	0,200	0,150	17	1,20	25	43	15	3,04
000-1606	Air Core Coil	0,200	0,115	15	1,40	25	48	15	4,16
000-1612	Air Core Coil	0,200	0,110	15	1,40	25	56	10	4,1
000-1622	Air Core Coil	0,200	0,295	20	0,80	15	28	15	1,89
000-1822	Air Core Coil	0,200	0,200	18	1,00	25	39	15	2,43
000-1823	Air Core Coil	0,200	0,940	26	0,40	15	21	8	1,72
000-1824	Air Core Coil	0,200	0,290	20	0,80	20	34	10	1,89
000-1875	Air Core Coil	0,200	1,000	26	0,40	20	24	10	1,74
000-1928	Air Core Coil	0,200	0,150	17	1,20	15	40	15	3,02
000-1985	Air Core Coil	0,200	0,220	18	1,00	8	26	25	2,56
000-0100	Air Core Coil	0,210	0,080	13	1,80	25	49	30	8,02
000-1074	Air Core Coil	0,210	0,605	24	0,50	15	24	8	1,53
000-1086	Air Core Coil	0,210	0,295	20	0,80	20	34	10	1,92
000-1420	Air Core Coil	0,210	0,460	21	0,70	25	30	30	1,87
000-1559	Air Core Coil	0,210	0,150	17	1,20	25	44	15	3,08
000-1686	Air Core Coil	0,210	0,370	21	0,70	15	31	8	1,68
000-0006	Air Core Coil	0,220	0,104	14	1,60	8	42	25	6,12
000-0106	Air Core Coil	0,220	0,083	13	1,80	25	49	30	8
000-1013	Air Core Coil	0,220	0,440	22	0,63	15	29	8	1,71
000-1015	Air Core Coil	0,220	0,210	18	1,00	15	34	15	2,52
000-1125	Air Core Coil	0,220	0,370	21	0,70	15	26	15	1,77
000-1263	Air Core Coil	0,220	0,349	21	0,70	15	31	8	1,7
000-1268	Air Core Coil	0,220	0,120	15	1,40	25	50	15	4,25
000-1278	Air Core Coil	0,220	0,205	18	1,00	20	41	10	2,48
000-1308	Air Core Coil	0,220	0,300	20	0,80	9	33	8	1,94
000-1323	Air Core Coil	0,220	0,640	24	0,50	9	21	8	1,53
000-1345	Air Core Coil	0,220	0,210	18	1,00	25	39	15	2,54
000-1631	Air Core Coil	0,220	0,140	15	1,40	25	41	30	4,58
000-1650	Air Core Coil	0,220	0,465	22	0,63	15	24	15	1,71
000-1674	Air Core Coil	0,220	0,360	21	0,70	9	29	8	1,7
000-1708	Air Core Coil	0,220	0,310	20	0,80	15	28	15	1,96
000-1742	Air Core Coil	0,220	0,465	21	0,70	25	31	30	1,88
000-1745	Air Core Coil	0,220	0,240	18	1,00	25	35	30	2,69
000-1753	Air Core Coil	0,220	0,455	21	0,70	15	23	27	1,84
000-1756	Air Core Coil	0,220	0,230	18	1,00	15	27	27	2,65
000-1825	Air Core Coil	0,220	0,300	20	0,80	20	34	10	1,94
000-1826	Air Core Coil	0,220	0,610	24	0,50	15	24	8	1,53
000-1827	Air Core Coil	0,220	1,070	26	0,40	15	19	15	1,74
000-1909	Air Core Coil	0,220	0,440	21	0,70	8	20	25	1,84
000-1910	Air Core Coil	0,220	0,353	21	0,70	20	31	10	1,73
000-1912	Air Core Coil	0,220	0,880	26	0,40	9	17	8	1,71
000-1914	Air Core Coil	0,220	0,800	24	0,50	8	15	25	1,6
000-1915	Air Core Coil	0,220	0,500	22	0,63	8	17	25	1,81
000-1921	Air Core Coil	0,220	0,170	17	1,20	25	37	30	3,46
000-1922	Air Core Coil	0,220	0,160	17	1,20	25	45	15	3,19
000-1923	Air Core Coil	0,220	0,160	17	1,20	15	40	15	3,12
000-1998	Air Core Coil	0,220	0,230	18	1,00	8	26	25	2,65
000-0227	Air Core Coil	0,230	0,150	17	1,20	15	40	15	3,31
000-1016	Air Core Coil	0,230	0,210	18	1,00	15	34	15	2,54
000-1165	Air Core Coil	0,230	0,370	21	0,70	15	31	8	1,73
000-1616	Air Core Coil	0,230	0,305	20	0,80	20	35	10	1,96
000-1648	Air Core Coil	0,230	0,440	22	0,63	15	29	8	1,74
000-0245	Air Core Coil	0,240	0,110	14	1,60	8	43	25	6,26
000-0905	Air Core Coil	0,240	0,125	15	1,40	25	52	15	4,39
000-1017	Air Core Coil	0,240	1,690	29	0,30	15	19	8	1,65
000-1084	Air Core Coil	0,240	0,310	20	0,80	20	35	10	1,96
000-1102	Air Core Coil	0,240	0,640	24	0,50	15	24	8	1,55
000-1481	Air Core Coil	0,240	1,020	26	0,40	15	22	8	1,74
000-1642	Air Core Coil	0,240	0,165	17	1,20	15	40	15	3,4
000-1683	Air Core Coil	0,240	0,375	21	0,70	15	31	8	1,75
000-1926	Air Core Coil	0,240	0,210	18	1,00	25	39	15	2,61
000-0991	Air Core Coil	0,245	1,450	29	0,30	9	15	8	2,79
000-1076	Air Core Coil	0,250	0,220	18	1,00	25	40	15	2,61
000-1093	Air Core Coil	0,250	0,170	17	1,20	15	42	15	3,46
000-1152	Air Core Coil	0,250	0,720	24	0,50	15	21	15	1,55
000-1155	Air Core Coil	0,250	0,140	15	1,40	25	41	30	4,79
000-1269	Air Core Coil	0,250	0,128	15	1,40	25	52	15	4,47
000-1279	Air Core Coil	0,250	0,223	18	1,00	15	34	15	2,63
000-1360	Air Core Coil	0,250	0,490	21	0,70	25	31	30	1,95
000-1464	Air Core Coil	0,250	0,400	21	0,70	15	26	15	1,77

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1490	Air Core Coil	0,250	0,460	22	0,63	15	29	8	1,74
000-1525	Air Core Coil	0,250	0,660	24	0,50	15	24	8	1,55
000-1528	Air Core Coil	0,250	0,330	20	0,80	15	29	15	2,03
000-1645	Air Core Coil	0,250	0,380	21	0,70	15	32	8	1,77
000-1904	Air Core Coil	0,250	0,250	18	1,00	25	35	30	2,82
000-1905	Air Core Coil	0,250	0,250	18	1,00	8	26	25	2,76
000-1925	Air Core Coil	0,250	1,020	26	0,40	15	22	8	1,77
000-0867	Air Core Coil	0,256	0,230	18	1,00	15	35	15	2,94
000-0879	Air Core Coil	0,260	0,470	22	0,63	15	29	8	1,74
000-0904	Air Core Coil	0,260	0,132	15	1,40	25	52	15	4,81
000-0907	Air Core Coil	0,260	0,091	13	1,80	8	50	25	8,71
000-1113	Air Core Coil	0,260	0,317	20	0,80	20	36	10	2
000-1162	Air Core Coil	0,260	0,410	21	0,70	15	26	15	1,82
000-1266	Air Core Coil	0,260	1,830	29	0,30	15	19	8	1,65
000-1372	Air Core Coil	0,260	0,260	18	1,00	25	35	30	2,86
000-1412	Air Core Coil	0,260	0,186	17	1,20	25	39	30	3,52
000-1414	Air Core Coil	0,260	0,140	15	1,40	25	41	30	5,06
000-1419	Air Core Coil	0,260	0,500	21	0,70	25	31	30	1,96
000-1728	Air Core Coil	0,260	0,225	18	1,00	25	40	15	2,65
000-1777	Air Core Coil	0,260	0,710	24	0,50	9	22	8	1,55
000-1000	Air Core Coil	0,267	1,900	29	0,30	15	18	8	2,79
000-0007	Air Core Coil	0,270	0,120	14	1,60	8	44	25	6,6
000-0107	Air Core Coil	0,270	0,095	13	1,80	25	52	30	8,82
000-0797	Air Core Coil	0,270	1,940	29	0,30	15	19	8	1,65
000-0882	Air Core Coil	0,270	0,750	24	0,50	15	21	15	1,57
000-0889	Air Core Coil	0,270	0,150	15	1,40	8	40	25	5,32
000-1019	Air Core Coil	0,270	0,410	21	0,70	15	26	15	1,84
000-1168	Air Core Coil	0,270	0,414	21	0,70	20	32	10	1,77
000-1208	Air Core Coil	0,270	0,266	18	1,00	25	35	30	2,91
000-1275	Air Core Coil	0,270	0,134	15	1,40	25	52	15	4,85
000-1322	Air Core Coil	0,270	0,710	24	0,50	9	22	8	1,57
000-1350	Air Core Coil	0,270	0,405	21	0,70	15	33	8	1,77
000-1446	Air Core Coil	0,270	0,230	18	1,00	25	40	15	2,67
000-1579	Air Core Coil	0,270	0,170	17	1,20	20	52	10	3,51
000-1632	Air Core Coil	0,270	0,160	17	1,20	25	46	15	3,46
000-1635	Air Core Coil	0,270	0,230	18	1,00	15	35	15	2,67
000-1640	Air Core Coil	0,270	0,490	22	0,63	15	29	8	1,76
000-1769	Air Core Coil	0,270	0,152	15	1,40	25	41	30	5,08
000-1828	Air Core Coil	0,270	0,330	20	0,80	20	36	10	2,05
000-1829	Air Core Coil	0,270	0,680	24	0,50	15	25	8	1,57
000-1986	Air Core Coil	0,270	0,260	18	1,00	8	28	25	2,85
000-1916	Air Core Coil	0,275	0,170	17	1,20	25	46	15	3,77
000-1917	Air Core Coil	0,275	0,235	18	1,00	25	40	15	2,96
000-1919	Air Core Coil	0,275	0,230	18	1,00	15	35	15	2,96
000-0801	Air Core Coil	0,280	1,950	29	0,30	15	19	8	1,65
000-0903	Air Core Coil	0,280	0,140	15	1,40	25	53	15	4,92
000-1020	Air Core Coil	0,280	0,500	22	0,63	15	30	8	1,76
000-1114	Air Core Coil	0,280	0,335	20	0,80	20	36	10	2,08
000-1164	Air Core Coil	0,280	0,790	24	0,50	15	21	15	1,6
000-1340	Air Core Coil	0,280	0,240	18	1,00	25	40	15	2,71
000-1456	Air Core Coil	0,280	0,420	21	0,70	15	26	15	1,84
000-1590	Air Core Coil	0,280	0,710	24	0,50	15	25	8	1,57
000-1759	Air Core Coil	0,280	0,192	17	1,20	15	34	27	3,74
000-1764	Air Core Coil	0,280	0,191	17	1,20	25	39	30	3,7
000-1830	Air Core Coil	0,280	0,420	21	0,70	20	33	10	1,79
000-1831	Air Core Coil	0,280	0,760	24	0,50	20	27	10	1,57
000-0065	Air Core Coil	0,290	0,120	14	1,60	8	46	25	6,68
000-0843	Air Core Coil	0,290	0,750	24	0,50	15	25	8	1,57
000-0868	Air Core Coil	0,290	0,180	17	1,20	25	48	15	3,55
000-1643	Air Core Coil	0,290	0,420	21	0,70	15	33	8	1,79
000-1644	Air Core Coil	0,290	0,230	18	1,00	15	36	15	2,71
000-1651	Air Core Coil	0,290	0,520	22	0,63	15	25	15	1,83
000-0954	Air Core Coil	0,300	0,100	13	1,80	25	52	30	9,32
000-0969	Air Core Coil	0,300	1,350	26	0,40	10	16	20	1,79
000-1027	Air Core Coil	0,300	0,210	17	1,20	25	39	30	3,91
000-1143	Air Core Coil	0,300	0,550	22	0,63	25	33	15	1,83
000-1163	Air Core Coil	0,300	0,157	15	1,40	25	43	30	5,36
000-1170	Air Core Coil	0,300	0,440	21	0,70	15	27	15	1,86
000-1223	Air Core Coil	0,300	0,430	21	0,70	20	34	10	1,86
000-1272	Air Core Coil	0,300	0,144	15	1,40	25	53	15	5,11
000-1313	Air Core Coil	0,300	0,240	18	1,00	15	36	15	2,8
000-1315	Air Core Coil	0,300	0,260	18	1,00	9	45	8	2,86
000-1335	Air Core Coil	0,300	0,180	17	1,20	25	48	15	3,57
000-1362	Air Core Coil	0,300	0,540	21	0,70	25	31	30	2,02
000-1452	Air Core Coil	0,300	0,550	22	0,63	15	25	15	1,83

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1454	Air Core Coil	0,300	0,500	22	0,63	15	30	8	1,79
000-1483	Air Core Coil	0,300	0,160	15	1,40	8	40	25	5,57
000-1575	Air Core Coil	0,300	0,180	17	1,20	20	54	10	3,7
000-1803	Air Core Coil	0,300	1,140	26	0,40	15	22	8	1,77
000-1832	Air Core Coil	0,300	0,362	20	0,80	15	29	15	2,12
000-1833	Air Core Coil	0,300	0,750	24	0,50	15	25	8	1,57
000-1880	Air Core Coil	0,300	0,430	21	0,70	15	33	8	1,84
000-1883	Air Core Coil	0,300	0,750	24	0,50	9	22	8	1,57
000-1884	Air Core Coil	0,300	1,100	26	0,40	9	18	8	1,74
000-1885	Air Core Coil	0,300	1,950	29	0,30	15	19	8	1,65
000-0145	Air Core Coil	0,310	0,240	18	1,00	15	36	15	2,82
000-1433	Air Core Coil	0,310	0,550	21	0,70	25	31	30	2,04
000-1629	Air Core Coil	0,310	0,160	15	1,40	25	43	30	5,4
000-1685	Air Core Coil	0,310	0,460	21	0,70	15	27	15	1,86
000-0166	Air Core Coil	0,320	0,100	13	1,80	25	52	30	9,64
000-0173	Air Core Coil	0,320	0,210	17	1,20	25	39	30	3,97
000-0966	Air Core Coil	0,320	0,880	24	0,50	15	22	15	1,65
000-1059	Air Core Coil	0,320	1,970	29	0,30	9	15	8	1,66
000-1115	Air Core Coil	0,320	0,366	20	0,80	15	30	15	2,16
000-1172	Air Core Coil	0,320	0,164	15	1,40	25	43	30	5,44
000-1529	Air Core Coil	0,320	0,560	22	0,63	15	25	15	1,85
000-1661	Air Core Coil	0,320	0,470	21	0,70	15	27	15	1,88
000-0008	Air Core Coil	0,330	0,129	14	1,60	8	46	25	7,14
000-0108	Air Core Coil	0,330	0,105	13	1,80	25	52	30	9,67
000-0890	Air Core Coil	0,330	0,170	15	1,40	8	40	25	5,49
000-1021	Air Core Coil	0,330	0,480	21	0,70	15	28	15	1,91
000-1022	Air Core Coil	0,330	0,260	18	1,00	25	42	15	2,89
000-1071	Air Core Coil	0,330	0,153	15	1,40	25	53	15	5,27
000-1173	Air Core Coil	0,330	0,220	17	1,20	25	39	30	4,03
000-1214	Air Core Coil	0,330	1,240	26	0,40	20	25	10	1,79
000-1264	Air Core Coil	0,330	0,445	21	0,70	15	34	8	1,88
000-1310	Air Core Coil	0,330	0,160	15	1,40	25	44	30	5,56
000-1321	Air Core Coil	0,330	0,790	24	0,50	9	23	8	1,6
000-1513	Air Core Coil	0,330	1,200	26	0,40	15	22	8	1,77
000-1550	Air Core Coil	0,330	2,000	29	0,30	15	20	8	1,68
000-1551	Air Core Coil	0,330	1,970	29	0,30	9	15	8	1,66
000-1679	Air Core Coil	0,330	0,260	18	1,00	15	36	15	2,91
000-1712	Air Core Coil	0,330	0,194	17	1,20	25	48	15	3,76
000-1743	Air Core Coil	0,330	0,561	21	0,70	25	31	30	2,07
000-1746	Air Core Coil	0,330	0,310	18	1,00	25	35	30	3,08
000-1754	Air Core Coil	0,330	0,561	21	0,70	15	24	27	2,02
000-1757	Air Core Coil	0,330	0,293	18	1,00	15	29	27	3,04
000-1834	Air Core Coil	0,330	0,780	24	0,50	15	26	8	1,62
000-1835	Air Core Coil	0,330	0,390	20	0,80	15	30	15	2,21
000-1890	Air Core Coil	0,330	0,580	22	0,63	15	25	15	1,88
000-1987	Air Core Coil	0,330	0,290	18	1,00	8	28	25	3,02
000-0832	Air Core Coil	0,340	0,270	18	1,00	15	37	15	2,91
000-0859	Air Core Coil	0,340	0,100	13	1,80	25	52	30	9,7
000-0869	Air Core Coil	0,340	0,218	17	1,20	8	34	25	4,41
000-0908	Air Core Coil	0,340	0,580	22	0,63	15	31	8	1,85
000-1911	Air Core Coil	0,340	0,790	24	0,50	15	26	8	1,62
000-0860	Air Core Coil	0,350	0,110	13	1,80	25	55	30	9,87
000-1009	Air Core Coil	0,350	0,275	18	1,00	15	37	15	2,93
000-1204	Air Core Coil	0,350	0,400	20	0,80	15	30	15	2,25
000-1332	Air Core Coil	0,350	0,490	21	0,70	15	28	15	1,93
000-1354	Air Core Coil	0,350	0,475	21	0,70	15	34	8	1,91
000-1363	Air Core Coil	0,350	0,580	21	0,70	25	31	30	2,09
000-1417	Air Core Coil	0,350	0,167	15	1,40	25	44	30	5,73
000-1450	Air Core Coil	0,350	0,800	24	0,50	15	26	8	1,62
000-1453	Air Core Coil	0,350	0,580	22	0,63	15	31	8	1,85
000-1836	Air Core Coil	0,350	1,240	26	0,40	15	23	8	1,77
000-1876	Air Core Coil	0,350	1,300	26	0,40	20	25	10	1,79
000-1979	Air Core Coil	0,350	0,230	17	1,20	25	40	30	4,1
000-0054	Air Core Coil	0,360	0,137	14	1,60	8	49	25	7,44
000-0968	Air Core Coil	0,360	1,250	26	0,40	15	23	8	1,79
000-1082	Air Core Coil	0,360	0,525	21	0,70	15	29	15	1,93
000-1153	Air Core Coil	0,360	0,280	18	1,00	15	37	15	2,97
000-1415	Air Core Coil	0,360	0,170	15	1,40	25	44	30	5,77
000-1432	Air Core Coil	0,360	0,590	21	0,70	25	31	30	2,13
000-1628	Air Core Coil	0,360	0,315	18	1,00	25	36	30	3,19
000-1729	Air Core Coil	0,360	0,235	17	1,20	25	40	30	4,14
000-0140	Air Core Coil	0,370	0,110	13	1,80	25	56	30	10,07
000-0858	Air Core Coil	0,370	0,500	21	0,70	15	35	8	1,93
000-1116	Air Core Coil	0,370	0,170	15	1,40	25	44	30	5,84
000-1117	Air Core Coil	0,370	0,280	18	1,00	25	42	15	3,02

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1177	Air Core Coil	0,370	0,240	17	1,20	25	41	30	4,18
000-1178	Air Core Coil	0,370	0,320	18	1,00	25	36	30	3,21
000-1179	Air Core Coil	0,370	0,920	24	0,50	15	22	15	1,65
000-1317	Air Core Coil	0,370	0,620	22	0,63	15	25	15	1,9
000-1343	Air Core Coil	0,370	0,580	22	0,63	15	31	8	1,88
000-1344	Air Core Coil	0,370	0,630	22	0,63	25	33	15	1,93
000-1492	Air Core Coil	0,370	0,410	20	0,80	15	31	15	2,25
000-0231	Air Core Coil	0,380	0,240	17	1,20	25	41	30	4,35
000-0862	Air Core Coil	0,380	0,110	13	1,80	25	56	30	10,22
000-1004	Air Core Coil	0,380	0,860	24	0,50	15	26	8	1,62
000-1773	Air Core Coil	0,380	1,300	26	0,40	15	23	8	1,8
000-1837	Air Core Coil	0,380	0,285	18	1,00	15	38	15	3
000-1593	Air Core Coil	0,383	0,180	15	1,40	8	43	25	6,03
000-0986	Air Core Coil	0,385	0,110	13	1,80	25	55	30	10,88
000-0009	Air Core Coil	0,390	0,140	14	1,60	8	50	25	7,71
000-0109	Air Core Coil	0,390	0,110	13	1,80	25	55	30	10,44
000-1018	Air Core Coil	0,390	0,527	21	0,70	15	29	15	2
000-1104	Air Core Coil	0,390	0,290	18	1,00	25	42	15	3,06
000-1181	Air Core Coil	0,390	0,240	17	1,20	25	41	30	4,35
000-1211	Air Core Coil	0,390	0,322	18	1,00	25	37	30	3,23
000-1274	Air Core Coil	0,390	0,167	15	1,40	25	56	15	5,69
000-1292	Air Core Coil	0,390	0,498	21	0,70	15	35	8	1,95
000-1514	Air Core Coil	0,390	1,300	26	0,40	15	23	8	1,8
000-1578	Air Core Coil	0,390	0,210	17	1,20	20	58	10	4,14
000-1624	Air Core Coil	0,390	0,285	18	1,00	17	42	12	3,02
000-1641	Air Core Coil	0,390	0,205	17	1,20	25	50	15	4,02
000-1677	Air Core Coil	0,390	0,293	18	1,00	15	38	15	3,02
000-1838	Air Core Coil	0,390	0,860	24	0,50	15	26	8	1,62
000-1839	Air Core Coil	0,390	0,420	20	0,80	15	31	15	2,28
000-1879	Air Core Coil	0,390	2,500	29	0,30	15	18	15	1,71
000-1895	Air Core Coil	0,390	0,170	15	1,40	25	46	30	5,94
000-1908	Air Core Coil	0,390	0,600	21	0,70	8	22	25	2,11
000-1988	Air Core Coil	0,390	0,320	18	1,00	8	29	25	3,3
000-0050	Air Core Coil	0,400	0,140	14	1,60	8	50	25	7,81
000-0829	Air Core Coil	0,400	0,110	13	1,80	25	56	30	10,55
000-1171	Air Core Coil	0,400	0,598	22	0,63	15	32	8	1,9
000-1184	Air Core Coil	0,400	0,960	24	0,50	15	23	15	1,67
000-1186	Air Core Coil	0,400	0,180	15	1,40	25	46	30	6,09
000-1243	Air Core Coil	0,400	0,167	15	1,40	25	56	15	5,73
000-1320	Air Core Coil	0,400	0,890	24	0,50	9	24	8	1,65
000-1328	Air Core Coil	0,400	0,890	24	0,50	15	27	8	1,65
000-1364	Air Core Coil	0,400	0,640	21	0,70	25	32	30	2,18
000-1474	Air Core Coil	0,400	0,530	21	0,70	15	29	15	2
000-1489	Air Core Coil	0,400	0,640	22	0,63	15	26	15	1,95
000-1512	Air Core Coil	0,400	0,245	17	1,20	25	41	30	4,37
000-1515	Air Core Coil	0,400	0,212	17	1,20	15	45	15	4,06
000-1548	Air Core Coil	0,400	0,183	15	1,40	8	43	25	6,24
000-1552	Air Core Coil	0,400	2,230	29	0,30	9	16	8	1,68
000-1553	Air Core Coil	0,400	2,500	29	0,30	15	18	15	1,7
000-1556	Air Core Coil	0,400	1,700	26	0,40	8	14	25	1,52
000-1654	Air Core Coil	0,400	0,300	18	1,00	19	35	22	3,19
000-1840	Air Core Coil	0,400	0,430	20	0,80	15	32	15	2,3
000-1841	Air Core Coil	0,400	0,330	18	1,00	25	37	30	3,32
000-1950	Air Core Coil	0,400	0,290	18	1,00	25	43	15	3,11
000-1966	Air Core Coil	0,400	0,294	18	1,00	15	38	15	3,08
000-0187	Air Core Coil	0,410	0,180	15	1,40	25	46	30	6,13
000-0847	Air Core Coil	0,410	0,120	13	1,80	25	56	30	10,57
000-1120	Air Core Coil	0,410	0,435	20	0,80	15	32	15	2,35
000-1303	Air Core Coil	0,410	0,300	18	1,00	15	38	15	3,11
000-1304	Air Core Coil	0,410	0,300	18	1,00	20	37	20	3,02
000-1447	Air Core Coil	0,410	0,580	21	0,70	20	29	20	2,07
000-0067	Air Core Coil	0,420	0,140	14	1,60	8	51	25	8,04
000-0188	Air Core Coil	0,420	0,120	13	1,80	25	56	30	10,64
000-1157	Air Core Coil	0,420	0,980	24	0,50	15	23	15	1,7
000-1188	Air Core Coil	0,420	0,440	20	0,80	15	32	15	2,35
000-1189	Air Core Coil	0,420	0,190	15	1,40	25	46	30	6,13
000-1190	Air Core Coil	0,420	1,520	26	0,40	15	21	15	1,85
000-1404	Air Core Coil	0,420	0,540	21	0,70	15	29	15	2,02
000-1451	Air Core Coil	0,420	0,650	22	0,63	15	26	15	1,97
000-1574	Air Core Coil	0,420	0,220	17	1,20	20	58	10	4,25
000-1577	Air Core Coil	0,420	0,300	18	1,00	20	37	20	3,12
000-1976	Air Core Coil	0,420	0,250	17	1,20	25	41	30	4,4
000-0911	Air Core Coil	0,424	0,303	18	1,00	25	44	15	3,39
000-0199	Air Core Coil	0,430	0,190	15	1,40	25	46	30	6,21
000-0204	Air Core Coil	0,430	0,385	18	1,00	10	26	40	4,13

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0820	Air Core Coil	0,430	0,300	18	1,00	25	45	15	3,17
000-0899	Air Core Coil	0,430	0,670	22	0,63	25	34	15	1,97
000-1121	Air Core Coil	0,430	0,445	20	0,80	15	32	15	2,37
000-1842	Air Core Coil	0,430	0,910	24	0,50	15	27	8	1,67
000-1968	Air Core Coil	0,430	0,545	21	0,70	15	29	15	2,02
000-0198	Air Core Coil	0,440	0,190	15	1,40	25	46	30	6,24
000-1191	Air Core Coil	0,440	0,310	18	1,00	25	45	15	3,19
000-1192	Air Core Coil	0,440	0,680	22	0,63	25	34	15	1,99
000-1390	Air Core Coil	0,440	0,260	17	1,20	25	41	30	4,44
000-1391	Air Core Coil	0,440	1,320	26	0,40	20	26	10	1,82
000-1460	Air Core Coil	0,440	0,455	20	0,80	15	32	15	2,39
000-1974	Air Core Coil	0,440	0,560	21	0,70	15	29	15	2,03
000-0053	Air Core Coil	0,450	0,160	14	1,60	25	51	30	8,31
000-0068	Air Core Coil	0,450	0,150	14	1,60	8	51	25	8,25
000-1193	Air Core Coil	0,450	0,980	24	0,50	20	29	10	1,7
000-1194	Air Core Coil	0,450	1,560	26	0,40	15	21	15	1,85
000-1195	Air Core Coil	0,450	0,460	20	0,80	15	32	15	2,43
000-1196	Air Core Coil	0,450	0,310	18	1,00	15	39	15	3,19
000-1365	Air Core Coil	0,450	0,660	21	0,70	25	32	30	2,27
000-1400	Air Core Coil	0,450	0,940	24	0,50	15	27	8	1,67
000-1655	Air Core Coil	0,450	0,190	15	1,40	25	46	30	6,53
000-1927	Air Core Coil	0,450	0,260	17	1,20	25	41	30	4,46
000-0249	Air Core Coil	0,460	0,180	15	1,40	25	60	15	6,26
000-1197	Air Core Coil	0,460	1,000	24	0,50	20	29	10	1,7
000-1213	Air Core Coil	0,460	1,390	26	0,40	15	23	8	1,82
000-1331	Air Core Coil	0,460	0,560	21	0,70	15	29	15	2,04
000-1877	Air Core Coil	0,460	1,470	26	0,40	20	26	10	1,84
000-1977	Air Core Coil	0,460	0,260	17	1,20	25	41	30	4,5
000-0010	Air Core Coil	0,470	0,164	14	1,60	25	52	30	8,52
000-0110	Air Core Coil	0,470	0,130	13	1,80	25	59	30	11,14
000-0887	Air Core Coil	0,470	0,250	17	1,20	25	50	15	4,71
000-0967	Air Core Coil	0,470	1,700	26	0,40	10	17	20	1,86
000-1030	Air Core Coil	0,470	0,570	21	0,70	15	29	15	2,09
000-1031	Air Core Coil	0,470	0,320	18	1,00	25	45	15	3,3
000-1198	Air Core Coil	0,470	0,260	17	1,20	25	41	30	4,54
000-1242	Air Core Coil	0,470	0,190	15	1,40	25	59	15	6,09
000-1281	Air Core Coil	0,470	0,320	18	1,00	15	40	15	3,28
000-1294	Air Core Coil	0,470	0,690	22	0,63	15	27	15	2,02
000-1297	Air Core Coil	0,470	0,730	22	0,63	25	34	15	2,02
000-1518	Air Core Coil	0,470	0,200	15	1,40	25	46	30	6,38
000-1539	Air Core Coil	0,470	0,330	18	1,00	20	37	20	3,08
000-1636	Air Core Coil	0,470	1,350	26	0,40	9	20	8	1,82
000-1747	Air Core Coil	0,470	0,355	18	1,00	25	37	30	3,49
000-1758	Air Core Coil	0,470	0,351	18	1,00	15	33	27	3,47
000-1760	Air Core Coil	0,470	0,259	17	1,20	15	38	27	4,61
000-1843	Air Core Coil	0,470	0,470	20	0,80	15	32	15	2,45
000-1845	Air Core Coil	0,470	0,950	24	0,50	15	27	8	1,7
000-1989	Air Core Coil	0,470	0,360	18	1,00	8	31	25	3,47
000-0209	Air Core Coil	0,480	0,200	15	1,40	25	46	30	6,4
000-0703	Air Core Coil	0,480	0,470	20	0,80	15	33	15	2,48
000-1054	Air Core Coil	0,480	0,260	17	1,20	25	41	30	4,63
000-1201	Air Core Coil	0,480	0,325	18	1,00	25	45	15	3,32
000-1573	Air Core Coil	0,480	0,240	17	1,20	20	61	10	4,5
000-1755	Air Core Coil	0,480	0,700	21	0,70	15	25	27	2,27
000-1762	Air Core Coil	0,480	0,690	21	0,70	25	32	30	2,29
000-0175	Air Core Coil	0,490	0,130	13	1,80	25	59	30	11,66
000-0194	Air Core Coil	0,490	0,201	15	1,40	25	46	30	6,47
000-0228	Air Core Coil	0,490	0,260	17	1,20	25	41	30	4,78
000-1055	Air Core Coil	0,490	2,430	29	0,30	9	16	8	1,7
000-1122	Air Core Coil	0,490	0,477	20	0,80	15	33	15	2,48
000-1202	Air Core Coil	0,490	1,630	26	0,40	15	21	15	1,87
000-1203	Air Core Coil	0,490	0,325	18	1,00	15	40	15	3,32
000-1689	Air Core Coil	0,490	0,580	21	0,70	15	30	15	2,11
000-0835	Air Core Coil	0,500	0,700	21	0,70	8	23	25	2,27
000-0855	Air Core Coil	0,500	0,710	22	0,63	15	27	15	2,06
000-0883	Air Core Coil	0,500	1,080	24	0,50	15	23	15	1,72
000-0950	Air Core Coil	0,500	0,260	17	1,20	15	40	25	4,67
000-0981	Air Core Coil	0,500	0,160	14	1,60	25	53	30	8,71
000-1034	Air Core Coil	0,500	0,490	20	0,80	15	33	15	2,48
000-1205	Air Core Coil	0,500	0,280	17	1,20	25	41	30	4,8
000-1267	Air Core Coil	0,500	0,203	15	1,40	25	48	30	6,5
000-1327	Air Core Coil	0,500	1,000	24	0,50	15	28	8	1,72
000-1366	Air Core Coil	0,500	0,700	21	0,70	25	32	30	2,31
000-1389	Air Core Coil	0,500	1,530	26	0,40	20	26	10	1,86
000-1401	Air Core Coil	0,500	0,330	18	1,00	15	40	15	3,38



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1402	Air Core Coil	0,500	0,340	18	1,00	20	39	20	3,38
000-1403	Air Core Coil	0,500	0,380	18	1,00	25	39	30	3,62
000-1405	Air Core Coil	0,500	0,580	21	0,70	15	30	15	2,13
000-1505	Air Core Coil	0,500	0,248	17	1,20	15	48	15	4,42
000-1555	Air Core Coil	0,500	1,500	26	0,40	15	24	8	1,85
000-1596	Air Core Coil	0,500	0,670	22	0,63	15	33	8	1,99
000-1881	Air Core Coil	0,500	0,640	21	0,70	20	30	20	2,21
000-0174	Air Core Coil	0,510	0,132	13	1,80	25	59	30	11,84
000-0195	Air Core Coil	0,510	0,204	15	1,40	25	48	30	6,76
000-1123	Air Core Coil	0,510	0,495	20	0,80	15	33	15	2,5
000-1319	Air Core Coil	0,510	1,010	24	0,50	9	25	8	1,7
000-1431	Air Core Coil	0,510	0,710	21	0,70	25	32	30	2,34
000-0977	Air Core Coil	0,518	2,520	29	0,30	15	19	15	2,9
000-0714	Air Core Coil	0,520	0,340	18	1,00	15	40	15	3,45
000-0924	Air Core Coil	0,520	0,261	17	1,20	25	52	15	4,77
000-0925	Air Core Coil	0,520	0,261	17	1,20	15	41	25	4,78
000-1479	Air Core Coil	0,520	0,210	15	1,40	25	48	30	6,83
000-1545	Air Core Coil	0,520	0,340	18	1,00	25	46	15	3,38
000-1665	Air Core Coil	0,520	0,590	21	0,70	15	30	15	2,13
000-0099	Air Core Coil	0,530	0,135	13	1,80	25	59	30	12,23
000-0210	Air Core Coil	0,530	0,210	15	1,40	25	48	30	6,87
000-0995	Air Core Coil	0,530	0,295	17	1,20	25	43	30	4,94
000-1124	Air Core Coil	0,530	0,500	20	0,80	15	34	15	2,54
000-0178	Air Core Coil	0,540	0,210	15	1,40	25	49	30	6,9
000-0180	Air Core Coil	0,540	0,140	13	1,80	25	59	30	12,36
000-0929	Air Core Coil	0,540	0,385	18	1,00	8	33	25	3,67
000-0961	Air Core Coil	0,550	0,360	18	1,00	20	39	20	3,47
000-1036	Air Core Coil	0,550	0,220	15	1,40	25	49	30	6,93
000-1145	Air Core Coil	0,550	0,750	22	0,63	15	27	15	2,08
000-1209	Air Core Coil	0,550	0,600	21	0,70	15	30	15	2,18
000-1435	Air Core Coil	0,550	1,520	26	0,40	15	24	8	1,85
000-1509	Air Core Coil	0,550	0,300	17	1,20	25	43	30	5,04
000-1846	Air Core Coil	0,550	0,500	20	0,80	15	34	15	2,59
000-0011	Air Core Coil	0,560	0,180	14	1,60	25	54	30	9,23
000-0111	Air Core Coil	0,560	0,140	13	1,80	25	59	30	12,47
000-0888	Air Core Coil	0,560	0,272	17	1,20	25	55	15	4,98
000-1026	Air Core Coil	0,560	0,760	22	0,63	15	27	15	2,08
000-1035	Air Core Coil	0,560	0,360	18	1,00	25	46	15	3,47
000-1040	Air Core Coil	0,560	0,610	21	0,70	15	30	15	2,21
000-1161	Air Core Coil	0,560	1,530	26	0,40	15	24	8	1,85
000-1210	Air Core Coil	0,560	0,300	17	1,20	25	43	30	5,04
000-1373	Air Core Coil	0,560	0,400	18	1,00	25	39	30	3,75
000-1407	Air Core Coil	0,560	0,450	18	1,00	10	30	40	4,54
000-1572	Air Core Coil	0,560	0,270	17	1,20	20	46	20	9,08
000-1678	Air Core Coil	0,560	0,345	18	1,00	15	40	15	3,58
000-1847	Air Core Coil	0,560	1,100	24	0,50	15	28	8	1,74
000-1848	Air Core Coil	0,560	0,510	20	0,80	15	34	15	2,59
000-1896	Air Core Coil	0,560	0,220	15	1,40	25	49	30	6,93
000-1990	Air Core Coil	0,560	0,390	18	1,00	8	33	25	3,78
000-0155	Air Core Coil	0,580	0,510	20	0,80	15	33	15	2,61
000-1039	Air Core Coil	0,580	2,820	29	0,30	9	17	8	1,7
000-1302	Air Core Coil	0,580	0,310	17	1,20	25	43	30	5,15
000-1700	Air Core Coil	0,580	3,120	29	0,30	15	19	15	1,76
000-1439	Air Core Coil	0,590	0,815	22	0,63	15	28	15	2,11
000-0052	Air Core Coil	0,600	0,184	14	1,60	25	54	30	9,53
000-0151	Air Core Coil	0,600	0,150	13	1,80	25	62	30	12,69
000-0213	Air Core Coil	0,600	3,180	29	0,30	15	19	15	1,78
000-0912	Air Core Coil	0,600	0,279	17	1,20	25	56	15	5
000-1367	Air Core Coil	0,600	0,770	21	0,70	25	32	30	2,45
000-1406	Air Core Coil	0,600	0,630	21	0,70	15	30	15	2,29
000-1444	Air Core Coil	0,600	0,230	15	1,40	25	49	30	7,14
000-1511	Air Core Coil	0,600	0,310	17	1,20	25	43	30	5,24
000-1571	Air Core Coil	0,600	0,280	17	1,20	20	48	20	9,23
000-1735	Air Core Coil	0,600	1,600	26	0,40	15	24	8	1,87
000-1761	Air Core Coil	0,600	0,294	17	1,20	15	41	27	5,16
000-1849	Air Core Coil	0,600	1,120	24	0,50	15	29	8	1,77
000-1850	Air Core Coil	0,600	0,530	20	0,80	15	35	15	2,66
000-1851	Air Core Coil	0,600	0,410	18	1,00	25	39	30	3,87
000-1951	Air Core Coil	0,600	0,370	18	1,00	25	47	15	3,6
000-1967	Air Core Coil	0,600	0,370	18	1,00	15	44	15	3,58
000-1991	Air Core Coil	0,600	0,410	18	1,00	8	33	25	3,87
000-0987	Air Core Coil	0,610	0,220	15	1,40	25	49	30	7,61
000-1353	Air Core Coil	0,610	0,820	22	0,63	15	28	15	2,13
000-0012	Air Core Coil	0,620	0,189	14	1,60	25	54	30	9,64
000-0112	Air Core Coil	0,620	0,150	13	1,80	25	62	30	12,75

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0716	Air Core Coil	0,620	0,320	17	1,20	25	43	30	5,36
000-0927	Air Core Coil	0,620	0,380	18	1,00	25	47	15	3,67
000-0988	Air Core Coil	0,620	0,220	15	1,40	25	49	30	7,62
000-1265	Air Core Coil	0,620	1,140	24	0,50	15	29	8	1,77
000-1558	Air Core Coil	0,620	0,550	20	0,80	15	35	15	2,68
000-1668	Air Core Coil	0,620	0,650	21	0,70	15	30	15	2,31
000-0165	Air Core Coil	0,630	0,230	15	1,40	25	49	30	7,65
000-0214	Air Core Coil	0,630	3,190	29	0,30	15	19	15	1,78
000-0244	Air Core Coil	0,630	0,180	14	1,60	25	55	30	9,75
000-1398	Air Core Coil	0,637	0,890	22	0,63	15	29	15	2,47
000-0215	Air Core Coil	0,640	0,380	18	1,00	25	47	15	3,74
000-0913	Air Core Coil	0,640	0,286	17	1,20	25	56	15	5,11
000-1731	Air Core Coil	0,640	0,240	15	1,40	25	49	30	7,67
000-1796	Air Core Coil	0,640	1,680	26	0,40	15	25	8	1,89
000-0142	Air Core Coil	0,650	0,153	13	1,80	25	62	30	13,18
000-0863	Air Core Coil	0,650	0,430	18	1,00	8	34	25	3,95
000-0914	Air Core Coil	0,650	0,800	21	0,70	8	25	25	2,5
000-1085	Air Core Coil	0,650	0,430	18	1,00	25	39	30	3,99
000-1416	Air Core Coil	0,650	0,240	15	1,40	25	49	30	7,69
000-1737	Air Core Coil	0,650	1,160	24	0,50	15	29	8	1,79
000-1772	Air Core Coil	0,650	1,680	26	0,40	15	25	8	1,89
000-1791	Air Core Coil	0,650	0,320	17	1,20	25	43	30	5,38
000-1929	Air Core Coil	0,650	0,560	20	0,80	15	35	15	2,73
000-1952	Air Core Coil	0,650	0,380	18	1,00	25	47	15	3,75
000-0916	Air Core Coil	0,665	0,245	15	1,40	25	49	30	9,48
000-0179	Air Core Coil	0,670	0,550	20	0,80	15	35	15	2,73
000-0982	Air Core Coil	0,670	0,240	15	1,40	25	49	30	7,75
000-0013	Air Core Coil	0,680	0,200	14	1,60	25	54	30	10,01
000-0113	Air Core Coil	0,680	0,155	13	1,80	25	62	30	13,56
000-1044	Air Core Coil	0,680	0,700	21	0,70	15	32	15	2,34
000-1282	Air Core Coil	0,680	0,400	18	1,00	15	45	15	3,88
000-1287	Air Core Coil	0,680	0,410	18	1,00	25	48	15	3,78
000-1305	Air Core Coil	0,680	0,330	17	1,20	25	43	30	5,49
000-1537	Air Core Coil	0,680	0,440	18	1,00	25	39	30	4,08
000-1542	Air Core Coil	0,680	3,530	29	0,30	15	19	15	1,78
000-1570	Air Core Coil	0,680	0,300	17	1,20	20	48	20	9,51
000-1766	Air Core Coil	0,680	0,870	22	0,63	15	28	15	2,15
000-1852	Air Core Coil	0,680	0,560	20	0,80	15	35	15	2,75
000-1853	Air Core Coil	0,680	1,220	24	0,50	20	31	10	1,82
000-1854	Air Core Coil	0,680	0,240	15	1,40	25	49	30	7,81
000-1907	Air Core Coil	0,680	0,820	21	0,70	8	25	25	2,54
000-1997	Air Core Coil	0,680	0,440	18	1,00	8	34	25	4,06
000-0221	Air Core Coil	0,690	0,880	22	0,63	15	29	15	2,17
000-0821	Air Core Coil	0,690	0,390	18	1,00	25	48	15	3,84
000-0807	Air Core Coil	0,700	1,310	24	0,50	8	21	20	2,46
000-0808	Air Core Coil	0,700	1,740	24	0,50	10	18	40	2,4
000-0989	Air Core Coil	0,700	1,750	26	0,40	15	25	8	1,89
000-1046	Air Core Coil	0,700	1,250	24	0,50	15	30	8	1,79
000-1144	Air Core Coil	0,700	0,400	18	1,00	25	48	15	3,82
000-1334	Air Core Coil	0,700	0,710	21	0,70	15	32	15	2,36
000-1352	Air Core Coil	0,700	0,900	22	0,63	15	29	15	2,2
000-1410	Air Core Coil	0,700	0,850	21	0,70	25	33	30	2,57
000-1510	Air Core Coil	0,700	0,340	17	1,20	25	45	30	5,64
000-1554	Air Core Coil	0,700	3,870	29	0,30	15	20	15	1,78
000-1569	Air Core Coil	0,700	0,300	17	1,20	20	48	20	9,57
000-1615	Air Core Coil	0,700	0,245	15	1,40	25	50	30	7,89
000-1855	Air Core Coil	0,700	0,570	20	0,80	15	35	15	2,79
000-0877	Air Core Coil	0,710	0,400	18	1,00	25	48	15	3,84
000-0878	Air Core Coil	0,710	1,750	26	0,40	15	25	8	1,89
000-0866	Air Core Coil	0,720	0,400	18	1,00	25	49	15	3,88
000-0940	Air Core Coil	0,720	0,250	15	1,40	25	50	30	8,12
000-1038	Air Core Coil	0,720	3,000	29	0,30	9	17	8	1,73
000-1286	Air Core Coil	0,740	0,420	18	1,00	25	48	15	3,82
000-1296	Air Core Coil	0,740	0,940	22	0,63	25	35	15	2,29
000-0061	Air Core Coil	0,750	0,205	14	1,60	25	58	30	10,83
000-1075	Air Core Coil	0,750	0,420	18	1,00	25	48	15	3,91
000-1079	Air Core Coil	0,750	0,470	18	1,00	25	40	30	4,21
000-1105	Air Core Coil	0,750	1,250	24	0,50	15	30	8	1,82
000-1160	Air Core Coil	0,750	1,810	26	0,40	15	25	8	1,89
000-1224	Air Core Coil	0,750	0,350	17	1,20	25	45	30	5,89
000-1356	Air Core Coil	0,750	0,740	21	0,70	15	32	15	2,39
000-1856	Air Core Coil	0,750	0,590	20	0,80	15	36	15	2,88
000-1857	Air Core Coil	0,750	0,260	15	1,40	25	51	30	8,16
000-0848	Air Core Coil	0,760	0,170	13	1,80	25	65	30	14,15
000-1396	Air Core Coil	0,760	3,880	29	0,30	15	20	15	1,78

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1568	Air Core Coil	0,760	0,310	17	1,20	20	50	20	9,8
000-1736	Air Core Coil	0,760	1,830	26	0,40	15	25	8	1,91
000-0056	Air Core Coil	0,770	0,210	14	1,60	25	58	30	10,93
000-0246	Air Core Coil	0,770	0,425	18	1,00	25	50	15	3,97
000-0955	Air Core Coil	0,770	0,264	15	1,40	25	51	30	8,27
000-0958	Air Core Coil	0,770	0,620	20	0,80	15	36	15	2,9
000-0205	Air Core Coil	0,780	0,533	18	1,00	10	30	40	5,1
000-0902	Air Core Coil	0,780	0,425	18	1,00	25	50	15	3,97
000-0910	Air Core Coil	0,780	0,750	21	0,70	15	33	15	2,43
000-0953	Air Core Coil	0,780	0,267	15	1,40	25	51	30	8,38
000-1734	Air Core Coil	0,780	1,860	26	0,40	15	25	8	1,91
000-1696	Air Core Coil	0,790	0,750	21	0,70	15	33	15	2,45
000-0948	Air Core Coil	0,794	1,860	26	0,40	15	25	8	2,53
000-0044	Air Core Coil	0,800	0,209	14	1,60	25	58	30	11,06
000-0098	Air Core Coil	0,800	0,170	13	1,80	25	65	30	14,52
000-0844	Air Core Coil	0,800	0,870	21	0,70	8	25	25	2,68
000-1012	Air Core Coil	0,800	0,360	17	1,20	25	45	30	6,1
000-1169	Air Core Coil	0,800	0,750	21	0,70	15	33	15	2,45
000-1244	Air Core Coil	0,800	0,270	15	1,40	25	52	30	8,46
000-1285	Air Core Coil	0,800	0,430	18	1,00	25	50	15	4,03
000-1368	Air Core Coil	0,800	0,900	21	0,70	25	33	30	2,61
000-1394	Air Core Coil	0,800	0,620	20	0,80	15	36	15	2,93
000-1567	Air Core Coil	0,800	0,320	17	1,20	20	50	20	9,93
000-1691	Air Core Coil	0,800	1,400	24	0,50	15	25	15	1,91
000-1744	Air Core Coil	0,800	1,890	26	0,40	15	25	8	1,95
000-1992	Air Core Coil	0,800	0,470	18	1,00	8	35	25	4,36
000-0014	Air Core Coil	0,820	0,215	14	1,60	25	58	30	11,37
000-0114	Air Core Coil	0,820	0,180	13	1,80	25	65	30	14,67
000-0156	Air Core Coil	0,820	0,970	22	0,63	25	36	15	2,31
000-0203	Air Core Coil	0,820	0,560	18	1,00	10	32	40	5,27
000-0994	Air Core Coil	0,820	0,330	17	1,20	25	58	15	5,81
000-1288	Air Core Coil	0,820	0,480	18	1,00	25	40	30	4,34
000-1676	Air Core Coil	0,820	0,439	18	1,00	25	50	15	4,06
000-1787	Air Core Coil	0,820	3,900	29	0,30	15	20	15	1,78
000-1858	Air Core Coil	0,820	1,350	24	0,50	15	31	8	1,84
000-1859	Air Core Coil	0,820	0,630	20	0,80	15	36	15	2,93
000-1860	Air Core Coil	0,820	0,760	21	0,70	15	33	15	2,52
000-1882	Air Core Coil	0,820	0,365	17	1,20	25	45	30	6,21
000-1897	Air Core Coil	0,820	0,270	15	1,40	25	52	30	8,46
000-1973	Air Core Coil	0,820	0,440	18	1,00	15	46	15	4,13
000-1993	Air Core Coil	0,820	0,480	18	1,00	8	36	25	4,43
000-1565	Air Core Coil	0,830	0,270	15	1,40	25	52	30	8,48
000-0972	Air Core Coil	0,840	0,450	18	1,00	15	46	15	4,19
000-0015	Air Core Coil	0,850	0,220	14	1,60	25	58	30	11,48
000-0115	Air Core Coil	0,850	0,180	13	1,80	25	65	30	15,09
000-0930	Air Core Coil	0,850	0,448	18	1,00	20	43	20	4,19
000-1064	Air Core Coil	0,850	1,930	26	0,40	15	25	8	1,95
000-1128	Air Core Coil	0,850	0,640	20	0,80	15	37	15	2,97
000-1284	Air Core Coil	0,850	0,440	18	1,00	25	50	15	4,19
000-1430	Air Core Coil	0,850	0,450	18	1,00	15	48	15	4,19
000-1445	Air Core Coil	0,850	0,280	15	1,40	25	52	30	8,54
000-1784	Air Core Coil	0,850	0,370	17	1,20	25	45	30	6,27
000-1861	Air Core Coil	0,850	0,500	18	1,00	25	40	30	4,39
000-1669	Air Core Coil	0,860	0,800	21	0,70	15	33	15	2,51
000-0170	Air Core Coil	0,870	0,220	14	1,60	25	58	30	11,56
000-1158	Air Core Coil	0,870	1,950	26	0,40	15	26	8	1,95
000-1295	Air Core Coil	0,870	1,010	22	0,63	25	36	15	2,36
000-1438	Air Core Coil	0,870	3,460	29	0,30	9	18	8	1,76
000-1443	Air Core Coil	0,870	0,800	21	0,70	15	33	15	2,52
000-1918	Air Core Coil	0,870	0,380	17	1,20	25	45	30	6,34
000-0818	Air Core Coil	0,875	0,460	18	1,00	15	48	15	4,5
000-0252	Air Core Coil	0,880	0,290	15	1,40	25	54	30	9,17
000-0712	Air Core Coil	0,880	1,450	24	0,50	15	26	15	1,91
000-0845	Air Core Coil	0,880	0,380	17	1,20	25	45	30	6,38
000-1429	Air Core Coil	0,880	0,470	18	1,00	15	48	15	4,23
000-1437	Air Core Coil	0,880	0,940	21	0,70	25	34	30	2,77
000-1052	Air Core Coil	0,890	0,670	20	0,80	15	38	15	3,04
000-1408	Air Core Coil	0,890	0,800	21	0,70	15	33	15	2,52
000-0016	Air Core Coil	0,900	0,228	14	1,60	25	58	30	12,35
000-0116	Air Core Coil	0,900	0,185	13	1,80	25	65	30	16,18
000-0239	Air Core Coil	0,900	2,230	26	0,40	18	25	10	2,2
000-0824	Air Core Coil	0,900	1,490	24	0,50	15	26	15	1,94
000-0825	Air Core Coil	0,900	3,940	29	0,30	15	19	15	2,05
000-1001	Air Core Coil	0,900	0,950	21	0,70	25	35	30	2,79
000-1413	Air Core Coil	0,900	0,390	17	1,20	25	45	30	6,42

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1448	Air Core Coil	0,900	0,810	21	0,70	15	34	15	2,55
000-1526	Air Core Coil	0,900	0,670	20	0,80	15	38	15	3,06
000-1566	Air Core Coil	0,900	0,350	17	1,20	20	52	20	10,29
000-1647	Air Core Coil	0,900	0,530	18	1,00	25	42	30	4,51
000-1657	Air Core Coil	0,900	0,290	15	1,40	25	54	30	9,19
000-1878	Air Core Coil	0,900	2,090	26	0,40	15	26	8	1,97
000-1953	Air Core Coil	0,900	0,460	18	1,00	25	52	15	4,25
000-1969	Air Core Coil	0,900	0,470	18	1,00	15	48	15	4,28
000-1862	Air Core Coil	0,910	0,290	15	1,40	25	54	30	9,23
000-0837	Air Core Coil	0,920	0,680	20	0,80	15	38	15	3,08
000-0846	Air Core Coil	0,920	0,390	17	1,20	25	48	30	6,46
000-1081	Air Core Coil	0,930	0,300	15	1,40	25	54	30	9,34
000-1369	Air Core Coil	0,930	0,970	21	0,70	25	35	30	2,82
000-1235	Air Core Coil	0,940	0,500	18	1,00	42	57	21	4,47
000-0017	Air Core Coil	0,950	0,236	14	1,60	25	61	30	12,68
000-0117	Air Core Coil	0,950	0,190	13	1,80	25	69	30	16,62
000-0944	Air Core Coil	0,950	0,390	17	1,20	25	48	30	6,55
000-0962	Air Core Coil	0,950	1,030	22	0,63	15	30	15	2,39
000-1077	Air Core Coil	0,950	0,300	15	1,40	25	54	30	9,4
000-1134	Air Core Coil	0,950	0,680	20	0,80	15	38	15	3,12
000-1399	Air Core Coil	0,950	0,830	21	0,70	15	34	15	2,59
000-1954	Air Core Coil	0,950	0,480	18	1,00	25	52	15	4,43
000-1970	Air Core Coil	0,950	0,480	18	1,00	15	48	15	4,39
000-1337	Air Core Coil	0,960	0,370	17	1,20	25	60	15	6,32
000-1374	Air Core Coil	0,960	0,540	18	1,00	25	42	30	4,67
000-1436	Air Core Coil	0,960	0,990	21	0,70	25	35	30	2,84
000-0018	Air Core Coil	1,000	0,245	14	1,60	25	61	30	13,23
000-0118	Air Core Coil	1,000	0,198	13	1,80	25	69	30	17,01
000-0826	Air Core Coil	1,000	3,980	29	0,30	15	19	15	2,05
000-1056	Air Core Coil	1,000	0,710	20	0,80	15	38	15	3,22
000-1057	Air Core Coil	1,000	0,550	18	1,00	25	42	30	4,8
000-1089	Air Core Coil	1,000	1,570	24	0,50	15	26	15	2,01
000-1094	Air Core Coil	1,000	0,395	17	1,20	25	48	30	6,76
000-1096	Air Core Coil	1,000	0,285	15	1,40	42	71	21	10,85
000-1231	Air Core Coil	1,000	0,720	20	0,80	25	43	15	3,12
000-1239	Air Core Coil	1,000	0,480	18	1,00	25	52	15	4,49
000-1370	Air Core Coil	1,000	1,000	21	0,70	25	35	30	2,88
000-1395	Air Core Coil	1,000	2,240	26	0,40	20	29	10	2,24
000-1409	Air Core Coil	1,000	0,850	21	0,70	15	34	15	2,64
000-1440	Air Core Coil	1,000	1,100	22	0,63	15	30	15	2,45
000-1563	Air Core Coil	1,000	0,360	17	1,20	20	52	20	10,59
000-1786	Air Core Coil	1,000	4,400	29	0,30	10	14	20	2,08
000-1898	Air Core Coil	1,000	0,300	15	1,40	25	54	30	9,78
000-1972	Air Core Coil	1,000	0,490	18	1,00	15	49	15	4,47
000-1994	Air Core Coil	1,000	0,540	18	1,00	8	36	25	4,8
000-1047	Air Core Coil	1,040	0,290	15	1,40	42	71	21	10,99
000-1135	Air Core Coil	1,050	0,730	20	0,80	15	39	15	3,36
000-1782	Air Core Coil	1,050	0,397	17	1,20	25	49	30	7,1
000-0058	Air Core Coil	1,060	0,250	14	1,60	25	63	30	13,85
000-1701	Air Core Coil	1,060	4,380	29	0,30	15	20	15	2,05
000-1776	Air Core Coil	1,060	1,690	24	0,50	15	26	15	2,18
000-0055	Air Core Coil	1,070	0,251	14	1,60	25	63	30	13,85
000-0019	Air Core Coil	1,100	0,258	14	1,60	25	63	30	13,92
000-0119	Air Core Coil	1,100	0,208	13	1,80	25	69	30	17,78
000-0243	Air Core Coil	1,100	0,310	15	1,40	25	57	30	10,92
000-0827	Air Core Coil	1,100	4,390	29	0,30	15	20	15	2,05
000-1078	Air Core Coil	1,100	0,570	18	1,00	25	43	30	5
000-1477	Air Core Coil	1,100	0,920	21	0,70	15	35	15	2,82
000-1478	Air Core Coil	1,100	0,760	20	0,80	15	39	15	3,36
000-1562	Air Core Coil	1,100	0,390	17	1,20	20	55	20	10,93
000-1795	Air Core Coil	1,100	1,550	24	0,50	9	30	8	2,13
000-1886	Air Core Coil	1,100	1,700	24	0,50	15	26	15	2,18
000-1887	Air Core Coil	1,100	1,150	22	0,63	15	30	15	2,62
000-1924	Air Core Coil	1,100	0,420	17	1,20	25	49	30	7,2
000-1931	Air Core Coil	1,100	0,310	15	1,40	42	72	21	11,1
000-1014	Air Core Coil	1,130	4,400	29	0,30	15	20	15	2,05
000-1983	Air Core Coil	1,130	0,430	17	1,20	25	50	30	7,29
000-1984	Air Core Coil	1,130	0,320	15	1,40	25	56	30	10,63
000-1067	Air Core Coil	1,150	2,390	26	0,40	20	29	10	2,29
000-1136	Air Core Coil	1,150	0,760	20	0,80	15	40	15	3,47
000-1174	Air Core Coil	1,150	0,445	17	1,20	25	50	30	7,37
000-1256	Air Core Coil	1,150	0,322	15	1,40	25	56	30	10,73
000-1625	Air Core Coil	1,150	0,590	18	1,00	25	43	30	5,15
000-1797	Air Core Coil	1,150	0,320	15	1,40	25	60	25	10,82
000-0237	Air Core Coil	1,170	1,700	24	0,50	9	30	8	2,18

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0020	Air Core Coil	1,200	0,270	14	1,60	25	63	30	14,53
000-0120	Air Core Coil	1,200	0,220	13	1,80	25	71	30	18,65
000-0242	Air Core Coil	1,200	2,670	26	0,40	15	23	15	2,33
000-0853	Air Core Coil	1,200	1,180	22	0,63	15	32	15	2,66
000-0896	Air Core Coil	1,200	0,340	15	1,40	17	51	33	11,55
000-0984	Air Core Coil	1,200	0,280	14	1,60	8	66	25	14,56
000-1133	Air Core Coil	1,200	1,760	24	0,50	15	27	15	2,23
000-1280	Air Core Coil	1,200	0,555	18	1,00	25	53	15	5
000-1301	Air Core Coil	1,200	0,460	17	1,20	25	50	30	7,52
000-1336	Air Core Coil	1,200	0,330	15	1,40	42	73	21	11,65
000-1467	Air Core Coil	1,200	0,550	18	1,00	20	48	20	4,94
000-1527	Air Core Coil	1,200	0,410	17	1,20	20	57	20	11,22
000-1767	Air Core Coil	1,200	4,660	29	0,30	15	20	15	2,11
000-1863	Air Core Coil	1,200	0,950	21	0,70	15	36	15	2,94
000-1864	Air Core Coil	1,200	0,800	20	0,80	15	41	15	3,56
000-1899	Air Core Coil	1,200	0,330	15	1,40	25	57	30	10,96
000-1901	Air Core Coil	1,200	0,600	18	1,00	25	44	30	5,18
000-1995	Air Core Coil	1,200	0,590	18	1,00	8	36	25	5,41
000-0149	Air Core Coil	1,250	0,420	17	1,20	25	51	30	7,68
000-0795	Air Core Coil	1,250	0,340	15	1,40	17	54	33	11,64
000-0974	Air Core Coil	1,250	1,210	22	0,63	15	32	15	2,76
000-1137	Air Core Coil	1,250	0,800	20	0,80	15	41	15	3,56
000-1626	Air Core Coil	1,250	0,610	18	1,00	25	44	30	5,3
000-1656	Air Core Coil	1,250	0,340	15	1,40	25	59	30	11,19
000-0802	Air Core Coil	1,260	4,900	29	0,30	15	20	15	2,11
000-1799	Air Core Coil	1,260	1,010	21	0,70	15	36	15	2,98
000-1108	Air Core Coil	1,280	2,670	26	0,40	15	23	15	2,34
000-1376	Air Core Coil	1,280	0,470	17	1,20	25	50	30	7,88
000-0021	Air Core Coil	1,300	0,283	14	1,60	25	63	30	15,19
000-0121	Air Core Coil	1,300	0,230	13	1,80	25	71	30	19,84
000-0886	Air Core Coil	1,300	0,340	15	1,40	25	65	20	11,43
000-1048	Air Core Coil	1,300	0,610	18	1,00	25	44	30	5,46
000-1058	Air Core Coil	1,300	1,780	24	0,50	15	34	8	2,23
000-1083	Air Core Coil	1,300	0,458	17	1,20	25	56	20	7,5
000-1138	Air Core Coil	1,300	0,820	20	0,80	15	42	15	3,68
000-1293	Air Core Coil	1,300	1,010	21	0,70	15	36	15	3,03
000-1371	Air Core Coil	1,300	1,170	21	0,70	25	36	30	3,25
000-1434	Air Core Coil	1,300	0,430	17	1,20	20	57	20	11,48
000-1540	Air Core Coil	1,300	0,356	15	1,40	25	59	30	11,69
000-1710	Air Core Coil	1,300	4,920	29	0,30	15	20	15	2,11
000-1945	Air Core Coil	1,300	0,470	17	1,20	25	50	30	7,88
000-1658	Air Core Coil	1,330	0,358	15	1,40	25	59	30	11,86
000-1660	Air Core Coil	1,330	0,335	15	1,40	25	67	22	12,02
000-1029	Air Core Coil	1,340	5,100	29	0,30	15	20	15	2,11
000-1455	Air Core Coil	1,340	1,900	24	0,50	15	27	15	2,28
000-0838	Air Core Coil	1,350	1,920	24	0,50	25	34	15	2,3
000-1142	Air Core Coil	1,350	0,350	15	1,40	42	75	21	12,04
000-1150	Air Core Coil	1,350	0,850	20	0,80	15	42	15	3,68
000-1375	Air Core Coil	1,350	0,630	18	1,00	25	44	30	5,56
000-1457	Air Core Coil	1,350	0,490	17	1,20	25	50	30	8,03
000-0022	Air Core Coil	1,400	0,294	14	1,60	25	66	30	15,88
000-0122	Air Core Coil	1,400	0,238	13	1,80	25	75	30	20,43
000-1006	Air Core Coil	1,400	0,500	17	1,20	25	50	30	8,07
000-1183	Air Core Coil	1,400	0,440	17	1,20	20	59	20	11,8
000-1330	Air Core Coil	1,400	1,100	21	0,70	15	37	15	3,09
000-1461	Air Core Coil	1,400	1,310	22	0,63	15	33	15	2,83
000-1470	Air Core Coil	1,400	0,370	15	1,40	25	59	30	12,11
000-1524	Air Core Coil	1,400	0,860	20	0,80	15	42	15	3,7
000-1702	Air Core Coil	1,400	5,200	29	0,30	15	20	15	2,11
000-1775	Air Core Coil	1,400	1,920	24	0,50	15	27	15	2,3
000-1955	Air Core Coil	1,400	0,650	18	1,00	25	44	30	5,67
000-0169	Air Core Coil	1,420	0,300	14	1,60	25	67	30	15,92
000-1441	Air Core Coil	1,430	1,080	21	0,70	15	38	15	3,14
000-1140	Air Core Coil	1,450	0,470	17	1,20	42	66	21	7,88
000-1151	Air Core Coil	1,450	0,870	20	0,80	15	42	15	3,78
000-1249	Air Core Coil	1,450	0,510	17	1,20	25	51	30	8,16
000-1341	Air Core Coil	1,450	0,370	15	1,40	42	75	21	12,27
000-1649	Air Core Coil	1,450	0,650	18	1,00	25	44	30	5,74
000-0023	Air Core Coil	1,500	0,305	14	1,60	25	66	30	16,72
000-0123	Air Core Coil	1,500	0,245	13	1,80	25	75	30	21,22
000-0794	Air Core Coil	1,500	0,340	15	1,40	17	54	33	12,73
000-1060	Air Core Coil	1,500	1,000	20	0,80	25	39	30	4,1
000-1087	Air Core Coil	1,500	0,670	18	1,00	25	45	30	5,78
000-1095	Air Core Coil	1,500	0,370	15	1,40	42	75	21	12,73
000-1103	Air Core Coil	1,500	0,900	20	0,80	15	43	15	3,85

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1182	Air Core Coil	1,500	0,470	17	1,20	20	59	20	12,07
000-1212	Air Core Coil	1,500	5,280	29	0,30	15	21	15	2,13
000-1283	Air Core Coil	1,500	0,640	18	1,00	25	57	15	5,5
000-1300	Air Core Coil	1,500	0,520	17	1,20	25	52	30	8,31
000-1469	Air Core Coil	1,500	0,380	15	1,40	25	59	30	12,59
000-1865	Air Core Coil	1,500	1,100	21	0,70	15	38	15	3,19
000-1866	Air Core Coil	1,500	1,980	24	0,50	15	28	15	2,33
000-1867	Air Core Coil	1,500	2,830	26	0,40	15	28	8	2,34
000-1888	Air Core Coil	1,500	1,350	22	0,63	15	33	15	2,92
000-1999	Air Core Coil	1,500	0,650	18	1,00	8	40	25	5,89
000-0942	Air Core Coil	1,520	0,390	15	1,40	25	59	30	13,16
000-1670	Air Core Coil	1,520	1,100	21	0,70	15	38	15	3,21
000-1739	Air Core Coil	1,540	2,850	26	0,40	15	29	8	2,36
000-0976	Air Core Coil	1,570	0,700	18	1,00	17	40	33	11,6
000-0024	Air Core Coil	1,600	0,320	14	1,60	25	66	30	18,95
000-0124	Air Core Coil	1,600	0,255	13	1,80	25	75	30	23,65
000-0146	Air Core Coil	1,600	1,390	22	0,63	15	34	15	2,94
000-1156	Air Core Coil	1,600	0,400	15	1,40	25	59	30	13,36
000-1180	Air Core Coil	1,600	0,490	17	1,20	20	59	20	12,33
000-1253	Air Core Coil	1,600	0,950	20	0,80	15	43	15	3,92
000-1306	Air Core Coil	1,600	1,150	21	0,70	15	38	15	3,25
000-1425	Air Core Coil	1,600	0,530	17	1,20	25	54	30	8,73
000-1703	Air Core Coil	1,600	5,290	29	0,30	15	21	15	2,13
000-1943	Air Core Coil	1,600	0,650	18	1,00	25	52	20	5,76
000-0842	Air Core Coil	1,620	2,050	24	0,50	15	29	15	2,37
000-0957	Air Core Coil	1,640	0,530	17	1,20	25	53	30	8,88
000-1005	Air Core Coil	1,640	3,000	26	0,40	15	29	8	2,39
000-1176	Air Core Coil	1,640	0,490	17	1,20	20	61	20	12,48
000-1788	Air Core Coil	1,650	0,410	15	1,40	25	61	30	13,53
000-0025	Air Core Coil	1,700	0,332	14	1,60	25	69	30	19,37
000-0125	Air Core Coil	1,700	0,265	13	1,80	25	79	30	24,41
000-0223	Air Core Coil	1,700	1,450	22	0,63	15	35	15	3,04
000-1175	Air Core Coil	1,700	0,500	17	1,20	20	61	20	12,58
000-1252	Air Core Coil	1,700	0,990	20	0,80	15	44	15	3,99
000-1309	Air Core Coil	1,700	1,200	21	0,70	15	38	15	3,33
000-1339	Air Core Coil	1,700	0,400	15	1,40	42	76	21	13,82
000-1465	Air Core Coil	1,700	2,180	24	0,50	15	29	15	2,42
000-1487	Air Core Coil	1,700	0,420	15	1,40	25	61	30	13,72
000-1516	Air Core Coil	1,700	0,720	18	1,00	25	46	30	6,07
000-1789	Air Core Coil	1,700	0,544	17	1,20	25	54	30	9,05
000-1521	Air Core Coil	1,720	0,660	18	1,00	25	59	15	5,85
000-0157	Air Core Coil	1,750	0,690	18	1,00	25	59	15	5,85
000-0235	Air Core Coil	1,750	0,700	18	1,00	25	52	20	6,07
000-0819	Air Core Coil	1,750	0,970	20	0,80	25	49	15	4,07
000-1424	Air Core Coil	1,750	0,550	17	1,20	25	55	30	9,15
000-0026	Air Core Coil	1,800	0,345	14	1,60	25	69	30	19,89
000-0126	Air Core Coil	1,800	0,275	13	1,80	25	79	30	24,95
000-0218	Air Core Coil	1,800	1,030	20	0,80	15	45	15	4,19
000-0713	Air Core Coil	1,800	0,318	13	1,80	35	66	60	29,31
000-0891	Air Core Coil	1,800	0,460	15	1,40	13	49	50	15,17
000-0935	Air Core Coil	1,800	0,444	15	1,40	24	56	42	15,07
000-1111	Air Core Coil	1,800	0,510	17	1,20	20	61	20	12,81
000-1131	Air Core Coil	1,800	0,740	18	1,00	25	46	30	6,28
000-1132	Air Core Coil	1,800	0,570	17	1,20	25	55	30	9,26
000-1250	Air Core Coil	1,800	3,130	26	0,40	15	30	8	2,41
000-1290	Air Core Coil	1,800	0,700	18	1,00	25	60	15	5,91
000-1411	Air Core Coil	1,800	1,380	21	0,70	25	38	30	3,69
000-1466	Air Core Coil	1,800	1,250	21	0,70	15	40	15	3,39
000-1480	Air Core Coil	1,800	1,100	20	0,80	25	40	30	4,44
000-1484	Air Core Coil	1,800	0,420	15	1,40	25	61	30	14,01
000-1868	Air Core Coil	1,800	2,200	24	0,50	15	29	15	2,45
000-1893	Air Core Coil	1,800	0,970	20	0,80	25	49	15	4,1
000-1942	Air Core Coil	1,800	0,700	18	1,00	25	52	20	6,09
000-0159	Air Core Coil	1,820	3,087	26	0,40	15	31	8	2,41
000-0250	Air Core Coil	1,825	0,510	17	1,20	20	61	20	14,42
000-0141	Air Core Coil	1,850	0,280	13	1,80	25	79	30	25,28
000-0160	Air Core Coil	1,850	0,450	15	1,40	24	57	42	14,94
000-1774	Air Core Coil	1,860	2,200	24	0,50	15	29	15	2,5
000-1377	Air Core Coil	1,870	0,760	18	1,00	25	47	30	6,46
000-0127	Air Core Coil	1,900	0,318	13	1,80	35	66	60	29,31
000-0725	Air Core Coil	1,900	0,720	18	1,00	15	58	15	6,94
000-0864	Air Core Coil	1,900	1,110	20	0,80	25	40	30	4,46
000-1159	Air Core Coil	1,900	1,040	20	0,80	25	49	15	4,19
000-1215	Air Core Coil	1,900	0,540	17	1,20	20	63	20	13,09
000-1311	Air Core Coil	1,900	1,260	21	0,70	15	40	15	3,46

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1733	Air Core Coil	1,900	3,210	26	0,40	15	30	8	2,41
000-0719	Air Core Coil	1,930	0,800	18	1,00	25	48	30	6,61
000-0162	Air Core Coil	1,940	1,300	21	0,70	15	40	15	3,48
000-0027	Air Core Coil	2,000	0,363	14	1,60	25	72	30	20,9
000-0128	Air Core Coil	2,000	0,328	13	1,80	35	66	60	29,66
000-0852	Air Core Coil	2,000	1,610	22	0,63	15	36	15	3,17
000-1062	Air Core Coil	2,000	1,180	20	0,80	25	40	30	4,64
000-1063	Air Core Coil	2,000	0,800	18	1,00	25	48	30	6,65
000-1097	Air Core Coil	2,000	0,460	15	1,40	54	78	31	16,71
000-1166	Air Core Coil	2,000	0,500	15	1,40	35	56	60	18,18
000-1216	Air Core Coil	2,000	0,550	17	1,20	20	63	20	13,34
000-1245	Air Core Coil	2,000	0,444	15	1,40	25	64	30	14,75
000-1254	Air Core Coil	2,000	0,440	15	1,40	42	79	21	15,91
000-1260	Air Core Coil	2,000	5,990	29	0,30	15	21	15	2,15
000-1482	Air Core Coil	2,000	1,330	21	0,70	15	41	15	3,55
000-1711	Air Core Coil	2,000	3,210	26	0,40	15	31	8	2,43
000-1778	Air Core Coil	2,000	2,410	24	0,50	15	30	15	2,52
000-1946	Air Core Coil	2,000	0,590	17	1,20	25	55	30	10,66
000-0129	Air Core Coil	2,100	0,335	13	1,80	35	66	60	30,64
000-0875	Air Core Coil	2,100	2,510	24	0,50	15	31	15	2,76
000-1217	Air Core Coil	2,100	0,560	17	1,20	20	63	20	13,56
000-1255	Air Core Coil	2,100	1,200	20	0,80	25	41	30	4,79
000-1338	Air Core Coil	2,100	0,460	15	1,40	42	80	21	16,21
000-1697	Air Core Coil	2,100	1,360	21	0,70	25	37	30	3,97
000-1844	Air Core Coil	2,100	0,600	17	1,20	25	55	30	10,93
000-1459	Air Core Coil	2,170	3,500	26	0,40	15	31	8	2,84
000-0028	Air Core Coil	2,200	0,385	14	1,60	25	72	30	24,19
000-0130	Air Core Coil	2,200	0,345	13	1,80	35	66	60	31,64
000-0202	Air Core Coil	2,200	1,200	20	0,80	15	46	15	4,51
000-0985	Air Core Coil	2,200	0,390	14	1,60	8	78	25	20,53
000-1033	Air Core Coil	2,200	2,510	24	0,50	15	31	15	2,79
000-1065	Air Core Coil	2,200	0,840	18	1,00	25	49	30	7,04
000-1218	Air Core Coil	2,200	0,590	17	1,20	20	65	20	13,83
000-1246	Air Core Coil	2,200	0,473	15	1,40	25	64	30	17,23
000-1299	Air Core Coil	2,200	0,630	17	1,20	25	56	30	11,23
000-1314	Air Core Coil	2,200	0,490	15	1,40	54	80	31	17,19
000-1316	Air Core Coil	2,200	1,550	21	0,70	25	39	30	4,08
000-1355	Air Core Coil	2,200	1,380	21	0,70	15	41	15	3,85
000-1495	Air Core Coil	2,200	0,520	15	1,40	35	59	60	18,97
000-1564	Air Core Coil	2,200	1,230	20	0,80	25	41	30	4,98
000-1582	Air Core Coil	2,200	6,000	29	0,30	15	21	15	2,54
000-1637	Air Core Coil	2,200	0,700	17	1,20	24	45	62	12,78
000-1638	Air Core Coil	2,200	0,485	15	1,40	32	65	33	17,26
000-1869	Air Core Coil	2,200	3,500	26	0,40	15	31	8	2,84
000-1941	Air Core Coil	2,200	0,800	18	1,00	25	57	20	6,86
000-1730	Air Core Coil	2,250	0,635	17	1,20	25	56	30	11,27
000-1471	Air Core Coil	2,280	2,650	24	0,50	15	31	15	2,81
000-0131	Air Core Coil	2,300	0,355	13	1,80	35	70	60	31,95
000-0705	Air Core Coil	2,300	1,700	22	0,63	15	37	15	3,58
000-0936	Air Core Coil	2,300	0,845	18	1,00	25	49	30	7,16
000-1220	Air Core Coil	2,300	0,600	17	1,20	20	65	20	14,04
000-1821	Air Core Coil	2,300	0,480	15	1,40	25	65	30	17,63
000-0931	Air Core Coil	2,330	2,650	24	0,50	25	37	15	2,83
000-1623	Air Core Coil	2,370	0,850	18	1,00	25	49	30	7,3
000-0029	Air Core Coil	2,400	0,405	14	1,60	25	75	30	25,01
000-0132	Air Core Coil	2,400	0,360	13	1,80	35	70	60	32,72
000-0226	Air Core Coil	2,400	2,650	24	0,50	25	37	15	2,83
000-0799	Air Core Coil	2,400	6,430	29	0,30	15	22	15	2,58
000-0906	Air Core Coil	2,400	1,300	20	0,80	25	43	30	5,08
000-1219	Air Core Coil	2,400	0,610	17	1,20	20	65	20	14,26
000-1473	Air Core Coil	2,400	0,660	17	1,20	25	56	30	11,46
000-1783	Air Core Coil	2,400	0,512	15	1,40	54	80	31	17,44
000-0030	Air Core Coil	2,500	0,410	14	1,60	25	75	30	25,55
000-0133	Air Core Coil	2,500	0,368	13	1,80	35	70	60	32,83
000-0183	Air Core Coil	2,500	6,440	29	0,30	15	22	15	2,59
000-0201	Air Core Coil	2,500	1,280	20	0,80	15	48	15	4,83
000-0717	Air Core Coil	2,500	0,570	15	1,40	35	60	60	20,14
000-1088	Air Core Coil	2,500	0,880	18	1,00	25	49	30	7,49
000-1098	Air Core Coil	2,500	0,520	15	1,40	54	81	31	18,19
000-1118	Air Core Coil	2,500	2,710	24	0,50	25	37	15	2,88
000-1119	Air Core Coil	2,500	1,840	22	0,63	15	38	15	3,6
000-1618	Air Core Coil	2,500	3,910	26	0,40	15	27	15	2,94
000-1673	Air Core Coil	2,500	0,670	17	1,20	25	56	30	11,82
000-1695	Air Core Coil	2,500	1,300	20	0,80	25	42	30	5,14
000-1940	Air Core Coil	2,500	0,850	18	1,00	25	58	20	7,1



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0946	Air Core Coil	2,530	0,490	15	1,40	20	77	20	17,88
000-1126	Air Core Coil	2,550	1,840	22	0,63	15	38	15	3,62
000-1298	Air Core Coil	2,550	0,680	17	1,20	25	58	30	11,91
000-1503	Air Core Coil	2,550	0,890	18	1,00	25	50	30	7,51
000-0031	Air Core Coil	2,600	0,422	14	1,60	25	75	30	25,84
000-0134	Air Core Coil	2,600	0,374	13	1,80	35	70	60	33,48
000-1491	Air Core Coil	2,600	0,900	18	1,00	25	50	30	7,54
000-1889	Air Core Coil	2,600	0,690	17	1,20	25	58	30	11,99
000-0032	Air Core Coil	2,700	0,437	14	1,60	25	75	30	26,26
000-0135	Air Core Coil	2,700	0,380	13	1,80	35	70	60	34,07
000-0186	Air Core Coil	2,700	1,310	20	0,80	25	52	15	4,8
000-0715	Air Core Coil	2,700	5,600	29	0,30	17	25	12	2,68
000-0823	Air Core Coil	2,700	2,900	24	0,50	10	28	17	2,95
000-1041	Air Core Coil	2,700	0,700	17	1,20	25	58	30	12,06
000-1247	Air Core Coil	2,700	0,525	15	1,40	25	69	30	18,55
000-1307	Air Core Coil	2,700	0,920	18	1,00	25	51	30	7,92
000-1342	Air Core Coil	2,700	1,750	21	0,70	25	39	30	4,38
000-1378	Air Core Coil	2,700	1,560	21	0,70	15	42	15	4,15
000-1732	Air Core Coil	2,700	4,090	26	0,40	15	26	15	2,97
000-1802	Air Core Coil	2,700	0,590	15	1,40	35	61	60	20,23
000-1870	Air Core Coil	2,700	2,800	24	0,50	15	32	15	2,88
000-1939	Air Core Coil	2,700	0,900	18	1,00	25	58	20	7,7
000-0063	Air Core Coil	2,750	0,910	18	1,00	25	51	30	8,23
000-0217	Air Core Coil	2,750	0,390	13	1,80	35	72	60	34,53
000-0796	Air Core Coil	2,750	0,430	14	1,60	25	79	30	26,72
000-0049	Air Core Coil	2,800	0,443	14	1,60	25	78	30	26,89
000-0200	Air Core Coil	2,800	1,360	20	0,80	15	48	15	5,05
000-0938	Air Core Coil	2,800	0,720	17	1,20	25	60	30	12,31
000-0971	Air Core Coil	2,800	0,950	18	1,00	25	50	30	8,5
000-1595	Air Core Coil	2,800	0,600	15	1,40	35	61	60	20,54
000-1978	Air Core Coil	2,800	3,500	24	0,50	7	22	35	3,34
000-0062	Air Core Coil	2,900	0,450	14	1,60	25	78	30	27,1
000-0224	Air Core Coil	2,900	2,900	24	0,50	15	32	15	3
000-0726	Air Core Coil	2,900	0,930	18	1,00	15	65	15	8,43
000-0865	Air Core Coil	2,900	0,680	17	1,20	25	59	30	12,57
000-0900	Air Core Coil	2,900	0,630	15	1,40	35	61	60	20,83
000-0990	Air Core Coil	2,900	0,950	18	1,00	25	52	30	8,63
000-0996	Air Core Coil	2,900	2,100	22	0,63	42	53	21	7,77
000-1221	Air Core Coil	2,900	1,430	20	0,80	25	43	30	5,56
000-0033	Air Core Coil	3,000	0,460	14	1,60	25	78	30	27,37
000-0136	Air Core Coil	3,000	0,400	13	1,80	35	74	60	35,68
000-0947	Air Core Coil	3,000	0,540	15	1,40	10	77	20	20,18
000-1068	Air Core Coil	3,000	0,990	18	1,00	25	51	30	8,54
000-1107	Air Core Coil	3,000	4,350	26	0,40	15	27	15	3,02
000-1259	Air Core Coil	3,000	7,600	29	0,30	15	22	15	2,62
000-1392	Air Core Coil	3,000	1,680	21	0,70	15	43	15	4,31
000-1560	Air Core Coil	3,000	0,750	17	1,20	25	60	30	12,63
000-1779	Air Core Coil	3,000	3,040	24	0,50	15	32	15	3
000-1891	Air Core Coil	3,000	2,220	22	0,63	25	38	30	4,12
000-1894	Air Core Coil	3,000	0,640	15	1,40	35	61	60	21,22
000-1913	Air Core Coil	3,000	1,380	20	0,80	25	44	30	5,72
000-0833	Air Core Coil	3,100	0,460	14	1,60	25	82	30	27,69
000-1592	Air Core Coil	3,160	1,460	20	0,80	15	45	21	5,83
000-0189	Air Core Coil	3,200	1,040	18	1,00	25	52	30	8,82
000-0884	Air Core Coil	3,200	3,100	24	0,50	15	33	15	3,03
000-1422	Air Core Coil	3,200	0,780	17	1,20	25	60	30	13,01
000-1583	Air Core Coil	3,200	7,700	29	0,30	15	22	15	2,64
000-1672	Air Core Coil	3,200	0,650	15	1,40	35	61	60	22,01
000-1705	Air Core Coil	3,200	1,460	20	0,80	15	45	21	5,85
000-0034	Air Core Coil	3,300	0,482	14	1,60	25	81	30	28,57
000-0137	Air Core Coil	3,300	0,420	13	1,80	35	75	60	36,86
000-0238	Air Core Coil	3,300	4,400	26	0,40	15	34,5	8	3,06
000-1025	Air Core Coil	3,300	0,800	17	1,20	25	63	30	13,47
000-1070	Air Core Coil	3,300	1,040	18	1,00	25	54	30	8,84
000-1199	Air Core Coil	3,300	0,615	15	1,40	25	72	30	18,91
000-1200	Air Core Coil	3,300	1,760	21	0,70	15	45	15	4,47
000-1423	Air Core Coil	3,300	1,480	20	0,80	15	46	21	5,96
000-1494	Air Core Coil	3,300	0,660	15	1,40	35	61	60	22,45
000-1871	Air Core Coil	3,300	3,090	24	0,50	15	33	15	3,05
000-1872	Air Core Coil	3,300	4,600	26	0,40	15	28	15	3,04
000-1050	Air Core Coil	3,350	1,950	21	0,70	25	40	30	4,81
000-0035	Air Core Coil	3,400	0,488	14	1,60	25	81	30	29,26
000-0154	Air Core Coil	3,450	0,490	14	1,60	25	82	30	29,34
000-0960	Air Core Coil	3,450	3,170	24	0,50	15	33	15	3,12
000-0998	Air Core Coil	3,450	4,750	26	0,40	15	28	15	3,06



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0070	Air Core Coil	3,500	0,450	13	1,80	35	77	60	42,71
000-0153	Air Core Coil	3,500	0,552	14	1,60	25	82	30	29,36
000-0711	Air Core Coil	3,500	7,860	29	0,30	15	23	15	2,69
000-1312	Air Core Coil	3,500	1,760	21	0,70	15	46	15	4,54
000-1493	Air Core Coil	3,500	0,690	15	1,40	35	64	60	22,47
000-1709	Air Core Coil	3,500	1,570	20	0,80	25	45	30	6,13
000-1975	Air Core Coil	3,500	1,100	18	1,00	25	54	30	9,48
000-1996	Air Core Coil	3,580	0,820	17	1,20	25	63	30	14,09
000-0046	Air Core Coil	3,600	0,583	14	1,60	35	70	60	31,86
000-0167	Air Core Coil	3,600	1,080	18	1,00	25	54	30	9,75
000-0700	Air Core Coil	3,600	2,320	22	0,63	15	42	15	4,22
000-1584	Air Core Coil	3,600	7,870	29	0,30	15	23	15	2,66
000-0185	Air Core Coil	3,700	5,050	26	0,40	15	28	15	3,14
000-1704	Air Core Coil	3,700	3,250	24	0,50	15	33	15	3,2
000-0094	Air Core Coil	3,800	0,470	13	1,80	35	77	60	44,43
000-1222	Air Core Coil	3,800	1,200	18	1,00	25	54	30	10,67
000-1800	Air Core Coil	3,800	0,630	15	1,40	25	74	30	23,07
000-0036	Air Core Coil	3,900	0,593	14	1,60	35	70	60	32,99
000-1127	Air Core Coil	3,900	2,320	22	0,63	15	43	15	4,29
000-1139	Air Core Coil	3,900	3,450	24	0,50	15	35	15	3,2
000-1241	Air Core Coil	3,900	0,660	15	1,40	25	74	30	23,21
000-1326	Air Core Coil	3,900	2,100	21	0,70	25	41	30	5,08
000-1713	Air Core Coil	3,900	0,825	17	1,20	25	64	30	15,12
000-1873	Air Core Coil	3,900	5,070	26	0,40	15	29	15	3,14
000-1930	Air Core Coil	3,900	1,200	18	1,00	25	54	30	10,69
000-1944	Air Core Coil	3,900	0,700	15	1,40	35	64	60	24,92
000-1458	Air Core Coil	3,940	5,070	26	0,40	15	29	15	3,16
000-0047	Air Core Coil	4,000	0,603	14	1,60	35	70	60	33,73
000-0172	Air Core Coil	4,000	0,480	13	1,80	35	78	60	45,17
000-0181	Air Core Coil	4,000	0,830	17	1,20	25	65	30	15,46
000-0885	Air Core Coil	4,000	3,610	24	0,50	15	35	15	3,26
000-1099	Air Core Coil	4,000	0,720	15	1,40	35	66	60	25,33
000-1185	Air Core Coil	4,000	2,030	21	0,70	15	47	15	4,79
000-1605	Air Core Coil	4,000	3,950	24	0,50	15	29	27	3,48
000-1793	Air Core Coil	4,000	1,980	20	0,80	13	35	50	9,62
000-1920	Air Core Coil	4,000	2,200	21	0,70	25	43	30	5,11
000-1936	Air Core Coil	4,000	2,040	20	0,80	8	34	50	7,18
000-1956	Air Core Coil	4,000	1,210	18	1,00	25	55	30	10,8
000-1981	Air Core Coil	4,000	1,700	20	0,80	25	45	30	6,45
000-0707	Air Core Coil	4,100	3,610	24	0,50	15	35	15	3,3
000-1639	Air Core Coil	4,100	0,660	15	1,40	32	73	33	23,43
000-1798	Air Core Coil	4,100	8,600	29	0,30	15	24	15	2,72
000-1393	Air Core Coil	4,200	2,190	21	0,70	25	41	30	5,24
000-0724	Air Core Coil	4,300	0,590	13	1,80	35	82	60	46,63
000-1664	Air Core Coil	4,300	1,800	20	0,80	25	47	30	6,7
000-0059	Air Core Coil	4,400	0,600	13	1,80	35	82	60	46,63
000-1671	Air Core Coil	4,400	2,230	21	0,70	25	43	30	5,33
000-1043	Air Core Coil	4,430	1,240	18	1,00	25	55	30	10,95
000-0143	Air Core Coil	4,500	0,780	15	1,40	24	59	62	26,99
000-0857	Air Core Coil	4,500	1,850	20	0,80	25	46	30	7,03
000-0923	Air Core Coil	4,500	0,930	17	1,20	25	68	30	16,61
000-0932	Air Core Coil	4,500	3,850	24	0,50	15	35	15	3,37
000-1468	Air Core Coil	4,500	0,800	15	1,40	24	58	62	27,2
000-1585	Air Core Coil	4,500	8,840	29	0,30	15	24	15	2,74
000-1957	Air Core Coil	4,500	1,250	18	1,00	25	57	30	11,54
000-0037	Air Core Coil	4,700	0,650	14	1,60	35	73	60	35,57
000-0880	Air Core Coil	4,700	1,900	20	0,80	25	46	30	7,13
000-1187	Air Core Coil	4,700	0,760	15	1,40	25	76	30	24,89
000-1240	Air Core Coil	4,700	1,300	18	1,00	25	57	30	11,67
000-1519	Air Core Coil	4,700	0,820	15	1,40	24	60	62	27,62
000-1520	Air Core Coil	4,700	2,330	21	0,70	25	43	30	5,47
000-1587	Air Core Coil	4,700	0,800	15	1,40	35	66	60	27,11
000-1607	Air Core Coil	4,700	4,300	24	0,50	15	30	27	3,65
000-1714	Air Core Coil	4,700	0,970	17	1,20	25	68	30	16,99
000-1780	Air Core Coil	4,700	3,910	24	0,50	15	36	15	3,46
000-1935	Air Core Coil	4,700	2,190	20	0,80	13	36	50	9,87
000-0800	Air Core Coil	4,770	10,100	29	0,30	15	25	15	2,78
000-0234	Air Core Coil	4,800	0,530	13	1,80	35	82	60	48,2
000-0720	Air Core Coil	4,800	0,950	17	1,20	25	69	30	17,16
000-1486	Air Core Coil	4,800	0,830	15	1,40	24	60	62	28,16
000-0138	Air Core Coil	5,000	0,534	13	1,80	35	82	60	49,36
000-0147	Air Core Coil	5,000	3,060	22	0,63	25	40	30	5,18
000-1258	Air Core Coil	5,000	10,100	29	0,30	15	25	15	2,79
000-1501	Air Core Coil	5,000	0,990	17	1,20	25	69	30	17,38
000-1604	Air Core Coil	5,000	4,450	24	0,50	15	30	27	4

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1614	Air Core Coil	5,000	0,830	15	1,40	35	66	60	28,54
000-1874	Air Core Coil	5,000	9,000	29	0,30	17	27	12	3,99
000-1892	Air Core Coil	5,000	1,300	18	1,00	25	60	30	12,04
000-1938	Air Core Coil	5,000	2,450	21	0,70	25	43	30	5,65
000-1982	Air Core Coil	5,000	1,950	20	0,80	25	48	30	7,32
000-0937	Air Core Coil	5,100	1,010	17	1,20	25	70	30	17,7
000-1346	Air Core Coil	5,100	8,800	29	0,30	15	30	8	2,77
000-1351	Air Core Coil	5,100	10,200	29	0,30	15	25	15	2,79
000-0095	Air Core Coil	5,150	0,650	14	1,60	35	74	60	37,31
000-0093	Air Core Coil	5,300	0,660	14	1,60	35	74	60	38,65
000-0701	Air Core Coil	5,400	0,870	15	1,40	35	69	60	29,19
000-0710	Air Core Coil	5,400	0,690	14	1,60	35	74	60	37,88
000-0805	Air Core Coil	5,400	1,330	18	1,00	25	78	15	11,28
000-0184	Air Core Coil	5,500	1,370	18	1,00	25	78	15	11,25
000-0718	Air Core Coil	5,500	0,534	13	1,80	35	82	60	52,08
000-0861	Air Core Coil	5,500	0,690	14	1,60	35	76	60	38,25
000-1980	Air Core Coil	5,500	3,290	22	0,63	25	41	30	5,55
000-0038	Air Core Coil	5,600	0,700	14	1,60	35	76	60	38,33
000-1500	Air Core Coil	5,600	1,170	17	1,20	35	60	60	21,8
000-1538	Air Core Coil	5,600	1,400	18	1,00	25	60	30	13,44
000-1546	Air Core Coil	5,600	0,870	15	1,40	35	69	60	29,19
000-1611	Air Core Coil	5,600	4,740	24	0,50	15	31	27	3,94
000-1652	Air Core Coil	5,600	2,100	20	0,80	25	48	30	7,98
000-1653	Air Core Coil	5,600	2,650	21	0,70	25	44	30	5,99
000-1349	Air Core Coil	5,700	10,800	29	0,30	15	25	15	2,85
000-0161	Air Core Coil	5,780	0,900	15	1,40	35	69	60	29,53
000-0804	Air Core Coil	5,800	3,290	22	0,63	25	41	30	5,55
000-0970	Air Core Coil	5,800	1,680	18	1,00	35	54	60	16,8
000-0148	Air Core Coil	6,000	3,290	22	0,63	25	41	30	5,57
000-0182	Air Core Coil	6,000	4,850	24	0,50	15	32	27	3,97
000-0811	Air Core Coil	6,000	0,680	14	1,60	25	95	30	38,61
000-0945	Air Core Coil	6,000	2,720	21	0,70	25	45	30	6,29
000-0992	Air Core Coil	6,000	0,730	14	1,60	35	76	60	40,09
000-1167	Air Core Coil	6,000	0,910	15	1,40	35	71	60	31,85
000-1225	Air Core Coil	6,000	1,220	17	1,20	35	61	60	22,54
000-1348	Air Core Coil	6,000	11,100	29	0,30	15	26	15	2,87
000-1508	Air Core Coil	6,000	1,660	18	1,00	35	54	60	16,88
000-1934	Air Core Coil	6,000	7,640	26	0,40	25	30	30	4,23
000-1958	Air Core Coil	6,000	1,450	18	1,00	25	61	30	14,46
000-0983	Air Core Coil	6,150	0,750	14	1,60	35	78	60	40,31
000-0039	Air Core Coil	6,200	0,750	14	1,60	35	78	60	40,43
000-0893	Air Core Coil	6,200	0,930	15	1,40	35	71	60	31,91
000-1329	Air Core Coil	6,200	2,740	21	0,70	25	45	30	6,36
000-1499	Air Core Coil	6,200	1,250	17	1,20	35	62	60	22,71
000-1610	Air Core Coil	6,200	5,050	24	0,50	15	32	27	3,99
000-0933	Air Core Coil	6,400	5,120	24	0,50	15	32	27	4,06
000-1347	Air Core Coil	6,400	11,600	29	0,30	15	26	15	2,9
000-1630	Air Core Coil	6,400	0,950	15	1,40	35	71	60	32,12
000-1768	Air Core Coil	6,400	1,540	18	1,00	25	61	30	15,24
000-0993	Air Core Coil	6,600	0,780	14	1,60	35	79	60	41,98
000-1586	Air Core Coil	6,600	10,970	29	0,30	15	26	15	2,9
000-1666	Air Core Coil	6,600	1,580	18	1,00	25	62	30	15,42
000-0040	Air Core Coil	6,800	0,790	14	1,60	35	79	60	42,19
000-1333	Air Core Coil	6,800	2,850	21	0,70	25	45	30	6,86
000-1498	Air Core Coil	6,800	1,300	17	1,20	35	62	60	23,77
000-1547	Air Core Coil	6,800	0,960	15	1,40	35	71	60	32,18
000-1609	Air Core Coil	6,800	5,280	24	0,50	15	33	27	4,07
000-1706	Air Core Coil	6,800	2,300	20	0,80	25	52	30	9,12
000-1707	Air Core Coil	6,800	1,590	18	1,00	25	63	30	15,6
000-0240	Air Core Coil	7,000	2,300	20	0,80	15	55	21	8,31
000-0934	Air Core Coil	7,000	3,080	21	0,70	25	46	30	6,91
000-1257	Air Core Coil	7,000	11,990	29	0,30	15	26	15	2,92
000-1497	Air Core Coil	7,000	1,330	17	1,20	35	64	60	24,01
000-1506	Air Core Coil	7,000	0,980	15	1,40	35	74	60	32,6
000-1598	Air Core Coil	7,000	5,280	24	0,50	15	33	27	4,12
000-1959	Air Core Coil	7,000	1,600	18	1,00	25	63	30	15,76
000-0069	Air Core Coil	7,200	0,830	14	1,60	35	79	60	44,92
000-0708	Air Core Coil	7,200	5,810	24	0,50	15	33	27	4,24
000-1588	Air Core Coil	7,200	11,440	29	0,30	15	25	15	3,45
000-0041	Air Core Coil	7,500	0,830	14	1,60	35	79	60	45,54
000-0709	Air Core Coil	7,500	10,600	26	0,40	24	31	62	4,95
000-1541	Air Core Coil	7,500	12,500	29	0,30	15	26	15	3,48
000-0704	Air Core Coil	7,800	1,080	15	1,40	35	74	60	33,9
000-0851	Air Core Coil	7,800	3,810	22	0,63	25	43	30	6,15
000-0048	Air Core Coil	8,000	0,870	14	1,60	35	82	60	47,15

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-0212	Air Core Coil	8,000	0,700	13	1,80	35	92	60	65,88
000-1271	Air Core Coil	8,000	2,540	20	0,80	25	54	30	9,93
000-1427	Air Core Coil	8,000	1,240	15	1,40	20	61	75	37,17
000-1502	Air Core Coil	8,000	1,420	17	1,20	35	64	60	25,03
000-1613	Air Core Coil	8,000	1,080	15	1,40	35	74	60	33,9
000-1785	Air Core Coil	8,000	5,810	24	0,50	15	33	27	4,33
000-1960	Air Core Coil	8,000	1,750	18	1,00	25	66	30	17,23
000-0042	Air Core Coil	8,200	0,870	14	1,60	35	82	60	47,69
000-0230	Air Core Coil	8,200	1,430	17	1,20	35	66	60	25,79
000-1023	Air Core Coil	8,200	3,350	21	0,70	25	48	30	8,3
000-1238	Air Core Coil	8,200	1,780	18	1,00	25	66	30	19,04
000-1602	Air Core Coil	8,200	1,100	15	1,40	35	74	60	34,49
000-1608	Air Core Coil	8,200	5,830	24	0,50	15	33	27	4,4
000-1933	Air Core Coil	8,400	9,150	26	0,40	25	34	30	4,53
000-0233	Air Core Coil	9,000	3,330	21	0,70	25	48	30	8,66
000-0836	Air Core Coil	9,000	5,110	22	0,63	35	44	60	10,85
000-0909	Air Core Coil	9,000	1,180	15	1,40	35	74	60	37,68
000-1442	Air Core Coil	9,000	1,530	17	1,20	35	66	60	26,57
000-1932	Air Core Coil	9,000	9,330	26	0,40	25	35	30	4,58
000-1961	Air Core Coil	9,000	1,850	18	1,00	25	69	30	19,65
000-0043	Air Core Coil	9,100	0,920	14	1,60	35	82	60	49,76
000-0144	Air Core Coil	10,000	0,760	13	1,80	35	95	60	74,47
000-0222	Air Core Coil	10,000	1,000	14	1,60	24	83	62	57,25
000-0728	Air Core Coil	10,000	10,120	26	0,40	25	34	30	4,75
000-1248	Air Core Coil	10,000	3,700	21	0,70	25	49	30	9,03
000-1504	Air Core Coil	10,000	13,000	29	0,30	15	28	15	6,3
000-1549	Air Core Coil	10,000	2,880	20	0,80	25	55	30	10,8
000-1601	Air Core Coil	10,000	1,200	15	1,40	35	76	60	38,82
000-1681	Air Core Coil	10,000	1,660	17	1,20	35	67	60	28,54
000-1781	Air Core Coil	10,000	4,230	21	0,70	35	48	60	12,85
000-1962	Air Core Coil	10,000	1,950	18	1,00	25	70	30	22,42
000-0220	Air Core Coil	11,000	0,900	13	1,80	25	91	66	78,11
000-1418	Air Core Coil	11,000	1,720	17	1,20	35	68	60	28,6
000-1698	Air Core Coil	11,000	4,450	21	0,70	35	48	60	13,17
000-1749	Air Core Coil	11,000	5,550	22	0,63	35	46	60	11,66
000-0158	Air Core Coil	11,200	2,198	18	1,00	25	68	30	23,2
000-0897	Air Core Coil	11,600	2,860	18	1,00	33	53	100	29,79
000-0211	Air Core Coil	12,000	1,320	15	1,40	35	79	60	43,42
000-0856	Air Core Coil	12,000	3,290	20	0,80	25	57	30	13
000-0926	Air Core Coil	12,000	5,800	22	0,63	35	46	60	11,89
000-0964	Air Core Coil	12,000	4,710	21	0,70	35	49	60	13,51
000-1715	Air Core Coil	12,000	1,910	17	1,20	35	69	60	29,98
000-1971	Air Core Coil	12,000	2,230	18	1,00	25	72	30	24,06
000-1037	Air Core Coil	13,000	9,260	24	0,50	35	42	60	7,1
000-1687	Air Core Coil	13,000	4,970	21	0,70	35	50	60	13,83
000-0956	Air Core Coil	13,280	3,170	18	1,00	33	55	100	32,16
000-1594	Air Core Coil	13,500	7,800	24	0,50	25	41	30	6,52
000-0872	Air Core Coil	14,000	2,450	18	1,00	25	73	30	25,08
000-1719	Air Core Coil	14,000	2,080	17	1,20	35	70	60	35,15
000-1770	Air Core Coil	14,400	7,840	24	0,50	25	40	30	6,64
000-1720	Air Core Coil	14,500	2,150	17	1,20	35	71	60	33,13
000-0196	Air Core Coil	14,800	1,250	14	1,60	24	90	62	66,76
000-0892	Air Core Coil	15,000	13,300	26	0,40	25	36	30	5,09
000-0963	Air Core Coil	15,000	1,250	14	1,60	24	91	62	66,97
000-1476	Air Core Coil	15,000	15,720	26	0,40	35	40	60	8,52
000-1561	Air Core Coil	15,000	5,270	21	0,70	35	51	60	14,69
000-1591	Air Core Coil	15,000	2,440	18	1,00	25	73	30	27,34
000-1716	Air Core Coil	15,000	2,180	17	1,20	35	72	60	34,15
000-0841	Air Core Coil	16,000	5,520	21	0,70	35	51	60	17,45
000-0873	Air Core Coil	16,000	2,660	18	1,00	25	75	30	27,84
000-1721	Air Core Coil	16,000	2,220	17	1,20	35	73	60	36,39
000-0197	Air Core Coil	16,800	2,660	18	1,00	25	75	30	28,49
000-0943	Air Core Coil	17,000	5,780	21	0,70	35	52	60	17,67
000-1722	Air Core Coil	17,000	2,310	17	1,20	35	75	60	38,24
000-0840	Air Core Coil	18,000	2,810	18	1,00	25	77	30	29,17
000-1699	Air Core Coil	18,000	5,780	21	0,70	35	52	60	17,95
000-1717	Air Core Coil	18,000	2,400	17	1,20	35	75	60	39,09
000-0253	Air Core Coil	18,500	2,800	18	1,00	25	80	30	31,29
000-1723	Air Core Coil	19,000	2,470	17	1,20	35	77	60	40,02
000-0809	Air Core Coil	20,000	3,040	18	1,00	25	80	30	32,12
000-1718	Air Core Coil	20,000	2,550	17	1,20	35	77	60	40,89
000-1748	Air Core Coil	20,000	5,100	20	0,80	35	57	60	24,82
000-1765	Air Core Coil	20,000	6,380	21	0,70	35	52	60	21,56
000-1792	Air Core Coil	20,000	1,850	15	1,40	35	89	60	56,46
000-0815	Air Core Coil	21,000	8,060	22	0,63	35	51	60	19,59

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-1724	Air Core Coil	21,000	2,620	17	1,20	35	79	60	43,11
000-0097	Air Core Coil	21,500	4,960	20	0,80	35	59	60	26,16
000-0810	Air Core Coil	22,000	3,170	18	1,00	25	83	30	33,31
000-0871	Air Core Coil	22,000	6,650	21	0,70	35	53	60	23,32
000-0915	Air Core Coil	22,000	8,100	22	0,63	35	51	60	19,89
000-0975	Air Core Coil	22,000	10,600	24	0,50	17	40	33	11,65
000-1725	Air Core Coil	22,000	2,628	17	1,20	35	79	60	43,9
000-1726	Air Core Coil	23,000	2,730	17	1,20	35	79	60	46,12
000-1727	Air Core Coil	24,000	2,790	17	1,20	35	79	60	47,01
000-0830	Air Core Coil	25,000	19,710	26	0,40	10	28	47	11,51
000-1659	Air Core Coil	25,000	3,700	18	1,00	35	70	60	40,14
000-1663	Air Core Coil	25,000	7,000	21	0,70	35	55	60	24,23
000-0876	Air Core Coil	27,000	13,830	24	0,50	25	47	30	9,19
000-1690	Air Core Coil	27,000	7,300	21	0,70	35	55	60	24,7
000-0898	Air Core Coil	28,000	5,970	20	0,80	35	60	60	27,71
000-0959	Air Core Coil	30,000	8,000	21	0,70	35	56	60	25,41
000-0806	Air Core Coil	32,000	3,900	18	1,00	25	93	30	39,19
000-0850	Air Core Coil	34,000	6,820	20	0,80	35	64	60	29,91
000-0874	Air Core Coil	34,000	4,180	18	1,00	25	92	30	38,43
000-0236	Air Core Coil	35,000	8,720	21	0,70	20	46	75	28,74
000-1662	Air Core Coil	35,000	9,960	21	0,70	20	46	75	29,5
000-0979	Air Core Coil	39,000	24,760	26	0,40	10	32	47	16,16
000-0216	Air Core Coil	40,000	7,500	20	0,80	25	59	66	37,55
000-0816	Air Core Coil	50,000	8,720	20	0,80	25	61	66	40,1
000-0229	Air Core Coil	65,000	22,220	24	0,50	35	52	60	24,08
000-1771	Air Core Coil	85,000	54,600	29	0,30	25	40	30	15,48
000-0817	Air Core Coil	100,000	12,610	20	0,80	25	72	66	51,71
000-2428	Iron Core Coil	0,022	0,026	18	1,00		15	30	3,48
000-2120	Iron Core Coil	0,060	0,065	20	0,80		13	40	2,99
000-2133	Iron Core Coil	0,060	0,070	20	0,80		16	30	2,94
000-2138	Iron Core Coil	0,060	0,068	20	0,80		16	20	2,81
000-2118	Iron Core Coil	0,070	0,070	20	0,80		16	30	2,94
000-2518	Iron Core Coil	0,100	0,040	17	1,20		22	30	2,31
000-2533	Iron Core Coil	0,100	0,210	24	0,50		16	30	1,85
000-2535	Iron Core Coil	0,100	0,130	22	0,63		16	30	1,89
000-2519	Iron Core Coil	0,120	0,060	17	1,20		22	30	2,36
000-2371	Iron Core Coil	0,140	0,110	20	0,80		16	20	1,77
000-2537	Iron Core Coil	0,140	0,080	18	1,00		21	30	2,23
000-2207	Iron Core Coil	0,150	0,059	17	1,20		22	30	2,46
000-2386	Iron Core Coil	0,150	0,110	20	0,80		16	20	1,86
000-2314	Iron Core Coil	0,160	0,180	22	0,63		15	20	1,81
000-2507	Iron Core Coil	0,160	0,080	18	1,00		21	30	2,24
000-2205	Iron Core Coil	0,180	0,068	17	1,20		24	30	2,57
000-2406	Iron Core Coil	0,180	0,130	20	0,80		20	30	2,05
000-2046	Iron Core Coil	0,200	0,140	20	0,80		20	30	2,07
000-2078	Iron Core Coil	0,200	0,180	21	0,70		19	25	1,92
000-2094	Iron Core Coil	0,200	0,130	20	0,80		18	25	1,98
000-2116	Iron Core Coil	0,200	0,190	22	0,63		16	30	1,93
000-2179	Iron Core Coil	0,200	0,100	18	1,00		20	30	2,29
000-2183	Iron Core Coil	0,200	0,130	20	0,80		18	30	1,99
000-2291	Iron Core Coil	0,200	0,140	21	0,70		13	40	1,9
000-2311	Iron Core Coil	0,200	0,120	20	0,80		13	40	1,99
000-2350	Iron Core Coil	0,200	0,168	21	0,70		17	30	1,88
000-2364	Iron Core Coil	0,200	0,330	24	0,50		15	30	1,87
000-2381	Iron Core Coil	0,200	0,790	29	0,30		14	30	2,1
000-2453	Iron Core Coil	0,200	0,070	17	1,20		24	30	2,59
000-2190	Iron Core Coil	0,210	0,180	21	0,70		19	25	1,92
000-2158	Iron Core Coil	0,220	0,110	18	1,00		20	30	2,33
000-2310	Iron Core Coil	0,220	0,125	20	0,80		15	40	2,04
000-2409	Iron Core Coil	0,220	0,170	21	0,70		17	30	1,93
000-2459	Iron Core Coil	0,220	0,056	14	1,60		30	35	4,21
000-2520	Iron Core Coil	0,220	0,070	17	1,20		24	30	2,66
000-2353	Iron Core Coil	0,230	0,180	21	0,70		17	30	1,93
000-2372	Iron Core Coil	0,240	0,150	20	0,80		20	30	2,09
000-2093	Iron Core Coil	0,250	0,230	22	0,63		17	30	1,99
000-2119	Iron Core Coil	0,250	0,190	21	0,70		17	30	1,92
000-2143	Iron Core Coil	0,250	0,110	18	1,00		23	25	2,39
000-2266	Iron Core Coil	0,250	0,155	20	0,80		20	30	2,12
000-2462	Iron Core Coil	0,250	0,085	17	1,20		32	35	3,75
000-2150	Iron Core Coil	0,270	0,160	20	0,80		20	30	2,12
000-2290	Iron Core Coil	0,270	0,160	21	0,70		13	40	1,95
000-2335	Iron Core Coil	0,270	0,080	17	1,20		24	30	2,82
000-2491	Iron Core Coil	0,270	0,110	18	1,00		25	25	2,42
000-2026	Iron Core Coil	0,300	0,200	21	0,70		18	30	1,99

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2027	Iron Core Coil	0,300	0,260	22	0,63		19	30	2,07
000-2142	Iron Core Coil	0,300	0,180	20	0,80		21	25	2,13
000-2144	Iron Core Coil	0,300	0,130	18	1,00		25	25	2,5
000-2313	Iron Core Coil	0,300	0,240	22	0,63		15	20	1,88
000-2483	Iron Core Coil	0,300	0,110	18	1,00		20	50	3,74
000-2178	Iron Core Coil	0,320	0,120	18	1,00		23	30	2,5
000-2487	Iron Core Coil	0,320	0,043	14	1,80		32	70	14,46
000-2041	Iron Core Coil	0,330	0,125	18	1,00		23	30	2,52
000-2048	Iron Core Coil	0,330	0,180	20	0,80		20	30	2,19
000-2051	Iron Core Coil	0,330	0,190	20	0,80		21	25	2,18
000-2122	Iron Core Coil	0,330	0,100	17	1,20		28	35	3,29
000-2145	Iron Core Coil	0,330	0,135	18	1,00		25	25	2,55
000-2187	Iron Core Coil	0,330	0,400	24	0,50		16	25	1,89
000-2233	Iron Core Coil	0,330	0,210	21	0,70		17	30	2
000-2289	Iron Core Coil	0,330	0,190	21	0,70		14	40	2,02
000-2309	Iron Core Coil	0,330	0,150	20	0,80		15	40	2,14
000-2399	Iron Core Coil	0,330	0,061	14	1,60		34	35	5,54
000-2402	Iron Core Coil	0,330	0,107	18	1,00		18	40	2,4
000-2404	Iron Core Coil	0,330	0,072	15	1,40		30	35	4,61
000-2446	Iron Core Coil	0,330	0,258	22	0,63		17	30	2,03
000-2215	Iron Core Coil	0,340	0,195	20	0,80		21	25	2,19
000-2250	Iron Core Coil	0,340	0,180	20	0,80		18	30	2,08
000-2012	Iron Core Coil	0,350	0,220	21	0,70		19	30	2,07
000-2115	Iron Core Coil	0,350	0,270	22	0,63		17	30	2,05
000-2195	Iron Core Coil	0,350	0,185	20	0,80		19	30	2,14
000-2216	Iron Core Coil	0,360	0,190	20	0,80		21	30	2,22
000-2414	Iron Core Coil	0,360	0,115	18	1,00		18	40	2,61
000-2474	Iron Core Coil	0,360	0,070	15	1,40		32	35	4,76
000-2088	Iron Core Coil	0,380	0,195	20	0,80		21	30	2,24
000-2059	Iron Core Coil	0,390	0,140	18	1,00		25	25	2,69
000-2217	Iron Core Coil	0,390	0,230	21	0,70		17	30	2,02
000-2218	Iron Core Coil	0,390	0,200	20	0,80		21	30	2,24
000-2288	Iron Core Coil	0,390	0,210	21	0,70		14	40	2,09
000-2308	Iron Core Coil	0,390	0,160	20	0,80		15	40	2,18
000-2403	Iron Core Coil	0,390	0,117	18	1,00		18	40	2,51
000-2452	Iron Core Coil	0,390	0,080	15	1,40		32	35	4,89
000-2521	Iron Core Coil	0,390	0,100	17	1,20		29	30	3,18
000-2129	Iron Core Coil	0,400	0,510	24	0,50		18	25	1,97
000-2130	Iron Core Coil	0,400	0,320	22	0,63		20	25	2,1
000-2139	Iron Core Coil	0,400	0,110	17	1,20		34	35	4,03
000-2140	Iron Core Coil	0,400	0,150	18	1,00		31	35	3,48
000-2547	Iron Core Coil	0,400	0,210	21	0,70		14	40	2,1
000-2549	Iron Core Coil	0,400	0,230	21	0,70		19	30	2,05
000-2561	Iron Core Coil	0,400	0,210	20	0,80		21	30	2,26
000-2141	Iron Core Coil	0,410	0,150	18	1,00		26	25	2,69
000-2534	Iron Core Coil	0,440	0,240	21	0,70		19	30	2,05
000-2135	Iron Core Coil	0,450	0,220	20	0,80		21	30	2,29
000-2367	Iron Core Coil	0,450	0,160	18	1,00		27	25	2,76
000-2469	Iron Core Coil	0,450	0,117	17	1,20		29	30	3,27
000-2058	Iron Core Coil	0,470	0,165	18	1,00		27	25	2,81
000-2175	Iron Core Coil	0,470	0,126	18	1,00		18	40	2,66
000-2176	Iron Core Coil	0,470	0,270	21	0,70		20	30	2,15
000-2219	Iron Core Coil	0,470	0,225	20	0,80		21	30	2,31
000-2220	Iron Core Coil	0,470	0,270	21	0,70		18	30	2,1
000-2287	Iron Core Coil	0,470	0,228	21	0,70		14	40	2,12
000-2307	Iron Core Coil	0,470	0,190	20	0,80		16	40	2,28
000-2366	Iron Core Coil	0,470	0,117	17	1,20		29	30	3,32
000-2405	Iron Core Coil	0,470	0,130	17	1,20		38	25	3,74
000-2427	Iron Core Coil	0,470	0,700	26	0,40		13	20	2,78
000-2447	Iron Core Coil	0,470	0,317	22	0,63		18	30	2,16
000-2451	Iron Core Coil	0,470	1,070	29	0,30		12	20	2,66
000-2028	Iron Core Coil	0,500	0,230	20	0,80		21	30	2,33
000-2029	Iron Core Coil	0,500	0,240	20	0,80		23	25	2,32
000-2173	Iron Core Coil	0,500	0,170	18	1,00		33	35	3,6
000-2180	Iron Core Coil	0,500	0,120	17	1,20		31	35	3,7
000-2185	Iron Core Coil	0,500	0,160	18	1,00		24	30	2,77
000-2221	Iron Core Coil	0,500	0,340	22	0,63		19	30	2,18
000-2349	Iron Core Coil	0,500	0,135	18	1,00		19	50	4,02
000-2413	Iron Core Coil	0,500	0,493	24	0,50		17	30	1,97
000-2550	Iron Core Coil	0,500	0,260	21	0,70		19	30	2,14
000-2375	Iron Core Coil	0,510	0,162	18	1,00		24	30	2,82
000-2382	Iron Core Coil	0,515	0,200	20	0,80		16	40	4,02
000-2383	Iron Core Coil	0,515	0,235	20	0,80		21	30	4,07
000-2196	Iron Core Coil	0,520	0,165	18	1,00		24	30	2,83
000-2222	Iron Core Coil	0,520	0,160	18	1,00		27	35	3,13

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2055	Iron Core Coil	0,560	0,130	17	1,20		31	35	4,07
000-2181	Iron Core Coil	0,560	0,144	18	1,00		20	40	2,82
000-2223	Iron Core Coil	0,560	0,240	20	0,80		21	30	2,38
000-2286	Iron Core Coil	0,560	0,250	21	0,70		14	40	2,17
000-2306	Iron Core Coil	0,560	0,210	20	0,80		16	40	2,35
000-2336	Iron Core Coil	0,560	0,520	24	0,50		17	30	1,97
000-2348	Iron Core Coil	0,560	0,144	18	1,00		19	50	4,09
000-2355	Iron Core Coil	0,560	0,130	17	1,20		29	30	3,7
000-2377	Iron Core Coil	0,560	0,169	18	1,00		25	30	2,84
000-2378	Iron Core Coil	0,560	0,179	18	1,00		33	35	3,64
000-2246	Iron Core Coil	0,580	0,520	24	0,50		17	30	1,99
000-2247	Iron Core Coil	0,580	0,550	24	0,50		17	25	1,97
000-2248	Iron Core Coil	0,580	0,370	22	0,63		18	25	2,13
000-2013	Iron Core Coil	0,600	0,310	21	0,70		20	30	2,22
000-2016	Iron Core Coil	0,600	0,260	20	0,80		21	30	2,4
000-2184	Iron Core Coil	0,600	0,180	18	1,00		25	30	2,91
000-2369	Iron Core Coil	0,600	0,520	24	0,50		17	30	2
000-2394	Iron Core Coil	0,600	0,270	21	0,70		16	40	2,17
000-2457	Iron Core Coil	0,600	0,154	18	1,00		20	40	2,84
000-2224	Iron Core Coil	0,620	0,270	20	0,80		24	25	2,39
000-2225	Iron Core Coil	0,620	0,260	20	0,80		22	30	2,43
000-2347	Iron Core Coil	0,620	0,150	18	1,00		19	50	4,17
000-2422	Iron Core Coil	0,630	0,260	20	0,80		23	30	2,43
000-2014	Iron Core Coil	0,640	0,330	21	0,70		20	30	2,25
000-2002	Iron Core Coil	0,650	0,330	21	0,70		20	30	2,25
000-2044	Iron Core Coil	0,650	0,270	20	0,80		23	30	2,46
000-2172	Iron Core Coil	0,650	0,190	18	1,00		33	35	3,81
000-2486	Iron Core Coil	0,650	0,050	14	1,80		36	70	16,19
000-2064	Iron Core Coil	0,680	0,350	21	0,70		23	35	2,58
000-2188	Iron Core Coil	0,680	0,350	21	0,70		22	25	2,25
000-2191	Iron Core Coil	0,680	0,162	18	1,00		20	40	2,95
000-2201	Iron Core Coil	0,680	0,120	15	1,40		41	35	6,41
000-2226	Iron Core Coil	0,680	0,330	21	0,70		19	30	2,17
000-2227	Iron Core Coil	0,680	0,270	20	0,80		23	30	2,47
000-2285	Iron Core Coil	0,680	0,280	21	0,70		16	40	2,22
000-2305	Iron Core Coil	0,680	0,230	20	0,80		16	40	2,42
000-2346	Iron Core Coil	0,680	0,167	18	1,00		21	50	4,28
000-2368	Iron Core Coil	0,680	0,190	18	1,00		26	30	3,03
000-2522	Iron Core Coil	0,680	0,140	17	1,20		31	35	4,35
000-2357	Iron Core Coil	0,690	0,275	20	0,80		23	30	2,46
000-2087	Iron Core Coil	0,700	0,340	21	0,70		20	30	2,27
000-2157	Iron Core Coil	0,700	0,194	18	1,00		27	35	3,34
000-2373	Iron Core Coil	0,700	0,280	20	0,80		23	30	2,47
000-2456	Iron Core Coil	0,700	0,175	18	1,00		20	40	2,98
000-2056	Iron Core Coil	0,710	0,170	17	1,20		38	25	4,56
000-2153	Iron Core Coil	0,710	0,350	20	0,80		36	20	3,03
000-2315	Iron Core Coil	0,740	0,590	24	0,50		15	20	1,9
000-2530	Iron Core Coil	0,740	0,640	24	0,50		17	30	2,01
000-2070	Iron Core Coil	0,750	0,370	21	0,70		23	35	2,63
000-2071	Iron Core Coil	0,750	0,300	20	0,80		25	35	2,81
000-2200	Iron Core Coil	0,750	0,130	15	1,40		41	35	6,59
000-2228	Iron Core Coil	0,750	0,300	20	0,80		23	30	2,5
000-2229	Iron Core Coil	0,750	0,160	17	1,20		37	35	4,84
000-2244	Iron Core Coil	0,750	0,350	21	0,70		19	30	2,22
000-2245	Iron Core Coil	0,750	0,360	21	0,70		20	30	2,29
000-2197	Iron Core Coil	0,780	0,210	18	1,00		26	30	3,15
000-2230	Iron Core Coil	0,780	0,210	18	1,00		29	35	3,46
000-2454	Iron Core Coil	0,780	0,220	18	1,00		31	25	3,2
000-2017	Iron Core Coil	0,800	0,310	20	0,80		23	30	2,53
000-2018	Iron Core Coil	0,800	0,170	17	1,20		30	30	4,29
000-2021	Iron Core Coil	0,800	0,220	18	1,00		35	35	4,02
000-2022	Iron Core Coil	0,800	0,220	18	1,00		27	30	3,17
000-2024	Iron Core Coil	0,800	0,170	17	1,20		37	35	5,11
000-2072	Iron Core Coil	0,800	0,390	21	0,70		25	35	2,68
000-2073	Iron Core Coil	0,800	0,215	18	1,00		29	35	3,48
000-2163	Iron Core Coil	0,800	0,310	20	0,80		25	35	2,89
000-2164	Iron Core Coil	0,800	0,440	22	0,63		20	30	2,31
000-2345	Iron Core Coil	0,800	0,182	18	1,00		21	50	4,33
000-2512	Iron Core Coil	0,800	0,400	21	0,70		22	30	2,29
000-2134	Iron Core Coil	0,820	0,380	21	0,70		22	30	2,35
000-2192	Iron Core Coil	0,820	0,180	18	1,00		20	40	3,07
000-2231	Iron Core Coil	0,820	0,310	20	0,80		23	30	2,55
000-2232	Iron Core Coil	0,820	0,370	21	0,70		20	30	2,27
000-2284	Iron Core Coil	0,820	0,310	21	0,70		16	40	2,29
000-2304	Iron Core Coil	0,820	0,260	20	0,80		18	40	2,55

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2356	Iron Core Coil	0,820	0,170	17	1,20		33	30	4,42
000-2429	Iron Core Coil	0,820	0,640	24	0,50		17	30	2,05
000-2444	Iron Core Coil	0,820	0,110	14	1,60		32	70	9,36
000-2508	Iron Core Coil	0,820	0,210	18	1,00		28	30	3,22
000-2101	Iron Core Coil	0,830	0,140	17	1,20		26	70	5,76
000-2464	Iron Core Coil	0,830	0,190	18	1,00		20	40	3,1
000-2548	Iron Core Coil	0,840	0,210	18	1,00		29	35	3,5
000-2075	Iron Core Coil	0,850	0,387	21	0,70		22	30	2,36
000-2152	Iron Core Coil	0,850	0,390	20	0,80		37	20	3,15
000-2162	Iron Core Coil	0,850	0,310	20	0,80		23	30	2,57
000-2400	Iron Core Coil	0,850	0,150	17	1,20		26	70	5,9
000-2125	Iron Core Coil	0,860	0,700	24	0,50		19	25	2,09
000-2057	Iron Core Coil	0,870	0,200	17	1,20		40	25	5,01
000-2077	Iron Core Coil	0,870	0,220	18	1,00		29	35	3,5
000-2558	Iron Core Coil	0,870	0,150	17	1,20		26	70	5,97
000-2370	Iron Core Coil	0,880	0,670	24	0,50		17	30	2,07
000-2004	Iron Core Coil	0,900	0,330	20	0,80		23	30	2,6
000-2050	Iron Core Coil	0,900	0,350	20	0,80		26	25	2,68
000-2066	Iron Core Coil	0,900	0,400	21	0,70		22	30	2,36
000-2080	Iron Core Coil	0,900	0,240	18	1,00		28	30	3,31
000-2081	Iron Core Coil	0,900	0,230	18	1,00		29	35	3,59
000-2082	Iron Core Coil	0,900	0,180	17	1,20		33	35	4,71
000-2099	Iron Core Coil	0,900	0,145	17	1,20		26	70	5,97
000-2424	Iron Core Coil	0,900	0,143	15	1,40		41	35	7,17
000-2344	Iron Core Coil	0,930	0,196	18	1,00		21	50	4,49
000-2425	Iron Core Coil	0,930	0,145	15	1,40		41	35	7,33
000-2084	Iron Core Coil	0,950	0,410	21	0,70		22	30	2,39
000-2113	Iron Core Coil	0,950	0,240	18	1,00		27	30	3,28
000-2426	Iron Core Coil	0,950	0,146	15	1,40		41	35	7,37
000-2463	Iron Core Coil	0,950	0,174	17	1,20		35	35	4,85
000-2083	Iron Core Coil	0,960	0,420	20	0,80		37	20	3,24
000-2132	Iron Core Coil	0,960	0,410	21	0,70		22	30	2,39
000-2085	Iron Core Coil	1,000	0,330	20	0,80		23	30	2,62
000-2086	Iron Core Coil	1,000	0,250	18	1,00		28	30	3,4
000-2097	Iron Core Coil	1,000	0,151	17	1,20		26	70	6,56
000-2106	Iron Core Coil	1,000	0,152	15	1,40		41	35	7,73
000-2131	Iron Core Coil	1,000	0,530	22	0,63		21	25	2,37
000-2151	Iron Core Coil	1,000	0,260	18	1,00		27	30	3,4
000-2199	Iron Core Coil	1,000	0,210	18	1,00		22	40	3,31
000-2209	Iron Core Coil	1,000	0,450	21	0,70		23	25	2,42
000-2234	Iron Core Coil	1,000	0,420	21	0,70		20	30	2,34
000-2235	Iron Core Coil	1,000	0,330	20	0,80		24	30	2,7
000-2236	Iron Core Coil	1,000	0,420	21	0,70		22	30	2,42
000-2283	Iron Core Coil	1,000	0,350	21	0,70		16	40	2,36
000-2303	Iron Core Coil	1,000	0,290	20	0,80		18	40	2,64
000-2318	Iron Core Coil	1,000	0,380	20	0,80		28	25	2,97
000-2324	Iron Core Coil	1,000	0,470	21	0,70		26	25	2,62
000-2331	Iron Core Coil	1,000	0,490	22	0,63		19	30	2,31
000-2362	Iron Core Coil	1,000	0,720	24	0,50		17	30	2,08
000-2374	Iron Core Coil	1,000	0,190	17	1,20		39	35	5,36
000-2376	Iron Core Coil	1,000	0,185	17	1,20		35	35	4,87
000-2416	Iron Core Coil	1,000	0,100	14	1,60		32	70	9,75
000-2532	Iron Core Coil	1,000	0,380	21	0,70		18	50	5,29
000-2023	Iron Core Coil	1,100	0,200	17	1,20		39	35	5,88
000-2042	Iron Core Coil	1,100	0,460	20	0,80		38	20	3,49
000-2079	Iron Core Coil	1,100	0,370	20	0,80		24	30	2,9
000-2092	Iron Core Coil	1,100	0,159	17	1,20		26	70	6,68
000-2126	Iron Core Coil	1,100	0,510	22	0,63		19	30	2,49
000-2203	Iron Core Coil	1,100	0,260	18	1,00		31	35	3,98
000-2237	Iron Core Coil	1,100	0,780	24	0,50		19	30	2,33
000-2243	Iron Core Coil	1,100	0,450	21	0,70		22	30	2,59
000-2343	Iron Core Coil	1,100	0,210	18	1,00		21	50	4,93
000-2517	Iron Core Coil	1,150	0,400	21	0,70		18	50	5,3
000-2557	Iron Core Coil	1,150	0,200	17	1,20		26	70	9,63
000-2562	Iron Core Coil	1,170	0,130	15	1,40		30	70	10,75
000-2008	Iron Core Coil	1,200	0,170	15	1,40		46	35	8,32
000-2019	Iron Core Coil	1,200	0,210	17	1,20		40	35	5,97
000-2025	Iron Core Coil	1,200	0,490	20	0,80		38	20	3,54
000-2076	Iron Core Coil	1,200	0,168	17	1,20		26	70	9,63
000-2146	Iron Core Coil	1,200	0,480	21	0,70		25	35	2,95
000-2177	Iron Core Coil	1,200	0,840	24	0,50		19	30	2,36
000-2193	Iron Core Coil	1,200	0,280	18	1,00		29	30	3,74
000-2194	Iron Core Coil	1,200	0,290	18	1,00		30	30	3,79
000-2238	Iron Core Coil	1,200	0,390	20	0,80		24	30	2,92
000-2239	Iron Core Coil	1,200	0,480	21	0,70		22	30	2,57



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2282	Iron Core Coil	1,200	0,400	21	0,70		17	40	2,54
000-2302	Iron Core Coil	1,200	0,330	20	0,80		18	40	2,89
000-2342	Iron Core Coil	1,200	0,230	18	1,00		23	50	4,98
000-2387	Iron Core Coil	1,200	0,230	18	1,00		23	40	3,6
000-2408	Iron Core Coil	1,200	0,137	15	1,40		30	70	10,77
000-2417	Iron Core Coil	1,200	0,107	14	1,60		32	70	10,03
000-2121	Iron Core Coil	1,250	0,290	18	1,00		29	30	3,76
000-2249	Iron Core Coil	1,250	0,390	20	0,80		24	30	2,97
000-2556	Iron Core Coil	1,250	0,210	17	1,20		28	70	9,79
000-2010	Iron Core Coil	1,300	0,220	17	1,20		41	35	6,22
000-2032	Iron Core Coil	1,300	0,400	20	0,80		27	35	3,33
000-2074	Iron Core Coil	1,300	0,179	17	1,20		28	70	9,79
000-2089	Iron Core Coil	1,300	0,510	21	0,70		25	35	3
000-2136	Iron Core Coil	1,300	0,290	18	1,00		31	35	4,1
000-2165	Iron Core Coil	1,300	0,580	22	0,63		21	30	2,64
000-2317	Iron Core Coil	1,300	0,450	20	0,80		30	25	3,27
000-2325	Iron Core Coil	1,300	0,500	21	0,70		27	25	2,9
000-2460	Iron Core Coil	1,300	0,140	15	1,40		31	70	10,92
000-2054	Iron Core Coil	1,350	0,520	20	0,80		40	20	3,71
000-2112	Iron Core Coil	1,350	0,300	18	1,00		30	30	3,92
000-2206	Iron Core Coil	1,350	0,430	20	0,80		24	30	3,01
000-2281	Iron Core Coil	1,350	0,420	21	0,70		17	40	2,57
000-2301	Iron Core Coil	1,350	0,360	20	0,80		20	40	2,94
000-2001	Iron Core Coil	1,400	0,440	20	0,80		26	30	3,06
000-2069	Iron Core Coil	1,400	0,188	17	1,20		28	70	9,95
000-2388	Iron Core Coil	1,400	0,280	18	1,00		24	40	3,81
000-2401	Iron Core Coil	1,400	0,200	15	1,40		46	35	8,41
000-2493	Iron Core Coil	1,400	0,450	21	0,70		18	40	2,64
000-2536	Iron Core Coil	1,430	0,450	20	0,80		23	30	3,11
000-2100	Iron Core Coil	1,450	0,296	18	1,00		30	30	4,07
000-2011	Iron Core Coil	1,500	0,460	20	0,80		26	30	3,11
000-2020	Iron Core Coil	1,500	0,250	17	1,20		41	35	6,49
000-2049	Iron Core Coil	1,500	0,490	20	0,80		29	25	3,24
000-2065	Iron Core Coil	1,500	0,200	17	1,20		28	70	10,06
000-2090	Iron Core Coil	1,500	0,320	18	1,00		31	35	4,31
000-2091	Iron Core Coil	1,500	0,250	17	1,20		37	35	6,02
000-2166	Iron Core Coil	1,500	0,150	15	1,40		30	70	11,2
000-2171	Iron Core Coil	1,500	0,315	18	1,00		30	30	4,11
000-2240	Iron Core Coil	1,500	0,540	21	0,70		23	30	2,77
000-2280	Iron Core Coil	1,500	0,450	21	0,70		18	40	2,69
000-2300	Iron Core Coil	1,500	0,380	20	0,80		20	40	3,04
000-2341	Iron Core Coil	1,500	0,260	18	1,00		23	50	5,28
000-2418	Iron Core Coil	1,500	0,125	14	1,60		35	70	11,36
000-2430	Iron Core Coil	1,500	0,940	24	0,50		19	30	2,42
000-2439	Iron Core Coil	1,500	0,405	18	1,00		43	20	5,15
000-2441	Iron Core Coil	1,500	0,290	18	1,00		24	40	4,36
000-2499	Iron Core Coil	1,500	0,610	22	0,63		22	30	2,69
000-2501	Iron Core Coil	1,500	0,580	22	0,63		21	30	2,59
000-2515	Iron Core Coil	1,530	0,500	21	0,70		20	50	5,44
000-2553	Iron Core Coil	1,530	0,490	20	0,80		29	25	3,27
000-2554	Iron Core Coil	1,530	0,420	20	0,80		20	50	5,72
000-2053	Iron Core Coil	1,600	0,205	17	1,20		28	70	10,13
000-2149	Iron Core Coil	1,600	0,570	21	0,70		23	30	2,81
000-2161	Iron Core Coil	1,600	0,480	20	0,80		26	30	3,14
000-2279	Iron Core Coil	1,600	0,470	21	0,70		17	40	2,73
000-2359	Iron Core Coil	1,600	0,270	18	1,00		23	50	5,33
000-2365	Iron Core Coil	1,600	0,330	18	1,00		31	30	4,07
000-2389	Iron Core Coil	1,600	0,300	18	1,00		24	40	4,45
000-2395	Iron Core Coil	1,600	0,970	24	0,50		20	30	2,44
000-2396	Iron Core Coil	1,600	0,840	24	0,50		20	40	2,39
000-2052	Iron Core Coil	1,700	0,208	17	1,20		28	70	10,19
000-2208	Iron Core Coil	1,700	0,340	18	1,00		33	35	4,51
000-2461	Iron Core Coil	1,700	0,170	15	1,40		33	70	11,66
000-2482	Iron Core Coil	1,700	0,260	17	1,20		38	35	6,6
000-2039	Iron Core Coil	1,800	0,215	17	1,20		28	70	10,4
000-2047	Iron Core Coil	1,800	0,510	20	0,80		26	30	3,28
000-2107	Iron Core Coil	1,800	0,170	15	1,40		33	70	11,84
000-2278	Iron Core Coil	1,800	0,510	21	0,70		18	40	2,79
000-2299	Iron Core Coil	1,800	0,430	20	0,80		21	40	3,18
000-2319	Iron Core Coil	1,800	0,550	20	0,80		32	25	3,58
000-2326	Iron Core Coil	1,800	0,600	21	0,70		28	25	3,11
000-2340	Iron Core Coil	1,800	0,293	18	1,00		24	50	5,64
000-2390	Iron Core Coil	1,800	0,330	18	1,00		26	40	4,84
000-2419	Iron Core Coil	1,800	0,136	14	1,60		35	70	12,02
000-2440	Iron Core Coil	1,800	0,450	18	1,00		45	20	5,59



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2500	Iron Core Coil	1,800	0,660	22	0,63		23	30	2,76
000-2502	Iron Core Coil	1,800	0,660	22	0,63		21	30	2,66
000-2529	Iron Core Coil	1,800	0,430	20	0,80		20	50	5,84
000-2384	Iron Core Coil	1,850	0,425	18	1,00		39	25	4,87
000-2546	Iron Core Coil	1,850	0,313	18	1,00		24	50	5,92
000-2038	Iron Core Coil	1,900	0,222	17	1,20		28	70	10,45
000-2154	Iron Core Coil	1,900	0,313	18	1,00		24	50	5,96
000-2412	Iron Core Coil	1,900	0,181	15	1,40		33	70	11,98
000-2003	Iron Core Coil	2,000	0,550	20	0,80		27	30	3,4
000-2031	Iron Core Coil	2,000	0,530	20	0,80		29	35	3,69
000-2036	Iron Core Coil	2,000	0,230	17	1,20		28	70	10,49
000-2068	Iron Core Coil	2,000	0,185	15	1,40		33	70	12,12
000-2095	Iron Core Coil	2,000	0,300	17	1,20		40	35	7,05
000-2156	Iron Core Coil	2,000	0,361	18	1,00		33	35	4,84
000-2277	Iron Core Coil	2,000	0,540	21	0,70		18	40	2,89
000-2298	Iron Core Coil	2,000	0,460	20	0,80		21	40	3,25
000-2354	Iron Core Coil	2,000	1,050	24	0,50		18	30	2,42
000-2379	Iron Core Coil	2,000	0,400	18	1,00		33	30	4,7
000-2397	Iron Core Coil	2,000	0,620	21	0,70		30	25	3,31
000-2420	Iron Core Coil	2,000	0,150	14	1,60		37	70	12,73
000-2435	Iron Core Coil	2,000	0,249	15	1,40		40	35	9,43
000-2545	Iron Core Coil	2,000	0,335	18	1,00		25	50	6,24
000-2560	Iron Core Coil	2,000	0,130	14	1,80		46	70	24
000-2563	Iron Core Coil	2,000	0,550	21	0,70		20	50	5,57
000-2015	Iron Core Coil	2,100	0,234	17	1,20		28	70	10,58
000-2096	Iron Core Coil	2,100	1,120	24	0,50		20	30	2,7
000-2155	Iron Core Coil	2,100	0,335	18	1,00		25	50	6,27
000-2361	Iron Core Coil	2,100	0,380	18	1,00		33	35	5,09
000-2415	Iron Core Coil	2,100	0,187	15	1,40		33	70	12,16
000-2009	Iron Core Coil	2,200	0,242	17	1,20		28	70	10,69
000-2043	Iron Core Coil	2,200	0,320	17	1,20		45	35	7,74
000-2060	Iron Core Coil	2,200	0,400	18	1,00		34	35	5,14
000-2067	Iron Core Coil	2,200	0,192	15	1,40		33	70	12,27
000-2189	Iron Core Coil	2,200	0,440	18	1,00		34	30	5,06
000-2204	Iron Core Coil	2,200	0,310	17	1,20		43	35	7,47
000-2241	Iron Core Coil	2,200	0,570	20	0,80		27	30	3,65
000-2276	Iron Core Coil	2,200	0,570	21	0,70		18	40	3,06
000-2297	Iron Core Coil	2,200	0,480	20	0,80		21	40	3,5
000-2339	Iron Core Coil	2,200	0,338	18	1,00		25	50	6,23
000-2421	Iron Core Coil	2,200	0,160	14	1,60		37	70	13,36
000-2431	Iron Core Coil	2,200	1,150	24	0,50		20	30	2,72
000-2497	Iron Core Coil	2,200	0,140	14	1,80		46	70	24,12
000-2007	Iron Core Coil	2,300	0,254	17	1,20		30	70	10,9
000-2124	Iron Core Coil	2,300	0,410	18	1,00		34	35	5,18
000-2137	Iron Core Coil	2,300	0,890	22	0,63		25	25	3,18
000-2147	Iron Core Coil	2,300	0,670	21	0,70		25	30	3,23
000-2123	Iron Core Coil	2,350	0,420	18	1,00		34	35	5,21
000-2544	Iron Core Coil	2,350	0,338	18	1,00		25	50	6,34
000-2006	Iron Core Coil	2,400	0,260	17	1,20		30	70	11,08
000-2102	Iron Core Coil	2,400	0,515	20	0,80		21	40	3,5
000-2505	Iron Core Coil	2,400	0,700	21	0,70		26	30	3,29
000-2005	Iron Core Coil	2,500	0,268	17	1,20		30	70	11,06
000-2045	Iron Core Coil	2,500	0,440	18	1,00		34	35	5,42
000-2104	Iron Core Coil	2,500	0,350	17	1,20		42	35	7,75
000-2105	Iron Core Coil	2,500	0,210	15	1,40		33	70	12,67
000-2128	Iron Core Coil	2,500	0,670	20	0,80		32	25	4,05
000-2159	Iron Core Coil	2,500	0,800	21	0,70		28	25	3,35
000-2160	Iron Core Coil	2,500	0,940	22	0,63		26	25	3,23
000-2170	Iron Core Coil	2,500	0,450	18	1,00		36	30	5,31
000-2275	Iron Core Coil	2,500	0,600	21	0,70		20	40	3,14
000-2296	Iron Core Coil	2,500	0,520	20	0,80		22	40	3,6
000-2393	Iron Core Coil	2,600	1,850	26	0,40		16	20	3,02
000-2476	Iron Core Coil	2,600	0,465	18	1,00		37	30	5,69
000-2543	Iron Core Coil	2,600	0,385	18	1,00		27	50	6,43
000-2514	Iron Core Coil	2,670	0,670	21	0,70		21	50	5,81
000-2552	Iron Core Coil	2,670	0,560	20	0,80		22	40	3,77
000-2555	Iron Core Coil	2,670	0,540	20	0,80		22	50	6,18
000-2063	Iron Core Coil	2,700	0,890	22	0,63		24	30	3,22
000-2198	Iron Core Coil	2,700	0,480	18	1,00		36	30	5,71
000-2242	Iron Core Coil	2,700	0,460	18	1,00		36	35	5,74
000-2259	Iron Core Coil	2,700	1,260	24	0,50		19	30	2,78
000-2274	Iron Core Coil	2,700	0,620	21	0,70		20	40	3,18
000-2295	Iron Core Coil	2,700	0,560	20	0,80		22	40	3,77
000-2338	Iron Core Coil	2,700	0,385	18	1,00		27	50	6,48
000-2436	Iron Core Coil	2,700	0,360	17	1,20		42	35	8,14

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2443	Iron Core Coil	2,700	0,360	18	1,00		27	70	9,96
000-2445	Iron Core Coil	2,700	0,180	14	1,60		38	70	18,11
000-2484	Iron Core Coil	2,700	0,220	15	1,40		35	70	13,26
000-2538	Iron Core Coil	2,740	0,360	18	1,00		27	70	10,05
000-2312	Iron Core Coil	2,800	2,000	26	0,40		19	30	3,18
000-2320	Iron Core Coil	2,800	0,730	20	0,80		34	25	4,26
000-2327	Iron Core Coil	2,800	0,850	21	0,70		31	25	3,69
000-2473	Iron Core Coil	2,800	0,660	20	0,80		31	30	4,02
000-2108	Iron Core Coil	2,880	0,480	18	1,00		37	35	5,83
000-2273	Iron Core Coil	2,900	0,650	21	0,70		20	40	3,26
000-2294	Iron Core Coil	2,900	0,570	20	0,80		22	40	3,8
000-2321	Iron Core Coil	2,900	0,750	20	0,80		34	25	4,33
000-2328	Iron Core Coil	2,900	0,880	21	0,70		31	25	3,7
000-2061	Iron Core Coil	3,000	0,770	20	0,80		33	25	4,26
000-2062	Iron Core Coil	3,000	0,900	21	0,70		28	25	3,59
000-2110	Iron Core Coil	3,000	0,970	22	0,63		25	30	3,31
000-2272	Iron Core Coil	3,000	0,700	21	0,70		22	40	3,33
000-2293	Iron Core Coil	3,000	0,600	20	0,80		22	40	3,84
000-2332	Iron Core Coil	3,000	2,100	26	0,40		17	20	3,02
000-2334	Iron Core Coil	3,000	0,485	18	1,00		37	35	5,97
000-2380	Iron Core Coil	3,000	1,310	24	0,50		20	30	2,81
000-2455	Iron Core Coil	3,000	0,374	17	1,20		45	35	8,37
000-2478	Iron Core Coil	3,000	0,230	15	1,40		35	70	13,75
000-2114	Iron Core Coil	3,200	1,000	22	0,63		25	30	3,37
000-2109	Iron Core Coil	3,300	0,255	15	1,40		35	70	13,75
000-2168	Iron Core Coil	3,300	0,720	20	0,80		36	35	4,91
000-2169	Iron Core Coil	3,300	0,700	20	0,80		32	35	4,42
000-2182	Iron Core Coil	3,300	0,750	20	0,80		30	30	4,16
000-2258	Iron Core Coil	3,300	1,430	24	0,50		20	30	2,83
000-2271	Iron Core Coil	3,300	0,740	21	0,70		22	40	3,43
000-2292	Iron Core Coil	3,300	0,650	20	0,80		24	40	3,94
000-2337	Iron Core Coil	3,300	0,440	18	1,00		27	50	7,7
000-2438	Iron Core Coil	3,300	0,205	14	1,60		41	70	19,31
000-2471	Iron Core Coil	3,300	0,380	17	1,20		47	35	8,94
000-2127	Iron Core Coil	3,400	0,710	20	0,80		32	35	4,44
000-2513	Iron Core Coil	3,400	0,760	21	0,70		21	50	5,98
000-2033	Iron Core Coil	3,500	0,730	20	0,80		32	35	4,47
000-2117	Iron Core Coil	3,500	0,760	21	0,70		29	35	3,89
000-2270	Iron Core Coil	3,500	0,770	21	0,70		22	40	3,45
000-2407	Iron Core Coil	3,500	0,211	14	1,60		41	70	19,37
000-2450	Iron Core Coil	3,500	0,470	18	1,00		29	50	7,82
000-2213	Iron Core Coil	3,600	1,000	21	0,70		29	25	3,74
000-2210	Iron Core Coil	3,800	1,050	21	0,70		34	25	4,05
000-2211	Iron Core Coil	3,800	0,940	21	0,70		29	35	3,99
000-2212	Iron Core Coil	3,800	1,050	21	0,70		31	25	3,88
000-2214	Iron Core Coil	3,800	0,950	21	0,70		27	30	3,63
000-2351	Iron Core Coil	3,800	1,100	22	0,63		24	30	3,36
000-2559	Iron Core Coil	3,800	0,380	17	1,20		33	70	12,19
000-2257	Iron Core Coil	3,900	1,510	24	0,50		20	30	2,89
000-2267	Iron Core Coil	3,900	1,080	21	0,70		34	25	4,17
000-2269	Iron Core Coil	3,900	0,800	21	0,70		22	40	3,6
000-2385	Iron Core Coil	3,900	0,800	20	0,80		32	35	4,61
000-2475	Iron Core Coil	3,900	0,290	15	1,40		39	70	15,01
000-2494	Iron Core Coil	3,900	0,580	18	1,00		41	35	6,99
000-2523	Iron Core Coil	3,900	0,460	17	1,20		49	35	9,83
000-2174	Iron Core Coil	4,000	0,600	18	1,00		38	35	7,08
000-2363	Iron Core Coil	4,000	1,640	24	0,50		20	30	2,94
000-2423	Iron Core Coil	4,000	0,243	14	1,60		44	70	20,61
000-2467	Iron Core Coil	4,000	0,215	14	1,80		50	70	25,39
000-2551	Iron Core Coil	4,000	0,900	21	0,70		22	40	3,67
000-2564	Iron Core Coil	4,000	0,670	20	0,80		24	50	6,66
000-2167	Iron Core Coil	4,100	0,820	20	0,80		37	35	5,27
000-2465	Iron Core Coil	4,100	0,294	15	1,40		35	70	15,13
000-2268	Iron Core Coil	4,200	0,910	21	0,70		24	40	3,67
000-2434	Iron Core Coil	4,250	0,610	18	1,00		38	35	7,11
000-2352	Iron Core Coil	4,500	4,100	29	0,30		16	30	5,43
000-2488	Iron Core Coil	4,500	0,820	20	0,80		34	35	4,93
000-2509	Iron Core Coil	4,600	0,530	17	1,20		51	35	10,71
000-2256	Iron Core Coil	4,700	1,750	24	0,50		21	30	3,01
000-2411	Iron Core Coil	4,700	1,140	22	0,63		24	70	8,53
000-2437	Iron Core Coil	4,700	0,387	17	1,20		33	70	12,77
000-2458	Iron Core Coil	4,700	0,990	21	0,70		24	40	3,87
000-2477	Iron Core Coil	4,700	0,262	14	1,60		44	70	21,96
000-2495	Iron Core Coil	4,700	0,640	18	1,00		42	35	7,55
000-2035	Iron Core Coil	4,800	0,900	20	0,80		34	35	5,04

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-2410	Iron Core Coil	4,900	1,190	22	0,63		24	70	8,57
000-2322	Iron Core Coil	5,000	1,080	20	0,80		41	25	5,44
000-2329	Iron Core Coil	5,000	1,250	21	0,70		35	25	4,42
000-2565	Iron Core Coil	5,000	0,780	20	0,80		25	50	7
000-2506	Iron Core Coil	5,200	1,000	20	0,80		34	35	5,52
000-2539	Iron Core Coil	5,250	0,580	18	1,00		31	70	11,33
000-2323	Iron Core Coil	5,300	1,150	20	0,80		41	25	5,72
000-2330	Iron Core Coil	5,300	1,300	21	0,70		35	25	4,49
000-2392	Iron Core Coil	5,300	1,890	24	0,50		21	30	3,04
000-2360	Iron Core Coil	5,400	0,600	17	1,20		56	35	11,4
000-2186	Iron Core Coil	5,500	1,190	21	0,70		32	35	4,52
000-2391	Iron Core Coil	5,500	1,920	24	0,50		21	30	3,1
000-2034	Iron Core Coil	5,600	1,000	20	0,80		34	35	5,61
000-2255	Iron Core Coil	5,600	1,940	24	0,50		22	30	3,12
000-2442	Iron Core Coil	5,600	0,580	18	1,00		31	70	11,47
000-2479	Iron Core Coil	5,600	1,200	21	0,70		32	35	4,57
000-2524	Iron Core Coil	5,600	0,420	17	1,20		38	70	13,69
000-2111	Iron Core Coil	6,000	0,605	18	1,00		31	70	11,59
000-2148	Iron Core Coil	6,000	0,820	20	0,80		26	100	16,17
000-2432	Iron Core Coil	6,000	0,760	18	1,00		48	35	8,85
000-2516	Iron Core Coil	6,000	0,920	20	0,80		32	100	15,53
000-2540	Iron Core Coil	6,000	0,605	18	1,00		30	70	9,67
000-2358	Iron Core Coil	6,200	0,780	18	1,00		48	35	8,92
000-2541	Iron Core Coil	6,410	0,640	18	1,00		32	70	11,71
000-2260	Iron Core Coil	6,500	1,300	21	0,70		32	35	4,77
000-2531	Iron Core Coil	6,600	0,830	18	1,00		50	35	9,25
000-2040	Iron Core Coil	6,800	0,850	18	1,00		50	35	9,31
000-2254	Iron Core Coil	6,800	2,290	24	0,50		22	30	3,17
000-2398	Iron Core Coil	6,800	1,150	20	0,80		40	35	6,73
000-2480	Iron Core Coil	6,800	1,350	21	0,70		33	35	4,87
000-2510	Iron Core Coil	6,800	0,520	17	1,20		59	35	13,66
000-2511	Iron Core Coil	6,800	0,475	17	1,20		38	70	14,51
000-2030	Iron Core Coil	7,000	1,150	20	0,80		37	35	6,31
000-2481	Iron Core Coil	7,000	0,880	18	1,00		50	35	9,67
000-2037	Iron Core Coil	7,500	0,900	18	1,00		52	35	9,71
000-2485	Iron Core Coil	7,500	1,540	21	0,70		35	35	5,04
000-2103	Iron Core Coil	7,700	0,940	18	1,00		52	35	10,1
000-2503	Iron Core Coil	7,800	2,270	24	0,50		24	30	3,31
000-2098	Iron Core Coil	8,200	1,540	21	0,70		35	35	5,2
000-2253	Iron Core Coil	8,200	2,490	24	0,50		24	30	3,38
000-2496	Iron Core Coil	8,200	0,690	18	1,00		33	70	12,52
000-2525	Iron Core Coil	8,200	0,540	17	1,20		38	70	15,53
000-2490	Iron Core Coil	8,400	0,570	17	1,20		38	70	15,81
000-2466	Iron Core Coil	8,500	0,730	18	1,00		34	70	12,64
000-2472	Iron Core Coil	9,000	2,680	24	0,50		25	30	3,46
000-2202	Iron Core Coil	10,000	6,300	29	0,30		19	30	3,25
000-2252	Iron Core Coil	10,000	2,820	24	0,50		25	30	3,53
000-2261	Iron Core Coil	10,000	1,450	21	0,70		28	70	9,93
000-2448	Iron Core Coil	10,000	0,840	18	1,00		34	70	13,31
000-2449	Iron Core Coil	10,000	0,610	15	1,40		40	70	16,5
000-2526	Iron Core Coil	10,000	0,600	17	1,20		40	70	16,74
000-2470	Iron Core Coil	11,000	3,010	24	0,50		26	30	3,77
000-2251	Iron Core Coil	12,000	3,200	24	0,50		26	30	3,8
000-2262	Iron Core Coil	12,000	1,600	21	0,70		28	70	10,19
000-2489	Iron Core Coil	12,000	0,900	18	1,00		35	70	13,99
000-2527	Iron Core Coil	12,000	0,700	17	1,20		43	70	18,12
000-2433	Iron Core Coil	12,600	3,340	24	0,50		26	30	3,82
000-2542	Iron Core Coil	14,000	1,000	18	1,00		37	77	15,36
000-2263	Iron Core Coil	15,000	1,850	21	0,70		29	70	10,68
000-2333	Iron Core Coil	15,000	1,000	18	1,00		37	77	15,43
000-2528	Iron Core Coil	15,000	0,810	17	1,20		45	70	19,88
000-2498	Iron Core Coil	17,000	1,900	21	0,70		29	70	10,85
000-2264	Iron Core Coil	18,000	2,000	21	0,70		30	70	11,02
000-2468	Iron Core Coil	20,000	11,060	29	0,30		20	20	4,92
000-2504	Iron Core Coil	20,000	2,100	21	0,70		31	70	11,41
000-2265	Iron Core Coil	22,000	2,300	21	0,70		31	70	11,53
000-2492	Iron Core Coil	25,000	2,430	21	0,70		32	70	11,88
000-2316	Iron Core Coil	27,000	2,650	21	0,70		32	70	12,14
000-5340	Iron Core Coil w/discs	0,220	0,040	15	1,40		24	38	4,02
000-5330	Iron Core Coil w/discs	0,280	0,047	15	1,40		25	38	4,36
000-5035	Iron Core Coil w/discs	0,300	0,190	22	0,63		24	23	2,71
000-5036	Iron Core Coil w/discs	0,300	0,160	21	0,70		24	33	2,76
000-5059	Iron Core Coil w/discs	0,330	0,090	18	1,00		24	38	3,21
000-5070	Iron Core Coil w/discs	0,330	0,130	20	0,80		24	38	2,91

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5093	Iron Core Coil w/discs	0,330	0,070	17	1,20		24	38	3,55
000-5453	Iron Core Coil w/discs	0,380	0,050	15	1,40		45	46	6,63
000-5073	Iron Core Coil w/discs	0,400	0,150	20	0,80		24	38	2,98
000-5177	Iron Core Coil w/discs	0,450	0,070	15	1,40		35	46	6,27
000-5178	Iron Core Coil w/discs	0,450	0,060	15	1,40		45	46	6,71
000-5179	Iron Core Coil w/discs	0,450	0,050	15	1,40		55	46	7,29
000-5205	Iron Core Coil w/discs	0,450	0,080	17	1,20		35	45	4,4
000-5081	Iron Core Coil w/discs	0,470	0,080	17	1,20		35	45	4,45
000-5264	Iron Core Coil w/discs	0,470	0,160	20	0,80		24	38	3,01
000-5436	Iron Core Coil w/discs	0,470	0,058	14	1,60		37	46	7,36
000-5037	Iron Core Coil w/discs	0,500	0,170	20	0,80		24	23	2,91
000-5038	Iron Core Coil w/discs	0,500	0,170	20	0,80		24	33	2,93
000-5115	Iron Core Coil w/discs	0,500	0,110	18	1,00		24	38	3,37
000-5214	Iron Core Coil w/discs	0,500	0,090	17	1,20		24	38	3,87
000-5215	Iron Core Coil w/discs	0,500	0,060	15	1,40		35	45	5,54
000-5082	Iron Core Coil w/discs	0,560	0,090	17	1,20		35	45	4,74
000-5083	Iron Core Coil w/discs	0,560	0,120	18	1,00		35	45	4,11
000-5180	Iron Core Coil w/discs	0,560	0,080	15	1,40		36	46	6,79
000-5243	Iron Core Coil w/discs	0,560	0,180	20	0,80		24	38	3,08
000-5265	Iron Core Coil w/discs	0,560	0,140	18	1,00		35	46	4,86
000-5435	Iron Core Coil w/discs	0,560	0,055	14	1,60		45	46	8,48
000-5335	Iron Core Coil w/discs	0,580	0,090	17	1,20		45	46	5,99
000-5345	Iron Core Coil w/discs	0,600	0,082	15	1,40		36	46	6,82
000-5376	Iron Core Coil w/discs	0,680	0,113	17	1,20		35	46	5,67
000-5397	Iron Core Coil w/discs	0,680	0,085	15	1,40		36	46	7,14
000-5434	Iron Core Coil w/discs	0,680	0,061	14	1,60		45	46	8,78
000-5817	Iron Core Coil w/discs	0,680	0,051	13	1,80		45	46	10,95
000-5085	Iron Core Coil w/discs	0,700	0,130	18	1,00		35	45	4,24
000-5384	Iron Core Coil w/discs	0,700	0,140	18	1,00		24	38	3,5
000-5490	Iron Core Coil w/discs	0,700	0,090	15	1,40		39	46	7,29
000-5820	Iron Core Coil w/discs	0,720	0,140	18	1,00		35	45	4,27
000-5237	Iron Core Coil w/discs	0,750	0,080	15	1,40		45	46	7,57
000-5238	Iron Core Coil w/discs	0,750	0,090	15	1,40		39	46	7,38
000-5501	Iron Core Coil w/discs	0,780	0,083	15	1,40		45	46	7,6
000-5001	Iron Core Coil w/discs	0,800	0,270	21	0,70		24	38	3,04
000-5167	Iron Core Coil w/discs	0,800	0,150	18	1,00		25	38	3,67
000-5446	Iron Core Coil w/discs	0,800	0,130	17	1,20		42	32	6,07
000-5050	Iron Core Coil w/discs	0,820	0,220	20	0,80		24	33	3,19
000-5185	Iron Core Coil w/discs	0,820	0,270	21	0,70		24	33	3,01
000-5206	Iron Core Coil w/discs	0,820	0,110	17	1,20		35	45	5,26
000-5266	Iron Core Coil w/discs	0,820	0,220	20	0,80		24	38	3,21
000-5433	Iron Core Coil w/discs	0,820	0,068	14	1,60		45	46	9
000-5816	Iron Core Coil w/discs	0,820	0,058	13	1,80		45	46	11,44
000-5451	Iron Core Coil w/discs	0,870	0,115	17	1,20		35	45	5,33
000-5829	Iron Core Coil w/discs	0,890	0,150	18	1,00		35	45	4,4
000-5087	Iron Core Coil w/discs	0,900	0,150	18	1,00		35	45	4,4
000-5088	Iron Core Coil w/discs	0,900	0,160	18	1,00		25	38	3,75
000-5089	Iron Core Coil w/discs	0,900	0,230	20	0,80		24	38	3,24
000-5440	Iron Core Coil w/discs	0,900	0,072	14	1,60		45	46	9,95
000-5202	Iron Core Coil w/discs	0,910	0,160	18	1,00		25	38	3,75
000-5395	Iron Core Coil w/discs	0,970	0,123	17	1,20		45	46	6,56
000-5055	Iron Core Coil w/discs	1,000	0,190	18	1,00		35	46	5,27
000-5056	Iron Core Coil w/discs	1,000	0,140	17	1,20		35	46	6,45
000-5090	Iron Core Coil w/discs	1,000	0,170	18	1,00		25	38	3,85
000-5117	Iron Core Coil w/discs	1,000	0,095	15	1,40		45	46	8,06
000-5140	Iron Core Coil w/discs	1,000	0,550	24	0,50		24	38	2,93
000-5188	Iron Core Coil w/discs	1,000	0,330	21	0,70		25	23	2,98
000-5212	Iron Core Coil w/discs	1,000	0,125	17	1,20		45	46	6,63
000-5233	Iron Core Coil w/discs	1,000	0,310	21	0,70		24	33	3,2
000-5316	Iron Core Coil w/discs	1,000	0,250	20	0,80		24	38	3,32
000-5320	Iron Core Coil w/discs	1,000	1,300	29	0,30		24	23	2,95
000-5383	Iron Core Coil w/discs	1,000	0,110	15	1,40		36	46	7,85
000-5432	Iron Core Coil w/discs	1,000	0,078	14	1,60		45	46	10,2
000-5806	Iron Core Coil w/discs	1,000	0,066	13	1,80		45	46	12,01
000-5507	Iron Core Coil w/discs	1,030	0,096	15	1,40		45	46	8,09
000-5025	Iron Core Coil w/discs	1,100	0,320	21	0,70		35	45	4,02
000-5030	Iron Core Coil w/discs	1,100	0,320	21	0,70		24	38	3,29
000-5116	Iron Core Coil w/discs	1,100	0,180	18	1,00		26	38	4,02
000-5267	Iron Core Coil w/discs	1,100	0,150	17	1,20		36	46	6,67
000-5452	Iron Core Coil w/discs	1,100	0,099	15	1,40		45	46	8,24
000-5610	Iron Core Coil w/discs	1,100	0,084	14	1,60		45	46	10,49
000-5815	Iron Core Coil w/discs	1,100	0,070	13	1,80		45	46	12,41
000-5400	Iron Core Coil w/discs	1,130	0,118	15	1,40		38	46	8,02
000-5145	Iron Core Coil w/discs	1,150	0,126	17	1,20		45	46	7,03
000-5552	Iron Core Coil w/discs	1,160	0,160	17	1,20		37	46	6,89

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5370	Iron Core Coil w/discs	1,180	0,122	15	1,40		38	46	8,07
000-5004	Iron Core Coil w/discs	1,200	0,110	15	1,40		45	46	8,41
000-5175	Iron Core Coil w/discs	1,200	0,125	15	1,40		40	46	8,32
000-5230	Iron Core Coil w/discs	1,200	0,130	17	1,20		35	45	5,94
000-5234	Iron Core Coil w/discs	1,200	0,190	18	1,00		27	38	4,17
000-5247	Iron Core Coil w/discs	1,200	0,160	17	1,20		36	46	6,79
000-5268	Iron Core Coil w/discs	1,200	0,280	20	0,80		24	38	3,52
000-5315	Iron Core Coil w/discs	1,200	0,130	17	1,20		45	46	7,05
000-5431	Iron Core Coil w/discs	1,200	0,089	14	1,60		45	46	10,64
000-5481	Iron Core Coil w/discs	1,200	0,173	18	1,00		35	45	4,72
000-5805	Iron Core Coil w/discs	1,200	0,075	13	1,80		45	46	13,05
000-5448	Iron Core Coil w/discs	1,220	0,193	18	1,00		27	38	4,17
000-5144	Iron Core Coil w/discs	1,250	0,136	17	1,20		45	46	7,15
000-5269	Iron Core Coil w/discs	1,250	0,280	20	0,80		24	38	3,57
000-5551	Iron Core Coil w/discs	1,250	0,150	17	1,20		36	46	6,95
000-5317	Iron Core Coil w/discs	1,280	0,210	18	1,00		35	46	5,64
000-5539	Iron Core Coil w/discs	1,280	0,320	20	0,80		35	46	5,14
000-5554	Iron Core Coil w/discs	1,280	0,360	21	0,70		24	33	3,34
000-5005	Iron Core Coil w/discs	1,300	0,165	17	1,20		36	46	6,95
000-5139	Iron Core Coil w/discs	1,300	0,142	17	1,20		45	46	7,2
000-5184	Iron Core Coil w/discs	1,300	0,360	21	0,70		24	33	3,35
000-5493	Iron Core Coil w/discs	1,300	0,230	18	1,00		35	46	5,64
000-5814	Iron Core Coil w/discs	1,300	0,079	13	1,80		49	46	13,32
000-5420	Iron Core Coil w/discs	1,350	0,210	18	1,00		27	38	4,25
000-5369	Iron Core Coil w/discs	1,360	0,135	15	1,40		41	46	9,03
000-5006	Iron Core Coil w/discs	1,400	0,170	17	1,20		36	46	7,05
000-5039	Iron Core Coil w/discs	1,400	0,370	21	0,70		24	38	3,37
000-5072	Iron Core Coil w/discs	1,400	0,120	15	1,40		45	46	8,65
000-5131	Iron Core Coil w/discs	1,400	0,140	15	1,40		41	46	9,08
000-5183	Iron Core Coil w/discs	1,400	0,380	21	0,70		24	33	3,35
000-5204	Iron Core Coil w/discs	1,400	0,142	15	1,40		41	46	9,23
000-5485	Iron Core Coil w/discs	1,400	0,210	18	1,00		26	38	4,3
000-5813	Iron Core Coil w/discs	1,400	0,084	13	1,80		49	46	13,59
000-5182	Iron Core Coil w/discs	1,450	0,390	21	0,70		24	33	3,37
000-5201	Iron Core Coil w/discs	1,450	0,220	18	1,00		27	38	4,4
000-5003	Iron Core Coil w/discs	1,500	0,230	18	1,00		28	38	4,43
000-5026	Iron Core Coil w/discs	1,500	0,390	21	0,70		24	33	3,4
000-5094	Iron Core Coil w/discs	1,500	0,200	18	1,00		35	45	4,98
000-5130	Iron Core Coil w/discs	1,500	0,180	17	1,20		36	46	7,24
000-5203	Iron Core Coil w/discs	1,500	0,120	15	1,40		45	46	8,88
000-5270	Iron Core Coil w/discs	1,500	0,320	20	0,80		24	38	3,67
000-5430	Iron Core Coil w/discs	1,500	0,100	14	1,60		45	46	11,18
000-5802	Iron Core Coil w/discs	1,500	0,086	13	1,80		49	46	13,85
000-5248	Iron Core Coil w/discs	1,600	0,210	18	1,00		35	45	5,03
000-5271	Iron Core Coil w/discs	1,600	0,330	20	0,80		24	38	3,7
000-5272	Iron Core Coil w/discs	1,600	0,190	17	1,20		39	46	7,59
000-5444	Iron Core Coil w/discs	1,600	0,132	15	1,40		45	46	9,05
000-5538	Iron Core Coil w/discs	1,600	0,080	13	1,80		55	46	14,83
000-5147	Iron Core Coil w/discs	1,700	0,133	15	1,40		45	46	9,15
000-5513	Iron Core Coil w/discs	1,700	0,082	13	1,80		55	46	14,91
000-5049	Iron Core Coil w/discs	1,750	0,420	21	0,70		24	38	3,48
000-5322	Iron Core Coil w/discs	1,750	0,340	20	0,80		24	38	3,73
000-5449	Iron Core Coil w/discs	1,750	0,167	17	1,20		35	45	6,73
000-5008	Iron Core Coil w/discs	1,800	0,270	18	1,00		35	46	5,98
000-5009	Iron Core Coil w/discs	1,800	0,200	17	1,20		39	46	0,7
000-5042	Iron Core Coil w/discs	1,800	0,240	18	1,00		36	30	4,99
000-5151	Iron Core Coil w/discs	1,800	0,170	17	1,20		35	45	6,78
000-5199	Iron Core Coil w/discs	1,800	0,220	18	1,00		35	45	5,16
000-5200	Iron Core Coil w/discs	1,800	0,260	18	1,00		28	38	4,63
000-5273	Iron Core Coil w/discs	1,800	0,360	20	0,80		24	38	3,75
000-5355	Iron Core Coil w/discs	1,800	0,135	15	1,40		45	46	9,27
000-5429	Iron Core Coil w/discs	1,800	0,130	14	1,60		46	46	12,31
000-5804	Iron Core Coil w/discs	1,800	0,085	13	1,80		55	46	14,99
000-5041	Iron Core Coil w/discs	1,900	0,205	17	1,20		39	46	7,99
000-5242	Iron Core Coil w/discs	1,900	0,450	21	0,70		24	33	3,48
000-5346	Iron Core Coil w/discs	1,900	0,360	20	0,80		24	38	3,83
000-5812	Iron Core Coil w/discs	1,900	0,090	13	1,80		55	46	15,27
000-5051	Iron Core Coil w/discs	2,000	0,350	20	0,80		35	30	4,24
000-5152	Iron Core Coil w/discs	2,000	0,180	17	1,20		35	45	7,03
000-5156	Iron Core Coil w/discs	2,000	0,140	15	1,40		45	46	10,01
000-5260	Iron Core Coil w/discs	2,000	0,345	20	0,80		35	35	4,27
000-5274	Iron Core Coil w/discs	2,000	0,380	20	0,80		24	38	3,88
000-5275	Iron Core Coil w/discs	2,000	0,280	18	1,00		35	46	6,17
000-5276	Iron Core Coil w/discs	2,000	0,210	17	1,20		39	46	8,11
000-5525	Iron Core Coil w/discs	2,000	0,850	24	0,50		24	38	3,5

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5529	Iron Core Coil w/discs	2,000	0,110	14	1,60		55	46	12,9
000-5545	Iron Core Coil w/discs	2,000	0,270	18	1,00		29	38	5,11
000-5811	Iron Core Coil w/discs	2,000	0,093	13	1,80		55	46	15,61
000-5062	Iron Core Coil w/discs	2,050	0,145	15	1,40		45	46	10,08
000-5187	Iron Core Coil w/discs	2,100	0,190	17	1,20		35	45	7,13
000-5473	Iron Core Coil w/discs	2,100	0,390	20	0,80		24	38	4,11
000-5810	Iron Core Coil w/discs	2,100	0,095	13	1,80		55	46	15,79
000-5010	Iron Core Coil w/discs	2,200	0,150	15	1,40		45	46	10,35
000-5224	Iron Core Coil w/discs	2,200	0,260	18	1,00		35	45	5,55
000-5225	Iron Core Coil w/discs	2,200	0,300	18	1,00		30	38	5,14
000-5253	Iron Core Coil w/discs	2,200	0,230	18	1,00		55	46	7,21
000-5257	Iron Core Coil w/discs	2,200	0,260	18	1,00		45	32	6,45
000-5263	Iron Core Coil w/discs	2,200	0,260	18	1,00		45	46	6,78
000-5277	Iron Core Coil w/discs	2,200	0,300	18	1,00		35	46	6,42
000-5278	Iron Core Coil w/discs	2,200	0,850	24	0,50		24	38	3,52
000-5279	Iron Core Coil w/discs	2,200	0,230	17	1,20		39	46	8,31
000-5280	Iron Core Coil w/discs	2,200	0,400	20	0,80		24	38	4,13
000-5418	Iron Core Coil w/discs	2,200	0,190	17	1,20		45	46	8,48
000-5428	Iron Core Coil w/discs	2,200	0,120	14	1,60		55	46	13,17
000-5443	Iron Core Coil w/discs	2,200	0,530	21	0,70		24	38	3,83
000-5612	Iron Core Coil w/discs	2,200	0,138	14	1,60		37	82	14,81
000-5803	Iron Core Coil w/discs	2,200	0,100	13	1,80		55	46	16,07
000-5818	Iron Core Coil w/discs	2,200	0,195	17	1,20		35	45	7,15
000-5244	Iron Core Coil w/discs	2,250	0,265	18	1,00		45	46	6,8
000-5474	Iron Core Coil w/discs	2,250	0,122	14	1,60		55	46	13,37
000-5137	Iron Core Coil w/discs	2,300	0,410	20	0,80		24	38	4,16
000-5343	Iron Core Coil w/discs	2,300	0,200	17	1,20		45	46	8,49
000-5374	Iron Core Coil w/discs	2,300	0,265	18	1,00		45	46	6,85
000-5375	Iron Core Coil w/discs	2,300	0,316	18	1,00		35	46	6,52
000-5382	Iron Core Coil w/discs	2,300	0,155	15	1,40		45	46	10,5
000-5809	Iron Core Coil w/discs	2,300	0,102	13	1,80		55	46	16,35
000-5546	Iron Core Coil w/discs	2,350	0,200	17	1,20		45	46	8,6
000-5281	Iron Core Coil w/discs	2,400	0,420	20	0,80		26	38	4,21
000-5321	Iron Core Coil w/discs	2,400	0,205	17	1,20		45	46	8,57
000-5437	Iron Core Coil w/discs	2,400	0,169	15	1,40		45	46	10,67
000-5550	Iron Core Coil w/discs	2,400	0,240	17	1,20		41	46	8,67
000-5808	Iron Core Coil w/discs	2,400	0,105	13	1,80		55	46	16,54
000-5034	Iron Core Coil w/discs	2,500	0,430	20	0,80		26	38	4,24
000-5096	Iron Core Coil w/discs	2,500	0,280	18	1,00		35	45	5,68
000-5097	Iron Core Coil w/discs	2,500	0,210	17	1,20		35	45	7,43
000-5141	Iron Core Coil w/discs	2,500	0,630	22	0,63		24	38	3,82
000-5213	Iron Core Coil w/discs	2,500	0,210	17	1,20		45	46	8,64
000-5282	Iron Core Coil w/discs	2,500	0,320	18	1,00		37	46	6,68
000-5283	Iron Core Coil w/discs	2,500	0,250	17	1,20		41	46	8,66
000-5512	Iron Core Coil w/discs	2,500	0,125	14	1,60		55	46	13,79
000-5807	Iron Core Coil w/discs	2,500	0,107	13	1,80		55	46	16,83
000-5559	Iron Core Coil w/discs	2,550	0,210	17	1,20		36	45	7,53
000-5192	Iron Core Coil w/discs	2,600	0,290	18	1,00		35	45	5,78
000-5411	Iron Core Coil w/discs	2,600	1,410	26	0,40		24	38	4,02
000-5486	Iron Core Coil w/discs	2,600	0,220	17	1,20		36	45	7,73
000-5514	Iron Core Coil w/discs	2,600	0,440	20	0,80		25	38	4,27
000-5801	Iron Core Coil w/discs	2,600	0,110	13	1,80		55	46	17,23
000-5118	Iron Core Coil w/discs	2,700	0,155	15	1,40		55	46	10,95
000-5284	Iron Core Coil w/discs	2,700	0,450	20	0,80		26	38	4,32
000-5285	Iron Core Coil w/discs	2,700	0,490	20	0,80		35	46	5,74
000-5286	Iron Core Coil w/discs	2,700	0,220	17	1,20		45	46	8,77
000-5354	Iron Core Coil w/discs	2,700	0,295	18	1,00		35	45	5,86
000-5371	Iron Core Coil w/discs	2,700	0,180	15	1,40		46	46	10,89
000-5396	Iron Core Coil w/discs	2,700	0,550	21	0,70		24	38	3,89
000-5416	Iron Core Coil w/discs	2,700	0,650	22	0,63		24	38	3,87
000-5427	Iron Core Coil w/discs	2,700	0,130	14	1,60		55	46	13,99
000-5476	Iron Core Coil w/discs	2,700	0,227	17	1,20		36	45	7,75
000-5800	Iron Core Coil w/discs	2,700	0,114	13	1,80		56	46	17,5
000-5106	Iron Core Coil w/discs	2,800	0,300	18	1,00		35	45	6,12
000-5520	Iron Core Coil w/discs	2,800	0,160	15	1,40		55	46	11,68
000-5526	Iron Core Coil w/discs	2,800	0,180	15	1,40		47	47	11,21
000-5287	Iron Core Coil w/discs	2,900	0,470	20	0,80		26	38	4,39
000-5012	Iron Core Coil w/discs	3,000	0,190	15	1,40		46	46	11,32
000-5024	Iron Core Coil w/discs	3,000	0,230	17	1,20		45	46	8,95
000-5032	Iron Core Coil w/discs	3,000	0,280	17	1,20		41	46	9,06
000-5065	Iron Core Coil w/discs	3,000	0,440	20	0,80		35	45	5,04
000-5068	Iron Core Coil w/discs	3,000	0,660	22	0,63		24	38	3,9
000-5122	Iron Core Coil w/discs	3,000	0,313	18	1,00		35	45	6,19
000-5133	Iron Core Coil w/discs	3,000	0,593	21	0,70		35	45	4,58
000-5246	Iron Core Coil w/discs	3,000	0,310	18	1,00		45	46	7,43

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5288	Iron Core Coil w/discs	3,000	0,360	18	1,00		37	46	7,16
000-5390	Iron Core Coil w/discs	3,000	0,585	21	0,70		24	38	3,94
000-5441	Iron Core Coil w/discs	3,000	0,169	15	1,40		55	46	11,92
000-5540	Iron Core Coil w/discs	3,000	0,450	20	0,80		26	38	4,42
000-5608	Iron Core Coil w/discs	3,000	0,141	14	1,60		55	46	14,55
000-5475	Iron Core Coil w/discs	3,180	0,700	21	0,70		24	38	3,97
000-5125	Iron Core Coil w/discs	3,200	0,248	17	1,20		45	46	9,09
000-5289	Iron Core Coil w/discs	3,200	0,290	17	1,20		43	46	9,26
000-5373	Iron Core Coil w/discs	3,200	0,326	18	1,00		35	45	6,32
000-5422	Iron Core Coil w/discs	3,200	0,515	20	0,80		26	38	4,5
000-5482	Iron Core Coil w/discs	3,200	0,580	21	0,70		24	38	3,99
000-5828	Iron Core Coil w/discs	3,200	0,130	13	1,80		58	46	19,12
000-5091	Iron Core Coil w/discs	3,300	0,520	20	0,80		27	38	4,56
000-5161	Iron Core Coil w/discs	3,300	0,359	18	1,00		37	35	6,23
000-5227	Iron Core Coil w/discs	3,300	0,200	15	1,40		46	46	12,21
000-5229	Iron Core Coil w/discs	3,300	0,170	15	1,40		55	46	12,24
000-5252	Iron Core Coil w/discs	3,300	0,290	18	1,00		55	46	8,06
000-5256	Iron Core Coil w/discs	3,300	0,370	18	1,00		46	32	7,33
000-5262	Iron Core Coil w/discs	3,300	0,330	18	1,00		45	46	7,55
000-5290	Iron Core Coil w/discs	3,300	0,380	18	1,00		38	46	7,39
000-5291	Iron Core Coil w/discs	3,300	0,600	21	0,70		24	38	4,04
000-5292	Iron Core Coil w/discs	3,300	0,250	17	1,20		45	46	9,24
000-5372	Iron Core Coil w/discs	3,300	0,345	18	1,00		35	45	6,35
000-5412	Iron Core Coil w/discs	3,300	1,070	24	0,50		24	38	3,58
000-5426	Iron Core Coil w/discs	3,300	0,150	14	1,60		55	46	14,8
000-5604	Iron Core Coil w/discs	3,300	0,160	14	1,60		45	82	16,35
000-5606	Iron Core Coil w/discs	3,300	0,170	14	1,60		41	82	16,41
000-5827	Iron Core Coil w/discs	3,300	0,133	13	1,80		58	46	19,22
000-5102	Iron Core Coil w/discs	3,400	0,527	20	0,80		27	38	4,58
000-5825	Iron Core Coil w/discs	3,450	0,136	13	1,80		58	46	19,45
000-5084	Iron Core Coil w/discs	3,500	0,340	18	1,00		45	46	7,63
000-5092	Iron Core Coil w/discs	3,500	0,536	20	0,80		28	38	4,61
000-5186	Iron Core Coil w/discs	3,500	0,400	18	1,00		39	46	7,46
000-5389	Iron Core Coil w/discs	3,500	0,620	21	0,70		24	38	4,04
000-5402	Iron Core Coil w/discs	3,500	0,215	15	1,40		47	46	12,61
000-5503	Iron Core Coil w/discs	3,500	0,260	17	1,20		45	46	9,62
000-5826	Iron Core Coil w/discs	3,500	0,140	13	1,80		58	46	19,63
000-5543	Iron Core Coil w/discs	3,550	0,330	18	1,00		35	45	6,45
000-5172	Iron Core Coil w/discs	3,600	0,550	20	0,80		28	38	4,64
000-5293	Iron Core Coil w/discs	3,600	0,405	18	1,00		39	46	7,54
000-5326	Iron Core Coil w/discs	3,600	0,218	15	1,40		47	46	12,73
000-5548	Iron Core Coil w/discs	3,600	0,168	14	1,60		55	46	15,89
000-5836	Iron Core Coil w/discs	3,600	0,150	13	1,80		58	46	20,09
000-5342	Iron Core Coil w/discs	3,660	0,750	22	0,63		24	38	4,01
000-5120	Iron Core Coil w/discs	3,700	0,353	18	1,00		35	45	6,45
000-5181	Iron Core Coil w/discs	3,700	0,410	18	1,00		39	46	7,58
000-5465	Iron Core Coil w/discs	3,700	0,267	17	1,20		45	46	9,62
000-5011	Iron Core Coil w/discs	3,800	0,278	17	1,20		45	46	9,69
000-5294	Iron Core Coil w/discs	3,800	0,320	17	1,20		44	46	9,88
000-5013	Iron Core Coil w/discs	3,900	0,280	17	1,20		45	46	9,79
000-5078	Iron Core Coil w/discs	3,900	0,360	18	1,00		45	46	7,73
000-5095	Iron Core Coil w/discs	3,900	0,580	20	0,80		28	38	4,71
000-5220	Iron Core Coil w/discs	3,900	0,220	15	1,40		48	46	12,95
000-5228	Iron Core Coil w/discs	3,900	0,190	15	1,40		55	46	12,91
000-5295	Iron Core Coil w/discs	3,900	0,420	18	1,00		39	46	7,69
000-5296	Iron Core Coil w/discs	3,900	0,680	21	0,70		24	38	4,18
000-5417	Iron Core Coil w/discs	3,900	0,500	20	0,80		35	45	5,38
000-5425	Iron Core Coil w/discs	3,900	0,168	14	1,60		55	46	15,96
000-5478	Iron Core Coil w/discs	3,900	0,360	18	1,00		35	45	6,6
000-5536	Iron Core Coil w/discs	3,900	0,240	17	1,20		55	46	10,12
000-5605	Iron Core Coil w/discs	3,900	0,173	14	1,60		45	82	17,85
000-5607	Iron Core Coil w/discs	3,900	0,190	14	1,60		43	82	17,35
000-5837	Iron Core Coil w/discs	3,900	0,160	13	1,80		62	46	21,86
000-5142	Iron Core Coil w/discs	4,000	0,590	20	0,80		35	46	6,16
000-5154	Iron Core Coil w/discs	4,000	0,425	18	1,00		39	46	7,74
000-5169	Iron Core Coil w/discs	4,000	0,580	20	0,80		29	38	4,76
000-5170	Iron Core Coil w/discs	4,000	0,285	17	1,20		45	46	9,84
000-5171	Iron Core Coil w/discs	4,000	0,230	15	1,40		48	46	13,1
000-5211	Iron Core Coil w/discs	4,000	0,370	18	1,00		35	45	6,7
000-5447	Iron Core Coil w/discs	4,000	0,200	15	1,40		55	46	13,08
000-5471	Iron Core Coil w/discs	4,000	0,180	14	1,60		55	46	16,23
000-5822	Iron Core Coil w/discs	4,000	0,270	17	1,20		55	32	10,59
000-5103	Iron Core Coil w/discs	4,100	0,370	18	1,00		45	46	7,91
000-5020	Iron Core Coil w/discs	4,200	0,240	15	1,40		49	46	13,35
000-5445	Iron Core Coil w/discs	4,200	0,190	14	1,60		55	46	16,62



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5469	Iron Core Coil w/discs	4,200	0,290	17	1,20		45	46	10,02
000-5014	Iron Core Coil w/discs	4,300	0,660	21	0,70		35	45	4,93
000-5015	Iron Core Coil w/discs	4,300	0,620	20	0,80		35	46	6,21
000-5023	Iron Core Coil w/discs	4,300	0,400	18	1,00		35	45	6,78
000-5101	Iron Core Coil w/discs	4,300	0,243	15	1,40		49	46	13,49
000-5132	Iron Core Coil w/discs	4,300	0,213	15	1,40		55	46	13,33
000-5530	Iron Core Coil w/discs	4,300	0,140	13	1,80		55	82	23,05
000-5021	Iron Core Coil w/discs	4,400	0,250	15	1,40		51	46	13,69
000-5504	Iron Core Coil w/discs	4,400	0,180	14	1,60		56	46	16,74
000-5045	Iron Core Coil w/discs	4,500	0,470	18	1,00		40	46	8,05
000-5067	Iron Core Coil w/discs	4,500	0,650	20	0,80		35	46	6,29
000-5148	Iron Core Coil w/discs	4,500	0,300	17	1,20		45	46	10,17
000-5245	Iron Core Coil w/discs	4,500	0,390	18	1,00		45	46	8,1
000-5043	Iron Core Coil w/discs	4,700	0,260	15	1,40		51	46	14,14
000-5104	Iron Core Coil w/discs	4,700	0,400	18	1,00		45	46	8,17
000-5119	Iron Core Coil w/discs	4,700	0,224	15	1,40		55	46	13,65
000-5153	Iron Core Coil w/discs	4,700	0,330	17	1,20		43	45	9,37
000-5231	Iron Core Coil w/discs	4,700	0,950	22	0,63		26	33	4,26
000-5251	Iron Core Coil w/discs	4,700	0,350	18	1,00		55	46	8,51
000-5255	Iron Core Coil w/discs	4,700	0,440	18	1,00		47	32	8,3
000-5297	Iron Core Coil w/discs	4,700	0,630	20	0,80		29	38	4,98
000-5298	Iron Core Coil w/discs	4,700	0,480	18	1,00		40	46	8,14
000-5299	Iron Core Coil w/discs	4,700	0,750	21	0,70		26	38	4,39
000-5300	Iron Core Coil w/discs	4,700	0,900	22	0,63		24	38	4,2
000-5301	Iron Core Coil w/discs	4,700	0,310	17	1,20		45	46	10,34
000-5424	Iron Core Coil w/discs	4,700	0,191	14	1,60		55	46	17,45
000-5477	Iron Core Coil w/discs	4,700	0,405	18	1,00		35	45	6,98
000-5549	Iron Core Coil w/discs	4,700	0,150	13	1,80		55	82	25,74
000-5611	Iron Core Coil w/discs	4,700	0,200	14	1,60		45	82	18,41
000-5821	Iron Core Coil w/discs	4,700	0,172	14	1,60		55	82	20,13
000-5044	Iron Core Coil w/discs	4,800	0,580	20	0,80		35	45	5,52
000-5105	Iron Core Coil w/discs	4,800	0,420	18	1,00		35	45	7,14
000-5239	Iron Core Coil w/discs	4,900	0,430	18	1,00		35	45	7,16
000-5100	Iron Core Coil w/discs	5,000	0,700	21	0,70		35	45	4,96
000-5143	Iron Core Coil w/discs	5,000	0,420	18	1,00		45	46	8,27
000-5164	Iron Core Coil w/discs	5,000	0,235	15	1,40		55	46	14,07
000-5165	Iron Core Coil w/discs	5,000	0,600	20	0,80		35	45	5,55
000-5302	Iron Core Coil w/discs	5,000	0,860	21	0,70		35	46	5,87
000-5464	Iron Core Coil w/discs	5,000	0,330	17	1,20		45	46	10,67
000-5086	Iron Core Coil w/discs	5,100	0,730	21	0,70		35	45	4,98
000-5819	Iron Core Coil w/discs	5,100	0,240	15	1,40		55	46	14,16
000-5159	Iron Core Coil w/discs	5,200	0,340	17	1,20		46	46	10,82
000-5338	Iron Core Coil w/discs	5,200	0,440	18	1,00		45	46	8,45
000-5423	Iron Core Coil w/discs	5,200	0,218	14	1,60		57	46	18,28
000-5614	Iron Core Coil w/discs	5,200	0,190	14	1,60		55	82	20,69
000-5483	Iron Core Coil w/discs	5,250	0,250	15	1,40		55	46	14,31
000-5407	Iron Core Coil w/discs	5,300	1,380	24	0,50		24	38	3,75
000-5494	Iron Core Coil w/discs	5,300	0,260	15	1,40		55	46	14,36
000-5362	Iron Core Coil w/discs	5,400	0,348	17	1,20		46	46	10,92
000-5364	Iron Core Coil w/discs	5,400	0,720	20	0,80		36	46	6,5
000-5528	Iron Core Coil w/discs	5,400	0,250	15	1,40		55	46	14,43
000-5017	Iron Core Coil w/discs	5,500	0,760	21	0,70		35	45	5,04
000-5018	Iron Core Coil w/discs	5,500	0,720	20	0,80		36	46	6,58
000-5107	Iron Core Coil w/discs	5,500	0,445	18	1,00		45	46	8,48
000-5168	Iron Core Coil w/discs	5,500	0,620	20	0,80		35	45	5,67
000-5401	Iron Core Coil w/discs	5,500	0,350	17	1,20		46	46	10,99
000-5406	Iron Core Coil w/discs	5,500	1,400	24	0,50		24	38	3,78
000-5489	Iron Core Coil w/discs	5,500	0,260	15	1,40		55	46	14,46
000-5046	Iron Core Coil w/discs	5,600	0,770	21	0,70		35	45	5,15
000-5047	Iron Core Coil w/discs	5,600	0,630	20	0,80		35	45	5,67
000-5048	Iron Core Coil w/discs	5,600	0,850	21	0,70		27	38	4,58
000-5158	Iron Core Coil w/discs	5,600	0,360	17	1,20		46	46	11,11
000-5176	Iron Core Coil w/discs	5,600	0,250	15	1,40		55	46	14,66
000-5250	Iron Core Coil w/discs	5,600	0,400	18	1,00		55	46	8,84
000-5254	Iron Core Coil w/discs	5,600	0,510	18	1,00		52	32	8,89
000-5303	Iron Core Coil w/discs	5,600	0,450	18	1,00		45	46	8,55
000-5600	Iron Core Coil w/discs	5,600	0,197	14	1,60		55	82	21,41
000-5830	Iron Core Coil w/discs	5,700	0,460	18	1,00		45	46	8,58
000-5029	Iron Core Coil w/discs	6,000	0,370	17	1,20		46	46	11,42
000-5031	Iron Core Coil w/discs	6,000	0,560	18	1,00		42	46	8,77
000-5052	Iron Core Coil w/discs	6,000	0,470	18	1,00		45	46	8,6
000-5071	Iron Core Coil w/discs	6,000	0,650	20	0,80		35	45	5,78
000-5163	Iron Core Coil w/discs	6,000	0,268	15	1,40		55	46	14,76
000-5304	Iron Core Coil w/discs	6,000	0,800	21	0,70		35	45	5,17
000-5506	Iron Core Coil w/discs	6,000	0,210	14	1,60		55	82	21,63



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5531	Iron Core Coil w/discs	6,000	0,180	13	1,80		55	82	26
000-5077	Iron Core Coil w/discs	6,200	0,375	17	1,20		47	46	11,57
000-5377	Iron Core Coil w/discs	6,200	0,425	18	1,00		55	46	8,95
000-5378	Iron Core Coil w/discs	6,200	0,483	18	1,00		45	46	8,68
000-5527	Iron Core Coil w/discs	6,200	0,180	13	1,80		55	82	26,16
000-5174	Iron Core Coil w/discs	6,250	0,280	15	1,40		55	46	15,25
000-5405	Iron Core Coil w/discs	6,250	0,490	18	1,00		45	46	8,76
000-5421	Iron Core Coil w/discs	6,250	0,850	21	0,70		35	45	5,26
000-5403	Iron Core Coil w/discs	6,280	3,650	29	0,30		25	23	3,91
000-5060	Iron Core Coil w/discs	6,300	0,380	17	1,20		48	46	11,69
000-5064	Iron Core Coil w/discs	6,300	0,330	17	1,20		55	46	11,21
000-5467	Iron Core Coil w/discs	6,300	0,283	15	1,40		55	46	15,29
000-5831	Iron Core Coil w/discs	6,300	0,220	14	1,60		55	82	21,9
000-5121	Iron Core Coil w/discs	6,500	0,500	18	1,00		45	46	8,86
000-5194	Iron Core Coil w/discs	6,500	0,590	18	1,00		43	46	9,04
000-5195	Iron Core Coil w/discs	6,500	0,800	20	0,80		36	46	6,87
000-5196	Iron Core Coil w/discs	6,500	0,680	20	0,80		35	45	5,94
000-5197	Iron Core Coil w/discs	6,500	0,520	18	1,00		38	45	8,19
000-5408	Iron Core Coil w/discs	6,500	2,220	26	0,40		24	38	4,25
000-5505	Iron Core Coil w/discs	6,500	0,280	15	1,40		55	46	15,45
000-5523	Iron Core Coil w/discs	6,500	0,340	17	1,20		55	46	11,61
000-5413	Iron Core Coil w/discs	6,600	0,285	15	1,40		55	46	15,6
000-5040	Iron Core Coil w/discs	6,800	0,820	20	0,80		36	46	6,92
000-5098	Iron Core Coil w/discs	6,800	0,700	20	0,80		35	45	5,97
000-5173	Iron Core Coil w/discs	6,800	0,290	15	1,40		55	46	15,72
000-5210	Iron Core Coil w/discs	6,800	0,350	17	1,20		55	46	11,69
000-5261	Iron Core Coil w/discs	6,800	0,510	18	1,00		45	46	9,01
000-5305	Iron Core Coil w/discs	6,800	0,400	17	1,20		48	46	11,93
000-5306	Iron Core Coil w/discs	6,800	0,600	18	1,00		43	46	9,17
000-5307	Iron Core Coil w/discs	6,800	1,600	24	0,50		24	38	3,92
000-5308	Iron Core Coil w/discs	6,800	0,870	21	0,70		35	45	5,3
000-5470	Iron Core Coil w/discs	6,800	1,240	22	0,63		35	46	5,98
000-5479	Iron Core Coil w/discs	6,800	0,500	18	1,00		35	80	12,95
000-5533	Iron Core Coil w/discs	6,800	0,900	21	0,70		28	38	4,98
000-5601	Iron Core Coil w/discs	6,800	0,223	14	1,60		55	82	22
000-5027	Iron Core Coil w/discs	7,000	1,660	24	0,50		24	38	3,95
000-5134	Iron Core Coil w/discs	7,000	0,410	17	1,20		48	46	12,13
000-5136	Iron Core Coil w/discs	7,000	2,300	26	0,40		24	38	4,28
000-5191	Iron Core Coil w/discs	7,000	0,533	18	1,00		45	46	9,11
000-5379	Iron Core Coil w/discs	7,000	0,300	15	1,40		55	46	15,79
000-5028	Iron Core Coil w/discs	7,400	0,790	20	0,80		35	45	6,05
000-5472	Iron Core Coil w/discs	7,400	0,317	15	1,40		55	46	16,16
000-5074	Iron Core Coil w/discs	7,500	0,920	21	0,70		35	45	5,41
000-5075	Iron Core Coil w/discs	7,500	1,280	22	0,63		35	46	6,06
000-5076	Iron Core Coil w/discs	7,500	0,920	21	0,70		45	46	6,67
000-5108	Iron Core Coil w/discs	7,500	0,557	18	1,00		45	46	9,39
000-5532	Iron Core Coil w/discs	7,500	1,020	21	0,70		30	38	5,04
000-5510	Iron Core Coil w/discs	7,600	0,380	17	1,20		55	46	12,26
000-5393	Iron Core Coil w/discs	7,700	1,310	22	0,63		35	46	6,11
000-5558	Iron Core Coil w/discs	7,750	0,380	17	1,20		55	46	12,36
000-5500	Iron Core Coil w/discs	7,900	0,480	18	1,00		55	46	9,88
000-5053	Iron Core Coil w/discs	8,000	2,550	26	0,40		24	38	4,31
000-5324	Iron Core Coil w/discs	8,000	0,385	17	1,20		55	46	12,39
000-5325	Iron Core Coil w/discs	8,000	0,340	15	1,40		56	46	16,63
000-5353	Iron Core Coil w/discs	8,000	0,990	21	0,70		35	45	5,49
000-5363	Iron Core Coil w/discs	8,000	0,560	18	1,00		45	46	9,82
000-5394	Iron Core Coil w/discs	8,000	1,400	22	0,63		35	46	6,17
000-5404	Iron Core Coil w/discs	8,000	4,180	29	0,30		25	23	3,95
000-5823	Iron Core Coil w/discs	8,000	1,700	24	0,50		24	38	4,01
000-5033	Iron Core Coil w/discs	8,200	0,800	20	0,80		35	45	6,23
000-5149	Iron Core Coil w/discs	8,200	0,580	18	1,00		45	46	9,85
000-5155	Iron Core Coil w/discs	8,200	0,390	17	1,20		55	46	12,48
000-5249	Iron Core Coil w/discs	8,200	0,500	18	1,00		55	46	9,98
000-5309	Iron Core Coil w/discs	8,200	1,000	21	0,70		35	45	5,58
000-5329	Iron Core Coil w/discs	8,200	0,330	15	1,40		56	46	17,05
000-5602	Iron Core Coil w/discs	8,200	0,251	14	1,60		55	82	24,44
000-5544	Iron Core Coil w/discs	8,300	0,580	18	1,00		45	46	9,97
000-5124	Iron Core Coil w/discs	8,500	0,585	18	1,00		45	46	9,9
000-5357	Iron Core Coil w/discs	8,500	1,500	22	0,63		40	32	5,95
000-5358	Iron Core Coil w/discs	8,500	1,040	21	0,70		45	32	6,52
000-5359	Iron Core Coil w/discs	8,500	0,850	20	0,80		45	32	7,36
000-5360	Iron Core Coil w/discs	8,500	0,600	18	1,00		55	32	10,38
000-5347	Iron Core Coil w/discs	8,600	0,590	18	1,00		45	46	9,95
000-5524	Iron Core Coil w/discs	8,700	0,600	18	1,00		45	46	10,23
000-5162	Iron Core Coil w/discs	9,000	1,180	21	0,70		30	38	5,17

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5207	Iron Core Coil w/discs	9,000	0,540	18	1,00		55	46	10,21
000-5209	Iron Core Coil w/discs	9,000	0,620	18	1,00		45	46	10,27
000-5327	Iron Core Coil w/discs	9,000	0,360	15	1,40		56	46	18,07
000-5344	Iron Core Coil w/discs	9,000	0,700	18	1,00		46	46	10,38
000-5438	Iron Core Coil w/discs	9,000	0,420	17	1,20		55	46	12,98
000-5099	Iron Core Coil w/discs	9,300	4,300	29	0,30		25	23	3,98
000-5541	Iron Core Coil w/discs	9,300	0,560	18	1,00		55	46	10,34
000-5381	Iron Core Coil w/discs	9,400	0,440	17	1,20		55	46	13,08
000-5109	Iron Core Coil w/discs	9,500	0,560	18	1,00		55	46	10,39
000-5439	Iron Core Coil w/discs	9,600	0,392	15	1,40		59	46	18,79
000-5498	Iron Core Coil w/discs	9,850	0,290	14	1,60		55	82	25,28
000-5537	Iron Core Coil w/discs	9,850	0,290	14	1,60		55	82	24,57
000-5414	Iron Core Coil w/discs	9,900	0,398	15	1,40		59	46	19,16
000-5415	Iron Core Coil w/discs	9,900	0,460	17	1,20		55	46	13,1
000-5069	Iron Core Coil w/discs	9,950	0,462	17	1,20		55	46	13,15
000-5007	Iron Core Coil w/discs	10,000	0,640	18	1,00		45	46	10,51
000-5061	Iron Core Coil w/discs	10,000	0,910	20	0,80		35	45	6,6
000-5063	Iron Core Coil w/discs	10,000	0,564	18	1,00		55	46	10,46
000-5066	Iron Core Coil w/discs	10,000	0,530	17	1,20		53	46	14,45
000-5080	Iron Core Coil w/discs	10,000	0,470	17	1,20		55	46	13,58
000-5135	Iron Core Coil w/discs	10,000	1,940	24	0,50		24	38	4,18
000-5310	Iron Core Coil w/discs	10,000	1,290	21	0,70		31	38	5,4
000-5319	Iron Core Coil w/discs	10,000	4,700	29	0,30		25	23	4
000-5387	Iron Core Coil w/discs	10,000	0,390	15	1,40		59	46	19,28
000-5480	Iron Core Coil w/discs	10,000	0,610	18	1,00		35	80	13,99
000-5603	Iron Core Coil w/discs	10,000	0,293	14	1,60		55	82	26,24
000-5208	Iron Core Coil w/discs	10,500	0,650	18	1,00		45	46	10,69
000-5337	Iron Core Coil w/discs	10,500	1,050	20	0,80		40	35	7,01
000-5339	Iron Core Coil w/discs	10,500	1,200	21	0,70		35	35	5,74
000-5613	Iron Core Coil w/discs	10,500	0,300	14	1,60		55	82	26,16
000-5110	Iron Core Coil w/discs	11,000	0,490	17	1,20		55	46	14
000-5138	Iron Core Coil w/discs	11,000	1,360	21	0,70		37	46	6,89
000-5521	Iron Core Coil w/discs	11,000	0,310	14	1,60		55	82	27,17
000-5497	Iron Core Coil w/discs	11,400	0,500	17	1,20		55	46	14,1
000-5019	Iron Core Coil w/discs	12,000	0,750	18	1,00		48	46	11,35
000-5057	Iron Core Coil w/discs	12,000	1,180	20	0,80		41	46	8,41
000-5123	Iron Core Coil w/discs	12,000	0,880	18	1,00		50	46	11,86
000-5150	Iron Core Coil w/discs	12,000	0,540	17	1,20		55	46	14,5
000-5311	Iron Core Coil w/discs	12,000	1,000	20	0,80		45	46	8,38
000-5312	Iron Core Coil w/discs	12,000	1,440	21	0,70		37	46	7,07
000-5356	Iron Core Coil w/discs	12,000	0,450	15	1,40		64	46	21,62
000-5454	Iron Core Coil w/discs	12,000	0,570	18	1,00		55	46	10,97
000-5111	Iron Core Coil w/discs	13,000	0,560	17	1,20		55	46	14,95
000-5113	Iron Core Coil w/discs	13,000	1,520	21	0,70		37	46	7,18
000-5455	Iron Core Coil w/discs	13,000	1,250	20	0,80		41	46	8,64
000-5502	Iron Core Coil w/discs	13,000	0,570	17	1,20		38	80	18,42
000-5518	Iron Core Coil w/discs	13,000	2,350	24	0,50		24	38	4,36
000-5838	Iron Core Coil w/discs	13,000	0,300	13	1,80		59	82	36,3
000-5522	Iron Core Coil w/discs	13,300	0,570	17	1,20		55	46	15,15
000-5323	Iron Core Coil w/discs	13,500	0,500	15	1,40		67	46	22,79
000-5112	Iron Core Coil w/discs	14,000	0,592	17	1,20		55	46	15,37
000-5259	Iron Core Coil w/discs	14,000	0,520	15	1,40		67	46	24,25
000-5386	Iron Core Coil w/discs	14,000	0,850	18	1,00		48	46	11,86
000-5016	Iron Core Coil w/discs	15,000	6,300	29	0,30		24	38	4,18
000-5058	Iron Core Coil w/discs	15,000	1,140	20	0,80		45	46	8,91
000-5157	Iron Core Coil w/discs	15,000	0,600	17	1,20		55	46	15,97
000-5166	Iron Core Coil w/discs	15,000	3,670	26	0,40		24	38	4,6
000-5198	Iron Core Coil w/discs	15,000	1,399	21	0,70		45	46	7,74
000-5222	Iron Core Coil w/discs	15,000	0,860	18	1,00		50	46	12,24
000-5226	Iron Core Coil w/discs	15,000	6,600	29	0,30		24	33	4,13
000-5241	Iron Core Coil w/discs	15,000	0,550	15	1,40		70	46	25,02
000-5313	Iron Core Coil w/discs	15,000	1,370	20	0,80		42	46	9,01
000-5365	Iron Core Coil w/discs	15,000	3,450	26	0,40		35	27	4,95
000-5392	Iron Core Coil w/discs	15,000	2,600	24	0,50		24	38	4,46
000-5609	Iron Core Coil w/discs	15,000	0,390	14	1,60		55	82	29,96
000-5468	Iron Core Coil w/discs	15,500	0,650	17	1,20		55	46	16,41
000-5495	Iron Core Coil w/discs	15,800	0,760	18	1,00		55	46	12,54
000-5221	Iron Core Coil w/discs	16,000	0,650	17	1,20		55	46	17,11
000-5235	Iron Core Coil w/discs	16,000	1,180	20	0,80		45	46	9,07
000-5328	Iron Core Coil w/discs	16,000	0,820	18	1,00		55	46	12,67
000-5367	Iron Core Coil w/discs	16,000	2,720	24	0,50		25	38	4,55
000-5368	Iron Core Coil w/discs	16,000	3,750	26	0,40		24	38	4,63
000-5410	Iron Core Coil w/discs	16,000	1,460	21	0,70		45	46	8,33
000-5341	Iron Core Coil w/discs	16,500	3,870	26	0,40		24	38	4,66
000-5348	Iron Core Coil w/discs	16,500	2,830	24	0,50		26	38	4,61

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5352	Iron Core Coil w/discs	16,800	0,680	17	1,20		59	46	17,26
000-5366	Iron Core Coil w/discs	17,000	3,900	26	0,40		24	38	4,69
000-5515	Iron Core Coil w/discs	17,000	1,500	21	0,70		45	46	8,41
000-5517	Iron Core Coil w/discs	17,000	2,800	24	0,50		26	38	4,64
000-5388	Iron Core Coil w/discs	17,500	0,640	15	1,40		75	46	29,93
000-5160	Iron Core Coil w/discs	18,000	0,840	18	1,00		55	46	13,31
000-5240	Iron Core Coil w/discs	18,000	4,070	26	0,40		24	38	4,71
000-5385	Iron Core Coil w/discs	18,000	1,580	21	0,70		45	46	8,57
000-5391	Iron Core Coil w/discs	18,000	3,220	24	0,50		35	46	6,18
000-5553	Iron Core Coil w/discs	18,300	3,220	24	0,50		35	46	6,1
000-5466	Iron Core Coil w/discs	18,500	0,600	17	1,20		55	82	19,13
000-5491	Iron Core Coil w/discs	18,800	0,530	15	1,40		55	82	26,53
000-5054	Iron Core Coil w/discs	19,000	3,950	26	0,40		35	30	5,15
000-5409	Iron Core Coil w/discs	19,000	1,670	21	0,70		45	46	9,04
000-5833	Iron Core Coil w/discs	19,500	0,910	18	1,00		55	46	14,26
000-5022	Iron Core Coil w/discs	20,000	3,460	24	0,50		35	46	6,29
000-5216	Iron Core Coil w/discs	20,000	7,500	29	0,30		35	45	5
000-5218	Iron Core Coil w/discs	20,000	4,210	26	0,40		35	45	5,41
000-5232	Iron Core Coil w/discs	20,000	1,690	21	0,70		45	46	9,18
000-5380	Iron Core Coil w/discs	20,000	2,350	22	0,63		37	46	7,44
000-5516	Iron Core Coil w/discs	20,000	1,490	20	0,80		45	46	9,91
000-5535	Iron Core Coil w/discs	20,000	0,530	15	1,40		55	82	27,71
000-5834	Iron Core Coil w/discs	20,000	0,930	18	1,00		55	46	14,44
000-5835	Iron Core Coil w/discs	20,500	0,940	18	1,00		55	46	14,47
000-5146	Iron Core Coil w/discs	21,000	1,460	20	0,80		45	46	9,83
000-5079	Iron Core Coil w/discs	22,000	0,960	18	1,00		55	46	15
000-5318	Iron Core Coil w/discs	22,000	3,600	24	0,50		35	46	6,38
000-5336	Iron Core Coil w/discs	22,000	1,530	20	0,80		45	46	10,05
000-5450	Iron Core Coil w/discs	22,000	1,800	21	0,70		45	46	9,36
000-5511	Iron Core Coil w/discs	22,000	7,260	29	0,30		24	38	4,27
000-5534	Iron Core Coil w/discs	22,000	0,572	15	1,40		55	82	28,78
000-5542	Iron Core Coil w/discs	22,000	0,700	17	1,20		55	82	23,37
000-5547	Iron Core Coil w/discs	22,000	4,360	26	0,40		35	45	5,43
000-5002	Iron Core Coil w/discs	24,000	8,100	29	0,30		24	38	4,33
000-5349	Iron Core Coil w/discs	24,000	4,930	26	0,40		24	38	4,89
000-5442	Iron Core Coil w/discs	24,000	1,950	21	0,70		45	46	9,58
000-5223	Iron Core Coil w/discs	25,000	1,920	21	0,70		45	46	9,64
000-5499	Iron Core Coil w/discs	25,000	1,070	18	1,00		55	46	15,92
000-5824	Iron Core Coil w/discs	25,000	2,430	22	0,63		35	45	7,02
000-5484	Iron Core Coil w/discs	26,000	1,110	18	1,00		55	46	16,15
000-5126	Iron Core Coil w/discs	27,000	1,110	18	1,00		55	46	16,38
000-5190	Iron Core Coil w/discs	27,000	2,450	22	0,63		35	45	7,04
000-5258	Iron Core Coil w/discs	27,000	4,120	24	0,50		35	46	6,69
000-5463	Iron Core Coil w/discs	27,000	1,760	20	0,80		48	46	11,61
000-5361	Iron Core Coil w/discs	28,000	1,770	20	0,80		48	46	11,66
000-5492	Iron Core Coil w/discs	28,000	1,140	18	1,00		55	46	16,54
000-5127	Iron Core Coil w/discs	30,000	1,200	18	1,00		56	46	17,42
000-5189	Iron Core Coil w/discs	30,000	4,370	24	0,50		35	46	6,72
000-5236	Iron Core Coil w/discs	30,000	5,300	26	0,40		35	45	5,67
000-5314	Iron Core Coil w/discs	30,000	9,000	29	0,30		35	45	5,15
000-5509	Iron Core Coil w/discs	30,000	3,100	22	0,63		40	46	8,5
000-5519	Iron Core Coil w/discs	30,000	2,590	22	0,63		35	45	7,29
000-5398	Iron Core Coil w/discs	31,000	2,300	21	0,70		45	46	10,14
000-5128	Iron Core Coil w/discs	33,000	1,280	18	1,00		58	46	17,7
000-5487	Iron Core Coil w/discs	33,000	1,730	20	0,80		55	46	15,99
000-5508	Iron Core Coil w/discs	33,000	2,770	22	0,63		35	45	7,43
000-5832	Iron Core Coil w/discs	34,000	2,850	22	0,63		36	45	7,45
000-5129	Iron Core Coil w/discs	35,000	1,400	18	1,00		58	46	18,01
000-5399	Iron Core Coil w/discs	35,000	2,500	21	0,70		45	46	10,51
000-5496	Iron Core Coil w/discs	35,000	1,250	17	1,20		74	46	25,3
000-5555	Iron Core Coil w/discs	35,000	1,760	20	0,80		55	46	16,11
000-5556	Iron Core Coil w/discs	37,000	2,200	21	0,70		55	46	11,02
000-5557	Iron Core Coil w/discs	39,000	2,300	21	0,70		55	46	11,21
000-5193	Iron Core Coil w/discs	40,000	5,190	24	0,50		37	46	7,18
000-5217	Iron Core Coil w/discs	40,000	10,600	29	0,30		35	45	5,23
000-5219	Iron Core Coil w/discs	40,000	6,800	26	0,40		35	45	5,95
000-5419	Iron Core Coil w/discs	40,000	2,500	21	0,70		55	46	11,64
000-5333	Iron Core Coil w/discs	47,000	2,550	21	0,70		55	46	12,01
000-5456	Iron Core Coil w/discs	48,100	2,600	21	0,70		55	46	11,93
000-5350	Iron Core Coil w/discs	56,000	2,500	20	0,80		55	46	18,7
000-5351	Iron Core Coil w/discs	90,000	4,250	21	0,70		55	46	18,63
000-5457	Iron Core Coil w/discs	94,700	4,250	21	0,70		55	46	18,66
000-5332	Iron Core Coil w/discs	100,000	4,300	21	0,70		56	46	19
000-5462	Iron Core Coil w/discs	100,000	11,200	26	0,40		45	46	8,23
000-5458	Iron Core Coil w/discs	138,500	6,150	22	0,63		55	46	19,95

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-5331	Iron Core Coil w/discs	150,000	6,100	21	0,70		65	46	24,44
000-5459	Iron Core Coil w/discs	178,000	7,500	22	0,63		55	46	21,74
000-5460	Iron Core Coil w/discs	212,000	8,440	22	0,63		57	46	22,96
000-5334	Iron Core Coil w/discs	220,000	8,320	21	0,70		72	46	32,17
000-5461	Iron Core Coil w/discs	240,000	9,450	22	0,63		60	46	24,2
000-5114	Iron Core Coil w/discs	700,000	36,000	26	0,40		55	46	24,6
000-5488	Iron Core Coil w/discs	1200,000	45,250	26	0,40		55	82	93,76
000-6000	C-Coil	0,410	0,030	13	1,80	37	85	26	30,17
000-6002	C-Coil	0,680	0,050	17	1,20	27	58	25	22,19
000-6003	C-Coil	0,750	0,040	14	1,60	34	82	26	29,4
000-6005	C-Coil	0,820	0,030	13	1,80	37	85	26	30,83
000-6010	C-Coil	0,920	0,030	13	1,80	37	85	26	30,89
000-6017	C-Coil	0,820	0,040	14	1,60	34	82	26	29,4
000-6019	C-Coil	1,000	0,040	14	1,60	34	82	26	29,52
000-6020	C-Coil	1,000	0,030	13	1,80	37	85	28	30,91
000-6022	C-Coil	1,100	0,030	12	2,00	37	95	32	37,84
000-6025	C-Coil	1,200	0,060	15	1,40	27	71	25	22,57
000-6027	C-Coil	1,200	0,040	14	1,60	34	82	26	29,84
000-6030	C-Coil	1,300	0,050	14	1,60	34	82	26	29,86
000-6031	C-Coil	1,450	0,050	15	1,40	27	71	25	22,97
000-6032	C-Coil	1,500	0,080	17	1,20	27	71	25	22,19
000-6035	C-Coil	1,500	0,050	14	1,60	34	82	26	30,24
000-6040	C-Coil	1,500	0,050	13	1,80	37	85	28	31,7
000-6045	C-Coil	1,500	0,030	12	2,00	37	95	32	38,78
000-6048	C-Coil	1,700	0,060	15	1,40	27	71	25	22,97
000-604818	C-Coil	1,800	0,080	15	1,20	27	71	25	23,23
000-6049	C-Coil	1,800	0,060	15	1,40	27	71	25	23,22
000-6050	C-Coil	1,800	0,060	14	1,60	37	84	26	30,33
000-6055	C-Coil	1,800	0,030	12	2,00	35	95	32	39,93
000-6058	C-Coil	2,000	0,090	17	1,20	21	69	25	23,26
000-6060	C-Coil	2,000	0,060	14	1,60	36	84	26	30,4
000-6065	C-Coil	2,000	0,060	14	1,60	30	87	31	34,95
000-6070	C-Coil	2,000	0,040	12	2,00	35	95	32	39,97
000-6075	C-Coil	2,100	0,050	13	1,80	43	104	35	50,92
000-6080	C-Coil	2,100	0,040	12	2,00	35	95	32	39,99
000-6083	C-Coil	2,200	0,090	17	1,20	21	69	25	23,26
000-6085	C-Coil	2,200	0,060	14	1,60	33	83	26	31,01
000-6090	C-Coil	2,200	0,060	14	1,60	30	87	31	35,05
000-6095	C-Coil	2,200	0,040	12	2,00	35	95	32	40,02
000-6097	C-Coil	2,200	0,040	12	2,00	53	132	42	80,48
000-6098	C-Coil	2,500	0,090	17	1,20	21	71	25	23,8
000-6100	C-Coil	2,500	0,070	14	1,60	34	83	28	31,07
000-6101	C-Coil	2,450	0,050	12	2,00	53	133	42	81,27
000-6102	C-Coil	2,500	0,050	12	2,00	53	133	42	81,26
000-6103	C-Coil	2,700	0,090	17	1,20	21	71	25	23,84
000-6105	C-Coil	2,700	0,070	14	1,60	34	83	28	31,12
000-6110	C-Coil	2,700	0,040	12	2,00	32	95	32	40,04
000-611128	C-Coil	2,800	0,050	12	2,00	32	95	32	40,04
000-6112	C-Coil	3,000	0,100	17	1,20	21	71	25	23,95
000-6115	C-Coil	3,000	0,070	14	1,60	35	82	28	31,22
000-6120	C-Coil	3,000	0,070	13	1,80	30	87	31	37,97
000-6122	C-Coil	3,000	0,040	12	2,00	32	95	32	41,03
000-6125	C-Coil	3,300	0,070	14	1,60	32	84	28	31,29
000-6130	C-Coil	3,300	0,070	14	1,60	34	92	30	38,96
000-6135	C-Coil	3,300	0,040	12	2,00	32	95	32	41,03
000-6140	C-Coil	3,500	0,090	17	1,20	21	71	25	24
000-6142	C-Coil	3,500	0,080	14	1,60	33	84	28	31,93
000-6145	C-Coil	3,600	0,070	13	1,80	30	87	31	38,03
000-6150	C-Coil	3,900	0,100	17	1,20	21	71	25	24,06
000-6155	C-Coil	3,900	0,080	15	1,40	24	71	25	25,21
000-6160	C-Coil	3,900	0,080	14	1,60	33	84	28	31,93
000-6165	C-Coil	3,900	0,090	14	1,60	30	87	31	36,65
000-6170	C-Coil	3,900	0,070	14	1,60	35	92	30	39,09
000-6180	C-Coil	3,900	0,070	13	1,80	30	87	31	38,06
000-6190	C-Coil	3,900	0,050	12	2,00	32	95	32	41,92
000-6196	C-Coil	3,900	0,080	14	1,60	51	133	42	80,13
000-6197	C-Coil	4,000	0,060	13	1,80	36	92	33	40,22
000-6200	C-Coil	4,000	0,080	15	1,40	24	71	25	25,31
000-6202	C-Coil	4,000	0,050	12	2,00	40	106	37	52,91
000-6204	C-Coil	4,200	0,070	14	1,60	37	93	30	39,31
000-6205	C-Coil	4,200	0,050	12	2,00	32	95	32	42,02
000-6206	C-Coil	4,300	0,050	12	2,00	32	95	32	42,09
000-6207	C-Coil	4,400	0,050	12	2,00	32	95	32	42,09
000-6208	C-Coil	4,400	0,100	13	1,80	41	104	35	52,79

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-6210	C-Coil	4,500	0,090	15	1,40	24	71	25	25,46
000-6215	C-Coil	4,500	0,070	14	1,60	37	93	30	39,82
000-6220	C-Coil	4,500	0,100	13	1,80	41	104	35	52,84
000-6222	C-Coil	4,600	0,070	13	1,80	53	132	42	81,42
000-6223	C-Coil	4,700	0,130	17	1,20	21	71	25	25,08
000-6225	C-Coil	4,700	0,070	14	1,60	37	93	30	39,82
000-6230	C-Coil	4,700	0,070	13	1,80	34	94	33	41,78
000-6240	C-Coil	4,700	0,100	13	1,80	43	106	35	52,88
000-6245	C-Coil	4,700	0,050	12	2,00	32	95	32	42,17
000-6247	C-Coil	4,750	0,100	15	1,40	21	71	25	25,8
000-6255	C-Coil	5,000	0,130	17	1,20	24	71	25	25,16
000-6256	C-Coil	5,100	0,130	17	1,20	24	71	25	25,16
000-6260	C-Coil	5,000	0,100	15	1,40	21	71	25	25,81
000-6265	C-Coil	5,000	0,070	13	1,80	34	94	33	42,55
000-626851	C-Coil	5,100	0,070	12	2,00	53	132	42	82,84
000-6270	C-Coil	5,200	0,080	14	1,60	35	93	32	39,91
000-6275	C-Coil	5,200	0,070	13	1,80	34	94	33	42,59
000-6277	C-Coil	5,200	0,050	12	2,00	28	95	34	43,1
000-6278	C-Coil	5,300	0,050	12	2,00	28	95	34	43,1
000-627853	C-Coil	5,300	0,070	12	2,00	53	131	42	83,66
000-627854	C-Coil	5,400	0,110	15	1,40	35	80	26	31,85
000-6278542	C-Coil	5,400	0,050	12	2,00	28	95	34	43,09
000-6279	C-Coil	5,500	0,110	15	1,40	35	80	26	31,85
000-6280	C-Coil	5,600	0,130	17	1,20	24	71	25	25,28
000-6285	C-Coil	5,600	0,110	15	1,40	21	71	25	26,18
000-6290	C-Coil	5,600	0,120	15	1,40	35	80	26	31,98
000-6292	C-Coil	5,600	0,110	14	1,60	30	87	31	37,61
000-6295	C-Coil	5,600	0,080	14	1,60	35	93	32	40,46
000-6300	C-Coil	5,600	0,070	13	1,80	32	94	33	42,78
000-6303	C-Coil	5,600	0,080	13	1,80	53	132	42	82,45
000-6305	C-Coil	5,600	0,050	12	2,00	28	95	34	43,14
000-6306	C-Coil	5,600	0,070	12	2,00	53	131	42	83,73
000-6310	C-Coil	5,800	0,080	13	1,80	32	94	33	42,86
000-6315	C-Coil	6,000	0,110	15	1,40	23	71	25	26,63
000-6317	C-Coil	6,000	0,070	12	2,00	40	106	37	54,13
000-6319	C-Coil	6,200	0,150	17	1,20	37	91	32	39,77
000-6320	C-Coil	6,200	0,090	14	1,60	35	93	32	40,59
000-6324	C-Coil	6,200	0,080	13	1,80	42	106	35	53,1
000-6325	C-Coil	6,300	0,100	13	1,80	42	106	35	53,59
000-6330	C-Coil	6,300	0,070	12	2,00	40	107	37	55,15
000-6335	C-Coil	6,400	0,240	18	1,00	30	81	26	30,11
000-6340	C-Coil	6,400	0,100	14	1,60	36	93	32	39,91
000-6345	C-Coil	6,400	0,110	14	1,60	39	102	32	51,45
000-6350	C-Coil	6,600	0,100	14	1,60	34	93	32	40,72
000-6353	C-Coil	6,700	0,140	17	1,20	24	71	25	25,86
000-6355	C-Coil	6,800	0,170	17	1,20	24	71	25	25,86
000-6360	C-Coil	6,800	0,120	15	1,40	23	71	25	26,83
000-6365	C-Coil	6,800	0,140	15	1,40	32	84	27	32,7
000-6370	C-Coil	6,800	0,100	14	1,60	30	93	32	40,75
000-6371	C-Coil	6,800	0,120	14	1,60	39	102	32	51,95
000-6380	C-Coil	6,800	0,100	13	1,80	42	105	35	53,95
000-6390	C-Coil	6,800	0,070	12	2,00	41	107	37	55,28
000-6395	C-Coil	6,800	0,080	12	2,00	48	120	40	75,14
000-6398	C-Coil	7,000	0,100	13	1,80	42	105	35	54,78
000-6405	C-Coil	7,500	0,100	13	1,80	42	105	35	54,78
000-6408	C-Coil	7,800	0,150	15	1,40	35	82	27	33,58
000-6410	C-Coil	8,000	0,080	12	2,00	38	107	37	56,36
000-6415	C-Coil	8,200	0,190	17	1,20	24	71	25	26,04
000-6416	C-Coil	8,200	0,170	17	1,20	34	81	25	32,26
000-6428	C-Coil	8,000	0,110	14	1,60	34	93	32	40,79
000-6430	C-Coil	8,200	0,110	14	1,60	34	93	32	41,57
000-6440	C-Coil	8,200	0,100	13	1,80	33	93	33	44,14
000-6450	C-Coil	8,200	0,110	13	1,80	41	104	35	55,59
000-6455	C-Coil	8,200	0,080	12	2,00	38	107	37	56,39
000-6460	C-Coil	8,200	0,080	12	2,00	48	120	40	76,08
000-6461	C-Coil	8,200	0,080	12	2,00	53	133	43	86,04
000-6463	C-Coil	8,500	0,160	15	1,40	35	82	27	33,72
000-6465	C-Coil	8,800	0,160	15	1,40	35	82	27	33,73
000-6466	C-Coil	9,100	0,160	15	1,40	35	82	27	33,73
000-6467	C-Coil	9,000	0,110	14	1,60	34	93	32	41,57
000-6468	C-Coil	9,000	0,100	13	1,80	36	105	35	55,65
000-6469	C-Coil	9,600	0,110	14	1,60	34	93	32	42,01
000-6469-8	C-Coil	9,800	0,110	14	1,60	34	93	32	42,36
000-6470	C-Coil	10,000	0,210	17	1,20	25	69	26	26,93
000-6480	C-Coil	10,000	0,180	15	1,40	32	83	27	34,46

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-6485	C-Coil	10,000	0,110	14	1,60	34	93	32	42,37
000-6495	C-Coil	10,000	0,120	13	1,80	36	105	35	56,66
000-6500	C-Coil	10,000	0,090	12	2,00	38	107	37	58,18
000-6505	C-Coil	10,000	0,090	12	2,00	48	120	40	76,23
000-6506	C-Coil	10,000	0,100	12	2,00	51	133	42	88,74
000-6508	C-Coil	10,500	0,120	14	1,60	34	89	32	42,36
000-6510	C-Coil	11,000	0,090	12	2,00	48	120	40	77,14
000-6515	C-Coil	12,000	0,110	14	1,60	34	94	32	43,77
000-6525	C-Coil	12,000	0,150	14	1,60	40	104	35	55,06
000-6530	C-Coil	12,000	0,140	13	1,80	39	106	36	58,35
000-6535	C-Coil	12,000	0,100	12	2,00	48	120	40	78,18
000-6540	C-Coil	13,000	0,100	12	2,00	47	120	40	78,34
000-6542	C-Coil	13,300	0,250	17	1,20	30	87	28	38,24
000-6545	C-Coil	14,000	0,100	12	2,00	46	120	40	78,34
000-6550	C-Coil	14,000	0,100	12	2,00	53	130	42	90,26
000-6555	C-Coil	15,000	0,310	17	1,20	30	87	31	38,8
000-6565	C-Coil	15,000	0,160	14	1,60	39	105	35	56,02
000-6570	C-Coil	15,000	0,160	13	1,80	39	105	38	60,12
000-6575	C-Coil	15,000	0,110	12	2,00	46	121	43	78,38
000-6577	C-Coil	16,000	0,160	14	1,60	39	105	36	56,69
000-6578	C-Coil	16,000	0,100	12	2,00	46	122	43	78,42
000-6579	C-Coil	16,800	0,170	14	1,60	40	105	40	56,55
000-6580	C-Coil	17,000	0,110	12	2,00	50	130	42	91,48
000-6588	C-Coil	18,000	0,300	17	1,20	37	91	32	41,68
000-6595	C-Coil	18,000	0,170	14	1,60	39	105	36	57,4
000-6596	C-Coil	18,800	0,170	14	1,60	39	105	36	57,44
000-6597	C-Coil	18,000	0,180	14	1,60	47	120	42	75,52
000-6602	C-Coil	20,000	0,300	17	1,20	37	91	32	41,97
000-6603	C-Coil	20,000	0,230	15	1,40	39	104	36	55,56
000-6605	C-Coil	20,000	0,180	14	1,60	39	104	36	57,71
000-6605220	C-Coil	20,000	0,140	12	2,00	44	122	40	83,25
000-6606	C-Coil	22,000	0,200	14	1,60	39	104	36	58,79
000-6609	C-Coil	22,000	0,150	13	1,80	44	120	40	80,09
000-6610	C-Coil	22,000	0,140	12	2,00	44	122	40	83,25
000-6615	C-Coil	24,000	0,160	13	1,80	51	133	42	91,08
000-6618	C-Coil	25,000	0,190	14	1,60	47	120	42	77,4
000-6619	C-Coil	25,000	0,140	12	2,00	48	133	42	93,07
000-6620	C-Coil	26,000	0,230	14	1,60	47	120	42	78,42
000-6622	C-Coil	27,000	0,230	14	1,60	47	120	42	79,12
000-6625	C-Coil	34,000	0,290	14	1,60	47	132	44	92,73
000-6630	C-Coil	36,000	0,300	14	1,60	46	122	42	82,76
000-6635	C-Coil	38,000	0,300	14	1,60	47	132	44	94,08
									1,59
000-7000-08-0039	Cross Coil	0,390	0,044	8	Foil	10	86	56	65,42
000-7000-08-0056	Cross Coil	0,560	0,057	8	Foil	10	93	56	76,9
000-7000-08-0068	Cross Coil	0,680	0,064	8	Foil	10	99	56	
000-7000-08-0220	Cross Coil	2,200	0,130	8	Foil	10	136	55	160
000-7000-08-0390	Cross Coil	3,900	0,177	8	Foil	10	158	55	218,24
000-7001	Cross Coil	0,010	0,020	12	Foil	10	32	56	10,38
000-7002	Cross Coil	0,020	0,020	12	Foil	10	34	56	11,6
000-7004	Cross Coil	0,050	0,040	12	Foil	10	39	56	14,3
000-7005	Cross Coil	0,080	0,050	12	Foil	10	43	56	16,27
000-70056	Cross Coil	0,086	0,050	12	Foil	10	43	56	16,46
000-7009	Cross Coil	0,100	0,050	12	Foil	10	45	56	17,46
000-7010	Cross Coil	0,110	0,050	12	Foil	10	45	56	18,14
000-7011	Cross Coil	0,120	0,060	12	Foil	10	46	56	18,21
000-7015	Cross Coil	0,150	0,070	12	Foil	10	47	56	19,55
000-7016	Cross Coil	0,160	0,070	12	Foil	10	49	56	20,45
000-7018	Cross Coil	0,180	0,070	12	Foil	10	50	56	21,3
000-7019	Cross Coil	0,190	0,080	12	Foil	10	51	56	21,64
000-7020	Cross Coil	0,200	0,080	12	Foil	10	51	56	21,72
000-7025	Cross Coil	0,220	0,080	12	Foil	10	51	56	22,52
000-7026	Cross Coil	0,230	0,080	12	Foil	10	52	56	22,58
000-7027	Cross Coil	0,240	0,090	12	Foil	10	52	56	23,04
000-7030	Cross Coil	0,270	0,090	12	Foil	10	54	56	24,3
000-7031	Cross Coil	0,280	0,090	12	Foil	10	55	56	24,58
000-7033	Cross Coil	0,300	0,090	12	Foil	10	55	56	25,17
000-7035	Cross Coil	0,330	0,100	12	Foil	10	56	56	26,05
000-7037	Cross Coil	0,360	0,110	12	Foil	10	57	56	26,79
000-7040	Cross Coil	0,390	0,110	12	Foil	10	58	56	27,89
000-7045	Cross Coil	0,470	0,120	12	Foil	10	61	56	30,53
000-7048	Cross Coil	0,500	0,130	12	Foil	10	62	56	30,78
000-70482	Cross Coil	0,520	0,130	12	Foil	10	62	56	32,07
000-70484	Cross Coil	0,540	0,130	12	Foil	10	64	56	31,9
000-7049	Cross Coil	0,550	0,130	12	Foil	10	64	56	32,44

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-7050	Cross Coil	0,560	0,130	12	Foil	10	64	56	32,49
000-7053	Cross Coil	0,600	0,140	12	Foil	10	65	56	34,1
000-7055	Cross Coil	0,620	0,140	12	Foil	10	66	56	34,28
000-7058	Cross Coil	0,650	0,140	12	Foil	10	67	56	35
000-7060	Cross Coil	0,680	0,150	12	Foil	10	67	56	35,65
000-7062	Cross Coil	0,700	0,150	12	Foil	10	68	56	35,81
000-7063	Cross Coil	0,750	0,160	12	Foil	10	69	56	37,3
000-7064	Cross Coil	0,800	0,160	12	Foil	10	70	56	38,87
000-7065	Cross Coil	0,820	0,160	12	Foil	10	70	56	38,59
000-7068	Cross Coil	0,900	0,170	12	Foil	10	72	56	40,16
000-7068-1	Cross Coil	0,900	0,170	12	Foil	10	72	56	40,17
000-7070	Cross Coil	1,000	0,184	12	Foil	10	74	56	42,12
000-7073	Cross Coil	1,050	0,190	12	Foil	10	75	56	42,77
000-7075	Cross Coil	1,100	0,200	12	Foil	10	76	56	44,02
000-7080	Cross Coil	1,200	0,210	12	Foil	10	77	56	45,03
000-7083	Cross Coil	1,250	0,210	12	Foil	10	77	56	46,73
000-7085	Cross Coil	1,300	0,220	12	Foil	10	79	56	47,67
000-7087	Cross Coil	1,400	0,230	12	Foil	10	80	56	48,87
000-7088	Cross Coil	1,450	0,235	12	Foil	10	82	56	49,75
000-7090	Cross Coil	1,500	0,240	12	Foil	10	81	56	51,16
000-7092	Cross Coil	1,600	0,240	12	Foil	10	83	56	53,41
000-7094	Cross Coil	1,700	0,260	12	Foil	10	85	56	54,78
000-7095	Cross Coil	1,800	0,260	12	Foil	10	86	56	56,03
000-7098	Cross Coil	1,900	0,270	12	Foil	10	87	56	56,51
000-7100	Cross Coil	2,000	0,275	12	Foil	10	88	56	58,74
000-7103	Cross Coil	2,100	0,300	12	Foil	10	90	56	58,96
000-7105	Cross Coil	2,200	0,300	12	Foil	10	91	56	61,62
000-7106	Cross Coil	2,300	0,310	12	Foil	10	92	56	61,91
000-7108	Cross Coil	2,500	0,320	12	Foil	10	94	56	66,33
000-7110	Cross Coil	2,700	0,334	12	Foil	10	96	56	67,6
000-7111	Cross Coil	2,800	0,340	12	Foil	10	96	56	68,81
000-7112	Cross Coil	2,900	0,350	12	Foil	10	98	56	70,17
000-7113	Cross Coil	3,000	0,360	12	Foil	10	99	56	71,47
000-7114	Cross Coil	3,200	0,360	12	Foil	10	100	56	73,47
000-7115	Cross Coil	3,300	0,370	12	Foil	10	102	56	76,39
000-7117	Cross Coil	3,500	0,380	12	Foil	10	102	56	76,89
000-71176	Cross Coil	3,600	0,390	12	Foil	10	104	56	79,75
000-7118	Cross Coil	3,700	0,410	12	Foil	10	103	56	78,28
000-7120	Cross Coil	3,900	0,420	12	Foil	10	106	56	82,41
000-7121	Cross Coil	4,000	0,420	12	Foil	10	106	56	83,04
000-7125	Cross Coil	4,700	0,470	12	Foil	10	113	56	89,27
000-7128	Cross Coil	4,900	0,470	12	Foil	10	115	56	94,75
000-7130	Cross Coil	5,100	0,490	12	Foil	10	115	56	95,89
000-7135	Cross Coil	5,600	0,520	12	Foil	10	117	56	96,58
000-7140	Cross Coil	5,800	0,520	12	Foil	10	121	56	103,84
000-7198	Cross Coil	6,200	0,530	12	Foil	10	121	56	105,34
000-7200	Cross Coil	6,300	0,550	12	Foil	10	121	56	105,85
000-7202	Cross Coil	6,500	0,560	12	Foil	10	122	56	106,97
000-7203	Cross Coil	6,600	0,560	12	Foil	10	123	56	107,59
000-7205	Cross Coil	6,750	0,570	12	Foil	10	124	56	112,3
000-7206	Cross Coil	6,800	0,570	12	Foil	10	125	56	112,49
000-7217	Cross Coil	8,000	0,620	12	Foil	10	129	56	116,32
000-7219	Cross Coil	8,200	0,630	12	Foil	10	130	56	119,42
000-7227	Cross Coil	9,000	0,640	12	Foil	10	135	56	129,33
000-7237	Cross Coil	10,000	0,700	12	Foil	10	138	56	134,95
000-7241	Cross Coil	14,000	0,870	12	Foil	10	152	56	164,71
000-7242	Cross Coil	15,000	0,900	12	Foil	10	157	56	175,34
000-7247	Cross Coil	20,000	1,070	12	Foil	10	169	56	198,6
000-7258	Cross Coil	0,010	0,020	14	Foil	10	31	38	8,94
000-7260	Cross Coil	0,011	0,020	14	Foil	10	31	38	8,94
000-7269	Cross Coil	0,018	0,030	14	Foil	10	32	38	9,48
000-7271	Cross Coil	0,022	0,030	14	Foil	10	33	38	9,63
000-7273	Cross Coil	0,025	0,030	14	Foil	10	33	38	9,87
000-7275	Cross Coil	0,028	0,040	14	Foil	10	37	38	10,13
000-7276	Cross Coil	0,030	0,040	14	Foil	10	37	38	10,14
000-7278	Cross Coil	0,050	0,050	14	Foil	10	37	38	11,09
000-7280	Cross Coil	0,080	0,060	14	Foil	10	40	38	12,34
000-72806	Cross Coil	0,086	0,060	14	Foil	10	41	38	12,42
000-7281	Cross Coil	0,090	0,063	14	Foil	10	41	38	12,69
000-7282	Cross Coil	0,100	0,070	14	Foil	10	41	38	12,78
000-7283	Cross Coil	0,110	0,070	14	Foil	10	42	38	13,12
000-7284	Cross Coil	0,120	0,080	14	Foil	10	43	38	13,22
000-7293	Cross Coil	0,140	0,080	14	Foil	10	45	38	14,19
000-7295	Cross Coil	0,150	0,090	14	Foil	10	45	38	14,37
000-7296	Cross Coil	0,160	0,090	14	Foil	10	46	38	14,92



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-7298	Cross Coil	0,180	0,100	14	Foil	10	47	38	15,05
000-7300	Cross Coil	0,200	0,100	14	Foil	10	48	38	15,23
000-7302	Cross Coil	0,220	0,110	14	Foil	10	49	38	15,94
000-7304	Cross Coil	0,240	0,110	14	Foil	10	49	38	16,15
000-7305	Cross Coil	0,250	0,110	14	Foil	10	50	38	16,38
000-7306	Cross Coil	0,260	0,120	14	Foil	10	51	38	16,78
000-7307	Cross Coil	0,270	0,120	14	Foil	10	51	38	16,81
000-7314	Cross Coil	0,290	0,130	14	Foil	10	51	38	17,69
000-7315	Cross Coil	0,300	0,120	14	Foil	10	52	38	17,69
000-7320	Cross Coil	0,330	0,140	14	Foil	10	53	38	18,12
000-7323	Cross Coil	0,350	0,140	14	Foil	10	54	38	18,78
000-7328	Cross Coil	0,390	0,150	14	Foil	10	55	38	19,12
000-7329	Cross Coil	0,400	0,150	14	Foil	10	55	38	19,56
000-7330	Cross Coil	0,410	0,150	14	Foil	10	57	38	19,85
000-7332	Cross Coil	0,430	0,160	14	Foil	10	57	38	20,52
000-7338	Cross Coil	0,470	0,160	14	Foil	10	57	38	20,73
000-7340	Cross Coil	0,480	0,170	14	Foil	10	58	38	20,8
000-7342	Cross Coil	0,500	0,170	14	Foil	10	59	38	20,9
000-7348	Cross Coil	0,530	0,170	14	Foil	10	59	38	21
000-7352	Cross Coil	0,560	0,180	14	Foil	10	60	38	21,81
000-7358	Cross Coil	0,600	0,180	14	Foil	10	61	38	22,09
000-7360	Cross Coil	0,620	0,190	14	Foil	10	61	38	22,98
000-7365	Cross Coil	0,670	0,210	14	Foil	10	63	38	23,27
000-7366	Cross Coil	0,680	0,210	14	Foil	10	63	38	23,33
000-7368	Cross Coil	0,700	0,210	14	Foil	10	63	38	23,45
000-7370	Cross Coil	0,720	0,210	14	Foil	10	64	38	24,09
000-7375	Cross Coil	0,750	0,220	14	Foil	10	65	38	24,19
000-7384	Cross Coil	0,780	0,220	14	Foil	10	65	38	24,49
000-7386	Cross Coil	0,800	0,220	14	Foil	10	66	38	24,67
000-7388	Cross Coil	0,820	0,230	14	Foil	10	66	38	25,18
000-7391	Cross Coil	0,850	0,230	14	Foil	10	67	38	25,27
000-7395	Cross Coil	0,890	0,240	14	Foil	10	68	38	26,22
000-7396	Cross Coil	0,900	0,240	14	Foil	10	68	38	26,32
000-7397	Cross Coil	0,910	0,250	14	Foil	10	68	38	26,34
000-7415	Cross Coil	1,000	0,270	14	Foil	10	69	38	27,03
000-7420	Cross Coil	1,050	0,270	14	Foil	10	70	38	27,85
000-7427	Cross Coil	1,100	0,270	14	Foil	10	71	38	28,8
000-7437	Cross Coil	1,200	0,290	14	Foil	10	72	38	29,64
000-7442	Cross Coil	1,250	0,290	14	Foil	10	73	38	29,8
000-7443	Cross Coil	1,270	0,300	14	Foil	10	74	38	30,28
000-7464	Cross Coil	1,300	0,300	14	Foil	10	74	38	30,54
000-7465	Cross Coil	1,350	0,300	14	Foil	10	75	38	31,42
000-7466	Cross Coil	1,400	0,310	14	Foil	10	75	38	31,39
000-7467	Cross Coil	1,450	0,320	14	Foil	10	76	38	32,52
000-7468	Cross Coil	1,500	0,340	14	Foil	10	77	38	32,6
000-7470	Cross Coil	1,600	0,350	14	Foil	10	77	38	33,51
000-7476	Cross Coil	1,800	0,370	14	Foil	10	80	38	35,55
000-7482	Cross Coil	2,000	0,400	14	Foil	10	82	38	37,21
000-7484	Cross Coil	2,100	0,400	14	Foil	10	84	38	37,5
000-7486	Cross Coil	2,200	0,420	14	Foil	10	85	38	38,45
000-7488	Cross Coil	2,300	0,440	14	Foil	10	86	38	40,08
000-7493	Cross Coil	2,500	0,440	14	Foil	10	88	38	40,5
000-7493-5	Cross Coil	2,550	0,440	14	Foil	10	88	38	41,45
000-7495	Cross Coil	2,700	0,460	14	Foil	10	91	38	42,34
000-7502	Cross Coil	3,000	0,500	14	Foil	10	93	38	44,13
000-7505	Cross Coil	3,300	0,510	14	Foil	10	96	38	46,92
000-7512	Cross Coil	3,900	0,530	14	Foil	10	101	38	50,43
000-7513	Cross Coil	4,000	0,600	14	Foil	10	101	38	51,23
000-7522	Cross Coil	4,600	0,610	14	Foil	10	105	38	56,15
000-7523	Cross Coil	4,700	0,620	14	Foil	10	106	38	56,49
000-7527	Cross Coil	5,000	0,640	14	Foil	10	107	38	58,68
000-7529	Cross Coil	5,100	0,650	14	Foil	10	108	38	58,79
000-7534	Cross Coil	5,600	0,690	14	Foil	10	111	38	61,17
000-7538	Cross Coil	6,000	0,760	14	Foil	10	114	38	62,01
000-7542	Cross Coil	6,200	0,760	14	Foil	10	115	38	64,06
000-7544	Cross Coil	6,300	0,760	14	Foil	10	115	38	64,83
000-7546	Cross Coil	6,500	0,770	14	Foil	10	116	38	65,65
000-7554	Cross Coil	6,800	0,770	14	Foil	10	118	38	66,89
000-7556	Cross Coil	7,000	0,780	14	Foil	10	119	38	71,27
000-7558	Cross Coil	7,200	0,790	14	Foil	10	120	38	71,68
000-7562	Cross Coil	7,500	0,810	14	Foil	10	121	38	72,03
000-7568	Cross Coil	8,000	0,870	14	Foil	10	122	38	73,05
000-7570	Cross Coil	8,200	0,900	14	Foil	10	125	38	73,89
000-7575	Cross Coil	10,000	1,050	14	Foil	10	129	38	81,72
000-75752	Cross Coil	10,200	1,040	14	Foil	10	129	38	82,34



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-7580	Cross Coil	12,000	1,100	14	Foil	10	136	38	94,53
000-7590	Cross Coil	15,000	1,230	14	Foil	10	149	38	108,04
000-7593	Cross Coil	18,000	1,430	14	Foil	10	155	38	114,57
000-76064	Cross Coil	0,010	0,030	16	Foil	10	29	27	7,94
000-76065	Cross Coil	0,011	0,030	16	Foil	10	30	27	8,02
000-76068	Cross Coil	0,018	0,040	16	Foil	10	31	27	8,42
000-76075	Cross Coil	0,025	0,050	16	Foil	10	33	27	8,75
000-76077	Cross Coil	0,027	0,050	16	Foil	10	33	27	8,81
000-7609	Cross Coil	0,030	0,050	16	Foil	10	33	27	8,85
000-76103	Cross Coil	0,040	0,060	16	Foil	10	35	27	9,1
000-76104	Cross Coil	0,044	0,060	16	Foil	10	35	27	9,08
000-7611	Cross Coil	0,050	0,070	16	Foil	10	35	27	9,4
000-76115	Cross Coil	0,055	0,070	16	Foil	10	36	27	9,54
000-7615	Cross Coil	0,070	0,080	16	Foil	10	37	27	10,17
000-7616	Cross Coil	0,080	0,090	16	Foil	10	39	27	10,17
000-7618	Cross Coil	0,090	0,090	16	Foil	10	39	27	10,3
000-7620	Cross Coil	0,100	0,100	16	Foil	10	40	27	10,45
000-7621	Cross Coil	0,105	0,100	16	Foil	10	40	27	10,54
000-7622	Cross Coil	0,110	0,100	16	Foil	10	41	27	10,66
000-7623	Cross Coil	0,115	0,100	16	Foil	10	41	27	10,77
000-7624	Cross Coil	0,120	0,110	16	Foil	10	42	27	10,87
000-7626	Cross Coil	0,130	0,110	16	Foil	10	42	27	11,06
000-7627	Cross Coil	0,135	0,110	16	Foil	10	42	27	11,16
000-7628	Cross Coil	0,140	0,120	16	Foil	10	43	27	11,26
000-7629	Cross Coil	0,145	0,120	16	Foil	10	43	27	11,35
000-7630	Cross Coil	0,150	0,120	16	Foil	10	43	27	11,43
000-7631	Cross Coil	0,155	0,120	16	Foil	10	43	27	11,53
000-7632	Cross Coil	0,160	0,130	16	Foil	10	44	27	11,61
000-76327	Cross Coil	0,167	0,130	16	Foil	10	45	27	11,74
000-7634	Cross Coil	0,170	0,130	16	Foil	10	45	27	11,75
000-7636	Cross Coil	0,180	0,130	16	Foil	10	45	27	11,9
000-7638	Cross Coil	0,190	0,130	16	Foil	10	45	27	12,07
000-7639	Cross Coil	0,195	0,130	16	Foil	10	45	27	12,13
000-7640	Cross Coil	0,200	0,140	16	Foil	10	46	27	12,19
000-7641	Cross Coil	0,205	0,140	16	Foil	10	46	27	12,28
000-7642	Cross Coil	0,210	0,140	16	Foil	10	46	27	12,34
000-7643	Cross Coil	0,215	0,140	16	Foil	10	46	27	12,42
000-7644	Cross Coil	0,220	0,150	16	Foil	10	47	27	12,47
000-7645	Cross Coil	0,225	0,150	16	Foil	10	47	27	12,51
000-7646	Cross Coil	0,230	0,150	16	Foil	10	47	27	12,55
000-7647	Cross Coil	0,235	0,150	16	Foil	10	47	27	12,64
000-7648	Cross Coil	0,240	0,160	16	Foil	10	47	27	12,71
000-7651	Cross Coil	0,250	0,160	16	Foil	10	48	27	12,8
000-7654	Cross Coil	0,260	0,170	16	Foil	10	48	27	12,88
000-7657	Cross Coil	0,270	0,170	16	Foil	10	48	27	12,95
000-7660	Cross Coil	0,280	0,170	16	Foil	10	49	27	13,21
000-7663	Cross Coil	0,290	0,170	16	Foil	10	49	27	13,31
000-7666	Cross Coil	0,300	0,180	16	Foil	10	49	27	13,46
000-7669	Cross Coil	0,310	0,180	16	Foil	10	50	27	13,6
000-7672	Cross Coil	0,320	0,180	16	Foil	10	51	27	13,63
000-7676	Cross Coil	0,330	0,190	16	Foil	10	51	27	13,72
000-7679	Cross Coil	0,340	0,190	16	Foil	10	51	27	13,8
000-7682	Cross Coil	0,350	0,200	16	Foil	10	51	27	13,87
000-7685	Cross Coil	0,360	0,200	16	Foil	10	51	27	13,98
000-7688	Cross Coil	0,370	0,200	16	Foil	10	52	27	14,08
000-7691	Cross Coil	0,380	0,210	16	Foil	10	52	27	14,2
000-7694	Cross Coil	0,390	0,210	16	Foil	10	52	27	14,32
000-7697	Cross Coil	0,400	0,210	16	Foil	10	53	27	14,41
000-7700	Cross Coil	0,410	0,220	16	Foil	10	53	27	14,51
000-7703	Cross Coil	0,420	0,220	16	Foil	10	54	27	14,67
000-7706	Cross Coil	0,430	0,220	16	Foil	10	54	27	14,73
000-7707	Cross Coil	0,440	0,220	16	Foil	10	54	27	15,05
000-7710	Cross Coil	0,450	0,220	16	Foil	10	55	27	14,95
000-7715	Cross Coil	0,470	0,230	16	Foil	10	55	27	15,12
000-7718	Cross Coil	0,480	0,240	16	Foil	10	55	27	15,24
000-7721	Cross Coil	0,490	0,240	16	Foil	10	55	27	15,32
000-7724	Cross Coil	0,500	0,240	16	Foil	10	56	27	15,42
000-7726	Cross Coil	0,510	0,240	16	Foil	10	57	27	15,51
000-7729	Cross Coil	0,530	0,250	16	Foil	10	57	27	15,7
000-7733	Cross Coil	0,550	0,250	16	Foil	10	57	27	15,86
000-7736	Cross Coil	0,560	0,250	16	Foil	10	57	27	15,99
000-7739	Cross Coil	0,570	0,260	16	Foil	10	57	27	16,11
000-7743	Cross Coil	0,590	0,270	16	Foil	10	58	27	16,2
000-7746	Cross Coil	0,600	0,270	16	Foil	10	58	27	16,26
000-7749	Cross Coil	0,610	0,270	16	Foil	10	58	27	16,36

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-7752	Cross Coil	0,620	0,270	16	Foil	10	59	27	16,42
000-7755	Cross Coil	0,630	0,270	16	Foil	10	59	27	16,52
000-7760	Cross Coil	0,650	0,280	16	Foil	10	59	27	16,74
000-7764	Cross Coil	0,670	0,280	16	Foil	10	60	27	16,91
000-7766	Cross Coil	0,680	0,290	16	Foil	10	60	27	16,99
000-7768	Cross Coil	0,690	0,290	16	Foil	10	60	27	17,07
000-7770	Cross Coil	0,700	0,300	16	Foil	10	61	27	17,13
000-7778	Cross Coil	0,750	0,300	16	Foil	10	62	27	17,53
000-7788	Cross Coil	0,800	0,320	16	Foil	10	62	27	17,88
000-7792	Cross Coil	0,820	0,320	16	Foil	10	62	27	18,07
000-7795	Cross Coil	0,830	0,320	16	Foil	10	63	27	18,16
000-7800	Cross Coil	0,850	0,330	16	Foil	10	63	27	18,31
000-7801	Cross Coil	0,860	0,330	16	Foil	10	63	27	18,32
000-7807	Cross Coil	0,870	0,330	16	Foil	10	63	27	18,32
000-7809	Cross Coil	0,900	0,340	16	Foil	10	63	27	18,66
000-7812	Cross Coil	0,910	0,340	16	Foil	10	65	27	18,76
000-7815	Cross Coil	0,920	0,340	16	Foil	10	65	27	18,8
000-7820	Cross Coil	0,950	0,350	16	Foil	10	66	27	18,98
000-7825	Cross Coil	1,000	0,370	16	Foil	10	65	27	19,21
000-7827	Cross Coil	1,050	0,380	16	Foil	10	68	27	19,86
000-7830	Cross Coil	1,100	0,380	16	Foil	10	68	27	19,86
000-7835	Cross Coil	1,200	0,400	16	Foil	10	69	27	20,54
000-7841	Cross Coil	1,250	0,400	16	Foil	10	70	27	20,86
000-7844	Cross Coil	1,270	0,410	16	Foil	10	71	27	20,97
000-7848	Cross Coil	1,300	0,420	16	Foil	10	71	27	21,2
000-7852	Cross Coil	1,330	0,430	16	Foil	10	71	27	21,43
000-7855	Cross Coil	1,350	0,440	16	Foil	10	72	27	21,59
000-78558	Cross Coil	1,380	0,450	16	Foil	10	71	27	21,61
000-7856	Cross Coil	1,400	0,450	16	Foil	10	72	27	21,67
000-7860	Cross Coil	1,500	0,460	16	Foil	10	73	27	22,6
000-7865	Cross Coil	1,600	0,490	16	Foil	10	74	27	23,44
000-7868	Cross Coil	1,620	0,500	16	Foil	10	75	27	23,51
000-7872	Cross Coil	1,700	0,510	16	Foil	10	76	27	23,99
000-7875	Cross Coil	1,800	0,520	16	Foil	10	77	27	24,53
000-7880	Cross Coil	2,000	0,530	16	Foil	10	79	27	25,66
000-7883	Cross Coil	2,100	0,560	16	Foil	10	81	27	26,71
000-7885	Cross Coil	2,200	0,560	16	Foil	10	81	27	26,75
000-7888	Cross Coil	2,300	0,590	16	Foil	10	82	27	27,71
000-7890	Cross Coil	2,400	0,600	16	Foil	10	83	27	28,06
000-7895	Cross Coil	2,500	0,610	16	Foil	10	85	27	28,37
000-7899	Cross Coil	2,600	0,630	16	Foil	10	85	27	28,93
000-7900	Cross Coil	2,700	0,650	16	Foil	10	86	27	29,41
000-7904	Cross Coil	2,800	0,660	16	Foil	10	86	27	29,76
000-7906	Cross Coil	2,850	0,670	16	Foil	10	87	27	29,86
000-7908	Cross Coil	2,900	0,650	16	Foil	10	89	27	30,38
000-7910	Cross Coil	3,000	0,700	16	Foil	10	88	27	30,63
000-7913	Cross Coil	3,200	0,730	16	Foil	10	90	27	31,25
000-7915	Cross Coil	3,300	0,740	16	Foil	10	90	27	31,68
000-7920	Cross Coil	3,500	0,760	16	Foil	10	92	27	32,59
000-7924	Cross Coil	3,600	0,780	16	Foil	10	93	27	33,09
000-7927	Cross Coil	3,700	0,800	16	Foil	10	93	27	33,45
000-7930	Cross Coil	3,750	0,810	16	Foil	10	95	27	33,59
000-7935	Cross Coil	3,900	0,820	16	Foil	10	95	27	34,3
000-7940	Cross Coil	4,000	0,830	16	Foil	10	96	27	34,95
000-7943	Cross Coil	4,300	0,860	16	Foil	10	97	27	36,65
000-7945	Cross Coil	4,500	0,900	16	Foil	10	100	27	36,66
000-7948	Cross Coil	4,700	0,900	16	Foil	10	99	27	37,6
000-7953	Cross Coil	5,000	0,940	16	Foil	10	102	27	38,85
000-7955	Cross Coil	5,100	0,950	16	Foil	10	102	27	39,35
000-7961	Cross Coil	5,600	1,000	16	Foil	10	104	27	40,71
000-7963	Cross Coil	5,800	1,040	16	Foil	10	105	27	41,83
000-7965	Cross Coil	6,000	1,060	16	Foil	10	106	27	42,5
000-7968	Cross Coil	6,200	1,070	16	Foil	10	107	27	43,21
000-7971	Cross Coil	6,500	1,100	16	Foil	10	109	27	44,13
000-7972	Cross Coil	6,600	1,100	16	Foil	10	111	27	44,3
000-7974	Cross Coil	6,800	1,150	16	Foil	10	111	27	45,24
000-7976	Cross Coil	7,000	1,160	16	Foil	10	113	27	46,2
000-7977	Cross Coil	7,870	1,240	16	Foil	10	118	27	47,9
000-7978	Cross Coil	8,000	1,270	16	Foil	10	116	27	49,2
000-7980	Cross Coil	8,200	1,290	16	Foil	10	120	27	50,05
000-7984	Cross Coil	8,700	1,420	16	Foil	10	120	27	50,94
000-7985	Cross Coil	8,800	1,430	16	Foil	10	120	27	50,99
000-7986	Cross Coil	9,000	1,450	16	Foil	10	122	27	53,26
000-7988	Cross Coil	9,500	1,500	16	Foil	10	124	27	53,47
000-7990	Cross Coil	10,000	1,540	16	Foil	10	126	27	54,39

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-7992	Cross Coil	11,000	1,560	16	Foil	10	129	27	54,76
000-7993	Cross Coil	12,000	1,710	16	Foil	10	131	27	60
000-7994	Cross Coil	13,000	1,720	16	Foil	10	135	27	60,36
000-7996	Cross Coil	15,000	1,880	16	Foil	10	147	27	71,56
000-7998	Cross Coil	16,000	1,950	16	Foil	10	149	27	75,45
000-8003	Wax Coil	0,025	0,030	12	Foil	10	38	55	14,63
000-8004	Wax Coil	0,027	0,030	12	Foil	10	38	55	14,62
000-8006	Wax Coil	0,033	0,030	12	Foil	10	39	55	0
000-8007	Wax Coil	0,040	0,030	12	Foil	10	41	55	16,7
000-8008	Wax Coil	0,047	0,040	12	Foil	10	42	55	16,7
000-8009	Wax Coil	0,070	0,050	12	Foil	10	45	55	18,47
000-8010	Wax Coil	0,100	0,050	12	Foil	10	49	55	20,89
000-8011	Wax Coil	0,110	0,060	12	Foil	10	51	55	21,81
000-8012	Wax Coil	0,120	0,060	12	Foil	10	51	55	21,88
000-8013	Wax Coil	0,130	0,060	12	Foil	10	52	55	23,09
000-80135	Wax Coil	0,135	0,060	12	Foil	10	53	55	23,29
000-8014	Wax Coil	0,140	0,060	12	Foil	10	54	55	23,51
000-80145	Wax Coil	0,145	0,070	12	Foil	10	54	55	23,58
000-8015	Wax Coil	0,150	0,070	12	Foil	10	54	55	23,78
000-80155	Wax Coil	0,155	0,070	12	Foil	10	54	55	23,99
000-8016	Wax Coil	0,160	0,070	12	Foil	10	54	55	24,54
000-80165	Wax Coil	0,165	0,070	12	Foil	10	54	55	24,55
000-8017	Wax Coil	0,170	0,070	12	Foil	10	55	55	24,62
000-80175	Wax Coil	0,175	0,070	12	Foil	10	55	55	24,89
000-8018	Wax Coil	0,180	0,070	12	Foil	10	55	55	25,16
000-80185	Wax Coil	0,185	0,080	12	Foil	10	56	55	25,32
000-8019	Wax Coil	0,190	0,080	12	Foil	10	56	55	25,91
000-80195	Wax Coil	0,195	0,080	12	Foil	10	56	55	26,53
000-8020	Wax Coil	0,200	0,080	12	Foil	10	56	55	26,73
000-8021	Wax Coil	0,210	0,080	12	Foil	10	57	55	26,84
000-80215	Wax Coil	0,215	0,080	12	Foil	10	56	55	27,01
000-8022	Wax Coil	0,220	0,080	12	Foil	10	57	55	27,78
000-80225	Wax Coil	0,225	0,080	12	Foil	10	57	55	27,83
000-8023	Wax Coil	0,230	0,080	12	Foil	10	57	55	27,98
000-80235	Wax Coil	0,235	0,080	12	Foil	10	57	55	28,14
000-8024	Wax Coil	0,240	0,090	12	Foil	10	58	55	28,39
000-80245	Wax Coil	0,245	0,090	12	Foil	10	58	55	28,43
000-8025	Wax Coil	0,250	0,090	12	Foil	10	59	55	28,63
000-8027	Wax Coil	0,270	0,090	12	Foil	10	60	55	29,5
000-8028	Wax Coil	0,280	0,090	12	Foil	10	60	55	29,94
000-8029	Wax Coil	0,290	0,100	12	Foil	10	61	55	30,23
000-8030	Wax Coil	0,300	0,100	12	Foil	10	61	55	31,2
000-8031	Wax Coil	0,310	0,100	12	Foil	10	62	55	31,6
000-8032	Wax Coil	0,320	0,100	12	Foil	10	62	55	31,96
000-8033	Wax Coil	0,330	0,110	12	Foil	10	63	55	32,17
000-8034	Wax Coil	0,340	0,110	12	Foil	10	64	55	32,57
000-8035	Wax Coil	0,350	0,110	12	Foil	10	64	55	32,84
000-8036	Wax Coil	0,360	0,110	12	Foil	10	64	55	33,6
000-8037	Wax Coil	0,370	0,110	12	Foil	10	65	55	33,79
000-8038	Wax Coil	0,380	0,110	12	Foil	10	65	55	34,09
000-80385	Wax Coil	0,385	0,110	12	Foil	10	65	55	34,34
000-8039	Wax Coil	0,390	0,110	12	Foil	10	66	55	34,4
000-80395	Wax Coil	0,395	0,110	12	Foil	10	65	55	34,59
000-8040	Wax Coil	0,400	0,120	12	Foil	10	65	55	34,98
000-80405	Wax Coil	0,405	0,120	12	Foil	10	65	55	35,18
000-8041	Wax Coil	0,410	0,120	12	Foil	10	66	55	35,29
000-80415	Wax Coil	0,415	0,120	12	Foil	10	66	55	35,57
000-8042	Wax Coil	0,420	0,120	12	Foil	10	67	55	35,98
000-8043	Wax Coil	0,430	0,120	12	Foil	10	67	55	36,69
000-8047	Wax Coil	0,470	0,130	12	Foil	10	69	55	37,06
000-8049	Wax Coil	0,490	0,130	12	Foil	10	69	55	38,28
000-8050	Wax Coil	0,500	0,130	12	Foil	10	69	55	38,36
000-8051	Wax Coil	0,510	0,130	12	Foil	10	70	55	38,39
000-8052	Wax Coil	0,520	0,130	12	Foil	10	70	55	38,85
000-8053	Wax Coil	0,530	0,130	12	Foil	10	69	55	39,64
000-8056	Wax Coil	0,560	0,140	12	Foil	10	71	55	39,79
000-8060	Wax Coil	0,600	0,140	12	Foil	10	71	55	40,45
000-8061	Wax Coil	0,610	0,140	12	Foil	10	71	55	41,69
000-8062	Wax Coil	0,620	0,140	12	Foil	10	72	55	41,86
000-8063	Wax Coil	0,630	0,150	12	Foil	10	73	55	42,3
000-8064	Wax Coil	0,640	0,150	12	Foil	10	74	55	43,08
000-8065	Wax Coil	0,650	0,160	12	Foil	10	74	55	43,27
000-8068	Wax Coil	0,680	0,160	12	Foil	10	75	55	44,03
000-8074	Wax Coil	0,740	0,160	12	Foil	10	76	55	45,94

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-8075	Wax Coil	0,750	0,160	12	Foil	10	77	55	45,56
000-8078	Wax Coil	0,780	0,170	12	Foil	10	78	55	46,01
000-8080	Wax Coil	0,800	0,170	12	Foil	10	78	55	46,41
000-8082	Wax Coil	0,820	0,170	12	Foil	10	79	55	47,07
000-8083	Wax Coil	0,830	0,170	12	Foil	10	79	55	48,17
000-8085	Wax Coil	0,850	0,170	12	Foil	10	80	55	48,69
000-8087	Wax Coil	0,870	0,170	12	Foil	10	81	55	49,05
000-8089	Wax Coil	0,890	0,170	12	Foil	10	81	55	49,48
000-8090	Wax Coil	0,900	0,170	12	Foil	10	83	55	49,54
000-8093	Wax Coil	0,930	0,180	12	Foil	10	83	55	50,22
000-8095	Wax Coil	0,950	0,180	12	Foil	10	83	55	50,93
000-8097	Wax Coil	1,000	0,190	12	Foil	10	84	55	52,25
000-8099	Wax Coil	1,050	0,190	12	Foil	10	85	55	54,08
000-8100	Wax Coil	1,100	0,190	12	Foil	10	86	55	55,84
000-8105	Wax Coil	1,150	0,200	12	Foil	10	87	55	56,38
000-8110	Wax Coil	1,200	0,220	12	Foil	10	87	55	56,78
000-8112	Wax Coil	1,250	0,220	12	Foil	10	89	55	57,63
000-8115	Wax Coil	1,300	0,220	12	Foil	10	89	55	58,47
000-8117	Wax Coil	1,350	0,230	12	Foil	10	90	55	59,78
000-8118	Wax Coil	1,370	0,230	12	Foil	10	89	55	60,63
000-8120	Wax Coil	1,400	0,240	12	Foil	10	92	55	60,68
000-8122	Wax Coil	1,450	0,240	12	Foil	10	92	55	61,47
000-8125	Wax Coil	1,500	0,250	12	Foil	10	94	55	62,81
000-81251	Wax Coil	1,510	0,250	12	Foil	10	94	55	63
000-81255	Wax Coil	1,550	0,250	12	Foil	10	94	55	63,57
000-8126	Wax Coil	1,600	0,250	12	Foil	10	95	55	65,33
000-8128	Wax Coil	1,700	0,260	12	Foil	10	96	55	67,85
000-8130	Wax Coil	1,800	0,260	12	Foil	10	96	55	68,33
000-8135	Wax Coil	1,900	0,270	12	Foil	10	96	55	69,38
000-8140	Wax Coil	2,000	0,280	12	Foil	10	96	55	71,17
000-8145	Wax Coil	2,100	0,290	12	Foil	10	98	55	72,97
000-8150	Wax Coil	2,200	0,300	12	Foil	10	99	55	75,24
000-8155	Wax Coil	2,300	0,300	12	Foil	10	100	55	76,26
000-8160	Wax Coil	2,400	0,310	12	Foil	10	101	55	78,37
000-8165	Wax Coil	2,500	0,320	12	Foil	10	102	55	79,55
000-8170	Wax Coil	2,600	0,330	12	Foil	10	103	55	83,78
000-8175	Wax Coil	2,700	0,340	12	Foil	10	110	55	84,18
000-8177	Wax Coil	2,850	0,350	12	Foil	10	111	55	88,75
000-8180	Wax Coil	3,000	0,370	12	Foil	10	112	55	87,18
000-8185	Wax Coil	3,300	0,380	12	Foil	10	113	55	92,22
000-8187	Wax Coil	3,500	0,400	12	Foil	10	114	55	97,25
000-8190	Wax Coil	3,600	0,400	12	Foil	10	115	55	96,14
000-8192	Wax Coil	3,700	0,410	12	Foil	10	116	55	96,61
000-8195	Wax Coil	3,900	0,420	12	Foil	10	117	55	100,32
000-8200	Wax Coil	4,000	0,430	12	Foil	10	118	55	101,26
000-8205	Wax Coil	4,300	0,450	12	Foil	10	120	55	105,47
000-8207	Wax Coil	4,500	0,460	12	Foil	10	122	55	112,08
000-8210	Wax Coil	4,700	0,470	12	Foil	10	125	55	112,4
000-8212	Wax Coil	5,000	0,490	12	Foil	10	126	55	120,03
000-8213	Wax Coil	5,100	0,500	12	Foil	10	126	55	120,67
000-8215	Wax Coil	5,200	0,500	12	Foil	10	127	55	121,32
000-8220	Wax Coil	5,400	0,510	12	Foil	10	128	55	120,2
000-8223	Wax Coil	5,500	0,510	12	Foil	10	130	55	121,27
000-8225	Wax Coil	5,600	0,520	12	Foil	10	131	55	121,32
000-8230	Wax Coil	6,000	0,530	12	Foil	10	132	55	126,57
000-8235	Wax Coil	6,200	0,550	12	Foil	10	134	55	128,8
000-8240	Wax Coil	6,500	0,570	12	Foil	10	137	55	133,42
000-8245	Wax Coil	6,800	0,580	12	Foil	10	138	55	135,52
000-8249	Wax Coil	7,400	0,600	12	Foil	10	144	55	143,8
000-8250	Wax Coil	7,500	0,610	12	Foil	10	146	55	145,42
000-8253	Wax Coil	8,000	0,650	12	Foil	10	148	55	150,98
000-8255	Wax Coil	8,200	0,650	12	Foil	10	148	55	150,98
000-8258	Wax Coil	9,200	0,680	12	Foil	10	154	55	161,82
000-8260	Wax Coil	10,000	0,720	12	Foil	10	155	55	170,63
000-8261	Wax Coil	12,000	0,830	12	Foil	10	165	55	191,71
000-8262	Wax Coil	15,000	0,940	12	Foil	10	178	55	222,22
000-826220	Wax Coil	20,000	1,130	12	Foil	10	198	55	278,26
000-826221	Wax Coil	21,000	1,140	12	Foil	10	199	55	283,47
000-826228	Wax Coil	28,000	1,370	12	Foil	10	217	55	333,23
000-826230	Wax Coil	30,000	1,380	12	Foil	10	218	55	335,81
000-826233	Wax Coil	0,033	0,040	14	Foil	10	38	37	13,24
000-8263	Wax Coil	0,050	0,050	14	Foil	10	39	37	13,24
000-826360	Wax Coil	0,060	0,050	14	Foil	10	39	37	13,93
000-8264	Wax Coil	0,075	0,060	14	Foil	10	43	37	14,12
000-8265	Wax Coil	0,100	0,070	14	Foil	10	45	37	15,25

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-8268	Wax Coil	0,110	0,080	14	Foil	10	46	37	15,91
000-8270	Wax Coil	0,120	0,080	14	Foil	10	46	37	15,95
000-8275	Wax Coil	0,150	0,090	14	Foil	10	49	37	16,98
000-8277	Wax Coil	0,160	0,095	14	Foil	10	49	37	17,52
000-8280	Wax Coil	0,180	0,100	14	Foil	10	51	37	17,89
000-8283	Wax Coil	0,200	0,100	14	Foil	10	53	37	18,73
000-8285	Wax Coil	0,220	0,110	14	Foil	10	54	37	19,02
000-8287	Wax Coil	0,240	0,120	14	Foil	10	54	37	19,85
000-8288	Wax Coil	0,250	0,120	14	Foil	10	55	37	19,85
000-8290	Wax Coil	0,270	0,130	14	Foil	10	55	37	20,67
000-8293	Wax Coil	0,290	0,130	14	Foil	10	56	37	21,09
000-8295	Wax Coil	0,300	0,130	14	Foil	10	56	37	21,16
000-8298	Wax Coil	0,320	0,130	14	Foil	10	58	37	21,94
000-8300	Wax Coil	0,330	0,140	14	Foil	10	58	37	22,06
000-8305	Wax Coil	0,360	0,140	14	Foil	10	58	37	22,45
000-8309	Wax Coil	0,380	0,150	14	Foil	10	61	37	23,12
000-8310	Wax Coil	0,390	0,150	14	Foil	10	61	37	23,32
000-8313	Wax Coil	0,400	0,160	14	Foil	10	61	37	23,38
000-8315	Wax Coil	0,420	0,160	14	Foil	10	61	37	23,48
000-8316	Wax Coil	0,430	0,160	14	Foil	10	62	37	24,35
000-8319	Wax Coil	0,460	0,170	14	Foil	10	63	37	24,57
000-8320	Wax Coil	0,470	0,170	14	Foil	10	63	37	24,57
000-8324	Wax Coil	0,500	0,170	14	Foil	10	63	37	25,1
000-83245	Wax Coil	0,505	0,170	14	Foil	10	64	37	25,16
000-8325	Wax Coil	0,510	0,170	14	Foil	10	64	37	25,18
000-8326	Wax Coil	0,515	0,170	14	Foil	10	65	37	25,26
000-8328	Wax Coil	0,540	0,180	14	Foil	10	65	37	25,93
000-8330	Wax Coil	0,560	0,180	14	Foil	10	65	37	26,24
000-8333	Wax Coil	0,600	0,200	14	Foil	10	68	37	27,12
000-8335	Wax Coil	0,620	0,200	14	Foil	10	68	37	27,24
000-8337	Wax Coil	0,640	0,210	14	Foil	10	68	37	28,13
000-8340	Wax Coil	0,680	0,210	14	Foil	10	70	37	28,18
000-8342	Wax Coil	0,700	0,210	14	Foil	10	70	37	28,9
000-8343	Wax Coil	0,720	0,210	14	Foil	10	71	37	28,75
000-8344	Wax Coil	0,730	0,220	14	Foil	10	71	37	29,82
000-8345	Wax Coil	0,750	0,220	14	Foil	10	72	37	29,22
000-8346	Wax Coil	0,760	0,220	14	Foil	10	72	37	29,35
000-8347	Wax Coil	0,780	0,220	14	Foil	10	72	37	29,7
000-8348	Wax Coil	0,800	0,220	14	Foil	10	73	37	29,93
000-8349	Wax Coil	0,810	0,220	14	Foil	10	73	37	30,1
000-8350	Wax Coil	0,820	0,230	14	Foil	10	74	37	30,7
000-8351	Wax Coil	0,830	0,230	14	Foil	10	74	37	30,91
000-8352	Wax Coil	0,840	0,230	14	Foil	10	74	37	31,75
000-8353	Wax Coil	0,850	0,230	14	Foil	10	74	37	31,76
000-8354	Wax Coil	0,880	0,240	14	Foil	10	75	37	32,14
000-8355	Wax Coil	0,900	0,240	14	Foil	10	75	37	32,54
000-8357	Wax Coil	0,920	0,245	14	Foil	10	75	37	32,25
000-8358	Wax Coil	0,940	0,250	14	Foil	10	76	37	32,44
000-8360	Wax Coil	1,000	0,270	14	Foil	10	77	37	33,05
000-8361	Wax Coil	1,050	0,270	14	Foil	10	79	37	33,67
000-8365	Wax Coil	1,100	0,270	14	Foil	10	79	37	34,2
000-8370	Wax Coil	1,150	0,290	14	Foil	10	80	37	35,03
000-8374	Wax Coil	1,180	0,290	14	Foil	10	80	37	36,32
000-8375	Wax Coil	1,200	0,300	14	Foil	10	81	37	35,84
000-8379	Wax Coil	1,280	0,310	14	Foil	10	82	37	37,14
000-8380	Wax Coil	1,300	0,320	14	Foil	10	83	37	37,09
000-8385	Wax Coil	1,400	0,320	14	Foil	10	85	37	38,02
000-8386	Wax Coil	1,450	0,320	14	Foil	10	86	37	38,71
000-8390	Wax Coil	1,500	0,340	14	Foil	10	86	37	39,59
000-8392	Wax Coil	1,600	0,360	14	Foil	10	88	37	40,69
000-8393	Wax Coil	1,700	0,370	14	Foil	10	90	37	41,28
000-8393-4	Wax Coil	1,740	0,370	14	Foil	10	88	37	41,58
000-8395	Wax Coil	1,800	0,380	14	Foil	10	90	37	42,54
000-8400	Wax Coil	1,900	0,380	14	Foil	10	92	37	43,87
000-8405	Wax Coil	2,000	0,400	14	Foil	10	92	37	44,29
000-8410	Wax Coil	2,100	0,410	14	Foil	10	93	37	46,07
000-8412	Wax Coil	2,140	0,420	14	Foil	10	95	37	47,74
000-8415	Wax Coil	2,200	0,420	14	Foil	10	95	37	47,74
000-8420	Wax Coil	2,300	0,420	14	Foil	10	95	37	48,4
000-8425	Wax Coil	2,400	0,420	14	Foil	10	96	37	49,33
000-8430	Wax Coil	2,500	0,440	14	Foil	10	100	37	51,62
000-8435	Wax Coil	2,600	0,440	14	Foil	10	100	37	52,84
000-8440	Wax Coil	2,700	0,460	14	Foil	10	101	37	53,84
000-8441	Wax Coil	2,750	0,480	14	Foil	10	102	37	54,11
000-8442	Wax Coil	2,800	0,480	14	Foil	10	102	37	55,29

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-8444	Wax Coil	2,950	0,490	14	Foil	10	102	37	54,87
000-8445	Wax Coil	3,000	0,520	14	Foil	10	105	37	55,65
000-8450	Wax Coil	3,300	0,540	14	Foil	10	106	37	60,22
000-8451	Wax Coil	3,350	0,540	14	Foil	10	106	37	60,38
000-8454	Wax Coil	3,500	0,540	14	Foil	10	108	37	60,4
000-8455	Wax Coil	3,600	0,550	14	Foil	10	108	37	61,63
000-8459	Wax Coil	3,830	0,600	14	Foil	10	112	37	62,83
000-8460	Wax Coil	3,900	0,600	14	Foil	10	113	37	64,07
000-8462-5	Wax Coil	4,050	0,600	14	Foil	10	114	37	66,19
000-8470	Wax Coil	4,700	0,660	14	Foil	10	119	37	70,18
000-8472	Wax Coil	4,940	0,670	14	Foil	10	120	37	70,9
000-8473	Wax Coil	5,000	0,670	14	Foil	10	121	37	73,38
000-8475	Wax Coil	5,200	0,670	14	Foil	10	121	37	73,38
000-8480	Wax Coil	5,400	0,690	14	Foil	10	123	37	74,85
000-8485	Wax Coil	5,600	0,730	14	Foil	10	126	37	75,75
000-8490	Wax Coil	6,000	0,740	14	Foil	10	127	37	79,13
000-8495	Wax Coil	6,200	0,770	14	Foil	10	128	37	80,45
000-8496	Wax Coil	6,400	0,790	14	Foil	10	129	37	82,21
000-8497	Wax Coil	6,500	0,80	14	Foil	10	130	37	82,36
000-8498	Wax Coil	6,600	0,81	14	Foil	10	131	37	82,4
000-8500	Wax Coil	6,800	0,82	14	Foil	10	133	37	83,13
000-8503	Wax Coil	7,200	0,870	14	Foil	10	133	37	87,77
000-8505	Wax Coil	7,500	0,880	14	Foil	10	133	37	95,5
000-8510	Wax Coil	8,200	0,930	14	Foil	10	140	37	98,26
000-8513	Wax Coil	8,840	0,950	14	Foil	10	144	37	98,46
000-8514	Wax Coil	9,750	1,050	14	Foil	10	145	37	100,14
000-8515	Wax Coil	10,000	1,050	14	Foil	10	149	37	103,1
000-8517	Wax Coil	12,000	1,160	14	Foil	10	158	37	117,89
000-8518	Wax Coil	14,000	1,350	14	Foil	10	160	37	123,9
000-85191	Wax Coil	0,010	0,030	16	Foil	10	31	25	9,43
000-85192	Wax Coil	0,020	0,040	16	Foil	10	34	25	9,92
000-85194	Wax Coil	0,050	0,070	16	Foil	10	38	25	11,04
000-85195	Wax Coil	0,056	0,070	16	Foil	10	39	25	11,22
000-85196	Wax Coil	0,060	0,070	16	Foil	10	39	25	11,69
000-85197	Wax Coil	0,070	0,080	16	Foil	10	40	25	11,77
000-85198	Wax Coil	0,080	0,080	16	Foil	10	41	25	11,82
000-85199	Wax Coil	0,090	0,090	16	Foil	10	42	25	12,23
000-8520	Wax Coil	0,100	0,100	16	Foil	10	43	25	12,57
000-8522	Wax Coil	0,110	0,110	16	Foil	10	44	25	12,67
000-8525	Wax Coil	0,120	0,110	16	Foil	10	44	25	12,75
000-85256	Wax Coil	0,126	0,110	16	Foil	10	45	25	12,87
000-8526	Wax Coil	0,130	0,110	16	Foil	10	45	25	12,89
000-8528	Wax Coil	0,140	0,120	16	Foil	10	46	25	13,22
000-8530	Wax Coil	0,150	0,120	16	Foil	10	47	25	13,49
000-8533	Wax Coil	0,160	0,130	16	Foil	10	47	25	13,59
000-8534	Wax Coil	0,170	0,130	16	Foil	10	48	25	13,92
000-8535	Wax Coil	0,180	0,140	16	Foil	10	48	25	14,17
000-8537	Wax Coil	0,200	0,150	16	Foil	10	50	25	14,35
000-85375	Wax Coil	0,205	0,150	16	Foil	10	50	25	14,4
000-8539	Wax Coil	0,210	0,150	16	Foil	10	50	25	14,43
000-85395	Wax Coil	0,215	0,150	16	Foil	10	51	25	14,59
000-8540	Wax Coil	0,220	0,150	16	Foil	10	51	25	14,73
000-85405	Wax Coil	0,225	0,154	16	Foil	10	51	25	14,95
000-8541	Wax Coil	0,230	0,160	16	Foil	10	52	25	14,98
000-8542	Wax Coil	0,240	0,150	16	Foil	10	51	25	15,08
000-85425	Wax Coil	0,245	0,150	16	Foil	10	52	25	15,12
000-8543	Wax Coil	0,250	0,160	16	Foil	10	53	25	15,26
000-8544	Wax Coil	0,260	0,160	16	Foil	10	53	25	15,46
000-8545	Wax Coil	0,270	0,170	16	Foil	10	53	25	15,61
000-8546	Wax Coil	0,280	0,170	16	Foil	10	54	25	15,67
000-8550	Wax Coil	0,300	0,190	16	Foil	10	54	25	15,91
000-8553	Wax Coil	0,310	0,190	16	Foil	10	54	25	16,26
000-8554	Wax Coil	0,320	0,190	16	Foil	10	54	25	16,3
000-8555	Wax Coil	0,330	0,190	16	Foil	10	55	25	16,4
000-8558	Wax Coil	0,340	0,190	16	Foil	10	55	25	16,45
000-8559	Wax Coil	0,350	0,200	16	Foil	10	56	25	16,61
000-8560	Wax Coil	0,360	0,200	16	Foil	10	56	25	16,01
000-85605	Wax Coil	0,365	0,200	16	Foil	10	56	25	16,35
000-8561	Wax Coil	0,370	0,200	16	Foil	10	56	25	16,1
000-85615	Wax Coil	0,375	0,200	16	Foil	10	57	25	16,14
000-8562	Wax Coil	0,380	0,200	16	Foil	10	57	25	16,19
000-85625	Wax Coil	0,385	0,200	16	Foil	10	57	25	16,23
000-8565	Wax Coil	0,390	0,210	16	Foil	10	58	25	16,62
000-85655	Wax Coil	0,395	0,210	16	Foil	10	58	25	16,99
000-8570	Wax Coil	0,400	0,210	16	Foil	10	58	25	17,07

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-85705	Wax Coil	0,405	0,210	16	Foil	10	58	25	17,17
000-8571	Wax Coil	0,410	0,210	16	Foil	10	58	25	17,21
000-85715	Wax Coil	0,415	0,210	16	Foil	10	59	25	17,26
000-8575	Wax Coil	0,420	0,220	16	Foil	10	59	25	17,33
000-8576	Wax Coil	0,430	0,220	16	Foil	10	60	25	17,46
000-8578	Wax Coil	0,450	0,230	16	Foil	10	60	25	17,75
000-8580	Wax Coil	0,470	0,240	16	Foil	10	61	25	18,26
000-8584	Wax Coil	0,500	0,250	16	Foil	10	61	25	18,32
000-85845	Wax Coil	0,505	0,250	16	Foil	10	61	25	18,4
000-8585	Wax Coil	0,510	0,250	16	Foil	10	61	25	18,39
000-8586	Wax Coil	0,520	0,250	16	Foil	10	61	25	18,42
000-8587	Wax Coil	0,530	0,250	16	Foil	10	61	25	18,5
000-8588	Wax Coil	0,540	0,260	16	Foil	10	62	25	18,81
000-8589	Wax Coil	0,550	0,260	16	Foil	10	62	25	19,05
000-8590	Wax Coil	0,560	0,270	16	Foil	10	63	25	19,25
000-8591	Wax Coil	0,580	0,270	16	Foil	10	64	25	19,27
000-8593	Wax Coil	0,600	0,270	16	Foil	10	64	25	19,41
000-8594	Wax Coil	0,610	0,270	16	Foil	10	64	25	19,52
000-8595	Wax Coil	0,620	0,280	16	Foil	10	65	25	19,7
000-8596	Wax Coil	0,630	0,280	16	Foil	10	65	25	19,81
000-8597	Wax Coil	0,640	0,280	16	Foil	10	66	25	19,92
000-8598	Wax Coil	0,650	0,300	16	Foil	10	66	25	20,1
000-8599	Wax Coil	0,670	0,300	16	Foil	10	67	25	20,32
000-8600	Wax Coil	0,680	0,300	16	Foil	10	67	25	20,66
000-8603	Wax Coil	0,690	0,300	16	Foil	10	67	25	20,77
000-8605	Wax Coil	0,700	0,300	16	Foil	10	68	25	20,88
000-8607	Wax Coil	0,720	0,310	16	Foil	10	68	25	20,74
000-8608	Wax Coil	0,730	0,310	16	Foil	10	68	25	20,79
000-8610	Wax Coil	0,750	0,310	16	Foil	10	68	25	21,07
000-8615	Wax Coil	0,800	0,330	16	Foil	10	69	25	21,43
000-8620	Wax Coil	0,820	0,330	16	Foil	10	70	25	21,98
000-8621	Wax Coil	0,830	0,330	16	Foil	10	70	25	22,27
000-8622	Wax Coil	0,860	0,350	16	Foil	10	70	25	22,58
000-8623	Wax Coil	0,870	0,350	16	Foil	10	70	25	22,64
000-8625	Wax Coil	0,900	0,360	16	Foil	10	71	25	23
000-8626	Wax Coil	0,910	0,360	16	Foil	10	71	25	23,2
000-8627	Wax Coil	0,920	0,360	16	Foil	10	72	25	23,31
000-8628	Wax Coil	0,930	0,360	16	Foil	10	72	25	23,41
000-8630	Wax Coil	1,000	0,370	16	Foil	10	74	25	23,85
000-8635	Wax Coil	1,100	0,400	16	Foil	10	75	25	24,28
000-8636	Wax Coil	1,120	0,410	16	Foil	10	76	25	24,59
000-8640	Wax Coil	1,150	0,410	16	Foil	10	77	25	24,91
000-8643	Wax Coil	1,180	0,420	16	Foil	10	77	25	25,2
000-8645	Wax Coil	1,200	0,430	16	Foil	10	78	25	25,3
000-8645-5	Wax Coil	1,250	0,430	16	Foil	10	78	25	25,44
000-8648	Wax Coil	1,280	0,440	16	Foil	10	79	25	25,39
000-8650	Wax Coil	1,300	0,440	16	Foil	10	80	25	25,48
000-8650-5	Wax Coil	1,350	0,460	16	Foil	10	80	25	25,81
000-8655	Wax Coil	1,400	0,470	16	Foil	10	81	25	26,62
000-8657	Wax Coil	1,450	0,450	16	Foil	10	81	25	27,93
000-8660	Wax Coil	1,500	0,480	16	Foil	10	83	25	28
000-8660-4	Wax Coil	1,540	0,490	16	Foil	10	83	25	28,19
000-8662	Wax Coil	1,600	0,500	16	Foil	10	84	25	28,14
000-8663	Wax Coil	1,700	0,500	16	Foil	10	84	25	29,16
000-8664	Wax Coil	1,740	0,520	16	Foil	10	84	25	29,2
000-8665	Wax Coil	1,800	0,530	16	Foil	10	87	25	30,01
000-8670	Wax Coil	1,900	0,540	16	Foil	10	89	25	30,45
000-8675	Wax Coil	2,000	0,570	16	Foil	10	90	25	30,7
000-8680	Wax Coil	2,100	0,570	16	Foil	10	91	25	32,49
000-8685	Wax Coil	2,200	0,580	16	Foil	10	92	25	33,21
000-8690	Wax Coil	2,300	0,590	16	Foil	10	94	25	33,82
000-8695	Wax Coil	2,400	0,600	16	Foil	10	94	25	34,32
000-8700	Wax Coil	2,500	0,620	16	Foil	10	96	25	35,15
000-8705	Wax Coil	2,600	0,650	16	Foil	10	97	25	35,83
000-8710	Wax Coil	2,700	0,670	16	Foil	10	97	25	36,51
000-8711	Wax Coil	2,800	0,700	16	Foil	10	97	25	36,57
000-8713	Wax Coil	2,900	0,720	16	Foil	10	99	25	36,91
000-8715	Wax Coil	3,000	0,720	16	Foil	10	99	25	37,16
000-8717	Wax Coil	3,200	0,770	16	Foil	10	102	25	37,44
000-8720	Wax Coil	3,300	0,770	16	Foil	10	103	25	38,68
000-8722	Wax Coil	3,400	0,780	16	Foil	10	104	25	39,71
000-8724	Wax Coil	3,500	0,790	16	Foil	10	104	25	41,35
000-8725	Wax Coil	3,600	0,790	16	Foil	10	106	25	41,42
000-8726	Wax Coil	3,650	0,810	16	Foil	10	106	25	41,68
000-8727	Wax Coil	3,700	0,830	16	Foil	10	107	25	41,84



Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-8730	Wax Coil	3,900	0,850	16	Foil	10	108	25	42,06
000-8731	Wax Coil	4,000	0,860	16	Foil	10	110	25	42,41
000-8733	Wax Coil	4,200	0,870	16	Foil	10	111	25	42,84
000-8735	Wax Coil	4,300	0,880	16	Foil	10	111	25	45,32
000-8737	Wax Coil	4,500	0,900	16	Foil	10	112	25	46,48
000-8740	Wax Coil	4,700	0,920	16	Foil	10	113	25	46,67
000-8743	Wax Coil	5,000	0,960	16	Foil	10	118	25	47,62
000-8745	Wax Coil	5,200	0,970	16	Foil	10	118	25	50,14
000-8750	Wax Coil	5,400	0,980	16	Foil	10	120	25	50,96
000-8755	Wax Coil	5,600	0,990	16	Foil	10	121	25	51,48
000-8760	Wax Coil	6,000	1,040	16	Foil	10	123	25	52,79
000-8765	Wax Coil	6,200	1,160	16	Foil	10	125	25	53,26
000-8767	Wax Coil	6,400	1,160	16	Foil	10	125	25	53,67
000-8768	Wax Coil	6,600	1,160	16	Foil	10	128	25	56,27
000-8770	Wax Coil	6,800	1,180	16	Foil	10	129	25	58,57
000-8772	Wax Coil	7,000	1,200	16	Foil	10	130	25	61,21
000-8775	Wax Coil	7,500	1,220	16	Foil	10	133	25	61,65
000-8780	Wax Coil	8,200	1,240	16	Foil	10	136	25	63,67
000-8785	Wax Coil	10,000	1,420	16	Foil	10	145	25	70,74
000-8786	Wax Coil	10,500	1,570	16	Foil	10	146	25	72,57
000-8787	Wax Coil	12,000	1,700	16	Foil	10	149	25	73,88
000-8900	Wax Coil	15,000	2,000	16	Foil	10	160	25	83,23
000-9001	Wax Coil	0,010	0,007	8	Foil	10	55	55	18,48
000-90015	Wax Coil	0,015	0,008	8	Foil	10	55	55	20,81
000-90025	Wax Coil	0,025	0,010	8	Foil	10	49	55	24,69
000-90040	Wax Coil	0,040	0,013	8	Foil	10	52	55	32,29
000-90047	Wax Coil	0,047	0,014	8	Foil	10	55	55	32,29
000-9005	Wax Coil	0,050	0,015	8	Foil	10	55	55	32,28
000-90055	Wax Coil	0,055	0,016	8	Foil	10	57	55	32,66
000-9010	Wax Coil	0,100	0,022	8	Foil	10	63	55	43,16
000-9011	Wax Coil	0,110	0,023	8	Foil	10	65	55	43,66
000-9012	Wax Coil	0,120	0,024	8	Foil	10	67	55	47,06
000-9015	Wax Coil	0,150	0,027	8	Foil	10	70	55	50,94
000-9017	Wax Coil	0,170	0,030	8	Foil	10	73	55	55,71
000-9018	Wax Coil	0,180	0,030	8	Foil	10	74	55	56,75
000-9020	Wax Coil	0,200	0,030	8	Foil	10	75	55	58,66
000-9022	Wax Coil	0,220	0,030	8	Foil	10	77	55	61,54
000-9025	Wax Coil	0,250	0,037	8	Foil	10	80	55	65,4
000-9027	Wax Coil	0,270	0,040	8	Foil	10	81	55	67,44
000-9028	Wax Coil	0,280	0,040	8	Foil	10	84	55	67,74
000-9029	Wax Coil	0,290	0,040	8	Foil	10	84	55	67,73
000-9030	Wax Coil	0,300	0,040	8	Foil	10	84	55	71,16
000-9031	Wax Coil	0,310	0,042	8	Foil	10	84	55	71,69
000-9033	Wax Coil	0,330	0,040	8	Foil	10	85	55	75,13
000-9037	Wax Coil	0,370	0,045	8	Foil	10	87	55	79,04
000-9039	Wax Coil	0,390	0,040	8	Foil	10	89	55	81,78
000-9040	Wax Coil	0,400	0,050	8	Foil	10	91	55	83,58
000-9042	Wax Coil	0,420	0,050	8	Foil	10	91	55	85,64
000-9045	Wax Coil	0,450	0,050	8	Foil	10	92	55	88,74
000-9047	Wax Coil	0,470	0,050	8	Foil	10	93	55	91,15
000-9049	Wax Coil	0,490	0,050	8	Foil	10	94	55	91,42
000-9050	Wax Coil	0,500	0,050	8	Foil	10	96	55	93,97
000-9052	Wax Coil	0,520	0,050	8	Foil	10	96	55	95,3
000-9054	Wax Coil	0,540	0,050	8	Foil	10	97	55	97,21
000-9056	Wax Coil	0,560	0,060	8	Foil	10	99	55	99,11
000-9058	Wax Coil	0,580	0,060	8	Foil	10	99	55	100,91
000-9060	Wax Coil	0,600	0,060	8	Foil	10	100	55	101,06
000-9062	Wax Coil	0,620	0,060	8	Foil	10	101	55	103,34
000-9065	Wax Coil	0,650	0,060	8	Foil	10	102	55	105,27
000-9068	Wax Coil	0,680	0,060	8	Foil	10	104	55	107,94
000-9072	Wax Coil	0,720	0,060	8	Foil	10	105	55	112,16
000-9076	Wax Coil	0,760	0,070	8	Foil	10	107	55	113,7
000-9078	Wax Coil	0,780	0,070	8	Foil	10	108	55	116,05
000-9079	Wax Coil	0,790	0,070	8	Foil	10	108	55	116,05
000-9080	Wax Coil	0,800	0,070	8	Foil	10	109	55	117,94
000-9081	Wax Coil	0,810	0,070	8	Foil	10	109	55	117,95
000-9083	Wax Coil	0,830	0,070	8	Foil	10	110	55	119,48
000-9085	Wax Coil	0,850	0,070	8	Foil	10	111	55	121,02
000-9087	Wax Coil	0,870	0,070	8	Foil	10	112	55	122,17
000-9090	Wax Coil	0,900	0,070	8	Foil	10	110	55	122,34
000-9100	Wax Coil	1,000	0,080	8	Foil	10	116	55	129,61
000-9120	Wax Coil	1,200	0,094	8	Foil	10	123	55	143,2
000-9140	Wax Coil	1,400	0,094	8	Foil	10	130	55	160,34
000-9150	Wax Coil	1,500	0,110	8	Foil	10	130	55	162,49
000-9160	Wax Coil	1,600	0,110	8	Foil	10	130	55	164,57

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-9180	Wax Coil	1,800	0,110	8	Foil	10	137	55	180,94
000-9200	Wax Coil	2,000	0,120	8	Foil	10	143	55	191,85
000-9210	Wax Coil	2,100	0,130	8	Foil	10	144	55	195,22
000-9220	Wax Coil	2,200	0,130	8	Foil	10	144	55	198,84
000-9230	Wax Coil	2,300	0,130	8	Foil	10	146	55	204,17
000-9240	Wax Coil	2,400	0,140	8	Foil	10	152	55	208,16
000-9270	Wax Coil	2,700	0,140	8	Foil	10	152	55	220,65
000-9307	Wax Coil	3,070	0,150	8	Foil	10	159	55	242,82
000-9330	Wax Coil	3,300	0,160	8	Foil	10	161	55	251,11
000-9360	Wax Coil	3,600	0,170	8	Foil	10	165	55	264,52
000-9390	Wax Coil	3,900	0,180	8	Foil	10	169	55	276
000-9430	Wax Coil	4,300	0,190	8	Foil	10	174	55	293,31
000-9450	Wax Coil	4,500	0,190	8	Foil	10	177	55	301,78
000-9470	Wax Coil	4,700	0,200	8	Foil	10	178	55	306,73
000-9520	Wax Coil	5,200	0,210	8	Foil	10	183	55	323,99
000-9540	Wax Coil	5,400	0,210	8	Foil	10	185	55	333,56
000-9560	Wax Coil	5,600	0,220	8	Foil	10	187	55	339,32
000-9600	Wax Coil	6,000	0,220	8	Foil	10	192	55	354,67
000-9620	Wax Coil	6,200	0,230	8	Foil	10	193	55	365,9
000-9630	Wax Coil	6,300	0,230	8	Foil	10	195	55	366,19
000-9650	Wax Coil	6,500	0,240	8	Foil	10	196	55	373,82
000-9680	Wax Coil	6,800	0,240	8	Foil	10	199	55	392,97
000-9750	Wax Coil	7,500	0,260	8	Foil	10	205	55	412,12
000-9820	Wax Coil	8,200	0,270	8	Foil	10	212	55	431,26
000-9850	Wax Coil	8,500	0,280	8	Foil	10	216	55	438,93
000-L.14-0010	Air Coil Litz Wire (wax)	0,100	0,060	14	1,60	25	53	20	16,79
000-L.14-0015	Air Coil Litz Wire (wax)	0,150	0,080	14	1,60	25	57	20	17,94
000-L.14-0018	Air Coil Litz Wire (wax)	0,180	0,090	14	1,60	25	60	20	0
000-L.14-0022	Air Coil Litz Wire (wax)	0,220	0,100	14	1,60	25	53	30	19,83
000-L.14-0027	Air Coil Litz Wire (wax)	0,270	0,110	14	1,60	25	57	30	20,73
000-L.14-0033	Air Coil Litz Wire (wax)	0,330	0,130	14	1,60	25	60	30	21,82
000-L.14-0039	Air Coil Litz Wire (wax)	0,390	0,140	14	1,60	25	60	30	22,75
000-L.14-0047	Air Coil Litz Wire (wax)	0,470	0,160	14	1,60	25	63	30	23,96
000-L.14-0056	Air Coil Litz Wire (wax)	0,560	0,170	14	1,60	25	65	30	25,34
000-L.14-0062	Air Coil Litz Wire (wax)	0,620	0,180	14	1,60	25	67	30	26,01
000-L.14-0068	Air Coil Litz Wire (wax)	0,680	0,190	14	1,60	25	70	30	26,94
000-L.14-0082	Air Coil Litz Wire (wax)	0,820	0,210	14	1,60	25	74	30	28,77
000-L.14-0100	Air Coil Litz Wire (wax)	1,000	0,230	14	1,60	25	74	30	30,24
000-L.14-0110	Air Coil Litz Wire (wax)	1,100	0,240	14	1,60	25	78	30	31,55
000-L.14-0120	Air Coil Litz Wire (wax)	1,200	0,250	14	1,60	25	80	30	32,8
000-L.14-0150	Air Coil Litz Wire (wax)	1,500	0,330	14	1,60	35	70	60	38,03
000-L.14-0180	Air Coil Litz Wire (wax)	1,800	0,360	14	1,60	35	70	60	40,65
000-L.14-0200	Air Coil Litz Wire (wax)	2,000	0,380	14	1,60	35	74	60	42,54
000-L.14-0220	Air Coil Litz Wire (wax)	2,200	0,410	14	1,60	35	74	60	44,14
000-L.14-0270	Air Coil Litz Wire (wax)	2,700	0,460	14	1,60	35	77	60	48,12
000-L.14-0300	Air Coil Litz Wire (wax)	3,000	0,480	14	1,60	35	80	60	50,42
000-L.14-0330	Air Coil Litz Wire (wax)	3,300	0,510	14	1,60	35	80	60	52,34
000-L.14-0360	Air Coil Litz Wire (wax)	3,600	0,540	14	1,60	35	84	60	54,62
000-L.14-0390	Air Coil Litz Wire (wax)	3,900	0,570	14	1,60	35	84	60	56,47
000-L.14-0470	Air Coil Litz Wire (wax)	4,700	0,620	14	1,60	35	88	60	61,47
000-L.14-0500	Air Coil Litz Wire (wax)	5,000	0,640	14	1,60	35	91	60	63,23
000-L.14-0530	Air Coil Litz Wire (wax)	5,300	0,650	14	1,60	35	91	60	64,84
000-L.14-0560	Air Coil Litz Wire (wax)	5,600	0,660	14	1,60	35	91	60	66,5
000-L.14-0620	Air Coil Litz Wire (wax)	6,200	0,720	14	1,60	35	95	60	70,02
000-L.14-0650	Air Coil Litz Wire (wax)	6,500	0,740	14	1,60	35	95	60	71,53
000-L.14-0680	Air Coil Litz Wire (wax)	6,800	0,750	14	1,60	35	98	60	73,26
000-L.14-0770	Air Coil Litz Wire (wax)	7,700	0,800	14	1,60	35	98	60	77,39
000-L-00025	Air Coil Litz Wire (wax)	0,025	0,040	15	1,40	25	35	20	13,29
000-L-0006	Air Coil Litz Wire (wax)	0,060	0,080	15	1,40	25	39	20	14,4
000-L-0008	Air Coil Litz Wire (wax)	0,080	0,080	15	1,40	25	39	20	14,4
000-L-0010	Air Coil Litz Wire (wax)	0,100	0,090	15	1,40	25	43	20	14,71
000-L-0012	Air Coil Litz Wire (wax)	0,120	0,100	15	1,40	25	45	20	15,12
000-L-00125	Air Coil Litz Wire (wax)	0,125	0,100	15	1,40	25	45	20	15,02
000-L-0015	Air Coil Litz Wire (wax)	0,150	0,110	15	1,40	25	45	20	15,33
000-L-0016	Air Coil Litz Wire (wax)	0,160	0,115	15	1,40	25	45	20	15,49
000-L-0018	Air Coil Litz Wire (wax)	0,180	0,120	15	1,40	25	50	20	15,92
000-L-0020	Air Coil Litz Wire (wax)	0,200	0,130	15	1,40	25	50	20	16,08
000-L-0022	Air Coil Litz Wire (wax)	0,220	0,140	15	1,40	25	50	20	16,17
000-L-0024	Air Coil Litz Wire (wax)	0,250	0,150	15	1,40	25	53	20	16,54
000-L-0025	Air Coil Litz Wire (wax)	0,250	0,150	15	1,40	25	53	20	16,51
000-L-0026	Air Coil Litz Wire (wax)	0,260	0,150	15	1,40	25	53	20	16,63
000-L-0027	Air Coil Litz Wire (wax)	0,270	0,160	15	1,40	25	53	20	16,79
000-L-0030	Air Coil Litz Wire (wax)	0,300	0,170	15	1,40	25	54	20	17,04
000-L-0032	Air Coil Litz Wire (wax)	0,320	0,170	15	1,40	25	54	20	17,19

Index	Type	Inductance [mH]	DCR [Ω]	AWG	Wire mm	Inner Ø [mm]	Outer Ø [mm]	Height [mm]	Price €/pc TVAC
000-L-0033	Air Coil Litz Wire (wax)	0,330	0,170	15	1,40	25	54	20	17,47
000-L-0035	Air Coil Litz Wire (wax)	0,350	0,190	15	1,40	25	48	30	17,75
000-L-0039	Air Coil Litz Wire (wax)	0,390	0,200	15	1,40	25	48	30	18,15
000-L-0040	Air Coil Litz Wire (wax)	0,400	0,220	15	1,40	25	48	30	18,22
000-L-0042	Air Coil Litz Wire (wax)	0,420	0,220	15	1,40	25	51	30	18,37
000-L-0047	Air Coil Litz Wire (wax)	0,470	0,225	15	1,40	25	53	30	18,94
000-L-0049	Air Coil Litz Wire (wax)	0,490	0,226	15	1,40	25	53	30	18,99
000-L-0050	Air Coil Litz Wire (wax)	0,500	0,227	15	1,40	25	53	30	19,05
000-L-0055	Air Coil Litz Wire (wax)	0,550	0,240	15	1,40	25	54	30	19,91
000-L-0056	Air Coil Litz Wire (wax)	0,560	0,240	15	1,40	25	54	30	19,92
000-L-0058	Air Coil Litz Wire (wax)	0,580	0,240	15	1,40	25	55	30	19,92
000-L-0060	Air Coil Litz Wire (wax)	0,600	0,240	15	1,40	25	55	30	19,93
000-L-0062	Air Coil Litz Wire (wax)	0,620	0,240	15	1,40	25	55	30	19,94
000-L-0065	Air Coil Litz Wire (wax)	0,650	0,270	15	1,40	25	55	30	20,73
000-L-0068	Air Coil Litz Wire (wax)	0,680	0,278	15	1,40	25	55	30	20,85
000-L-0070	Air Coil Litz Wire (wax)	0,700	0,290	15	1,40	25	56	30	20,89
000-L-0072	Air Coil Litz Wire (wax)	0,720	0,290	15	1,40	25	56	30	20,91
000-L-0075	Air Coil Litz Wire (wax)	0,750	0,295	15	1,40	25	56	30	20,98
000-L-0082	Air Coil Litz Wire (wax)	0,820	0,308	15	1,40	25	58	30	21,53
000-L-0085	Air Coil Litz Wire (wax)	0,850	0,320	15	1,40	25	56	30	21,6
000-L-0087	Air Coil Litz Wire (wax)	0,870	0,320	15	1,40	25	58	30	21,81
000-L-0092	Air Coil Litz Wire (wax)	0,920	0,330	15	1,40	25	58	30	21,87
000-L-0095	Air Coil Litz Wire (wax)	0,950	0,330	15	1,40	25	58	30	22,15
000-L-0100	Air Coil Litz Wire (wax)	1,000	0,348	15	1,40	25	61	30	22,78
000-L-0106	Air Coil Litz Wire (wax)	1,060	0,365	15	1,40	25	61	30	23,09
000-L-0110	Air Coil Litz Wire (wax)	1,100	0,368	15	1,40	25	61	30	23,33
000-L-0120	Air Coil Litz Wire (wax)	1,200	0,385	15	1,40	25	61	30	23,92
000-L-0130	Air Coil Litz Wire (wax)	1,300	0,410	15	1,40	25	65	30	24,52
000-L-0130-2	Air Coil Litz Wire (wax)	1,300	0,400	15	1,40	42	83	21	24,51
000-L-0140	Air Coil Litz Wire (wax)	1,400	0,430	15	1,40	25	65	30	24,97
000-L-0150	Air Coil Litz Wire (wax)	1,500	0,450	15	1,40	25	68	30	25,57
000-L-0158	Air Coil Litz Wire (wax)	1,580	0,460	15	1,40	25	68	30	26,03
000-L-0160	Air Coil Litz Wire (wax)	1,600	0,460	15	1,40	25	68	30	26,04
000-L-0170	Air Coil Litz Wire (wax)	1,700	0,470	15	1,40	25	68	30	26,43
000-L-0180	Air Coil Litz Wire (wax)	1,800	0,490	15	1,40	25	70	30	27,06
000-L-0190	Air Coil Litz Wire (wax)	1,900	0,500	15	1,40	25	70	30	27,46
000-L-0200	Air Coil Litz Wire (wax)	2,000	0,520	15	1,40	25	70	30	27,93
000-L-0210	Air Coil Litz Wire (wax)	2,100	0,530	15	1,40	25	73	30	28,35
000-L-0220	Air Coil Litz Wire (wax)	2,200	0,540	15	1,40	25	73	30	28,83
000-L-0230	Air Coil Litz Wire (wax)	2,300	0,550	15	1,40	25	73	30	29,29
000-L-0240	Air Coil Litz Wire (wax)	2,400	0,560	15	1,40	25	73	30	29,69
000-L-0250	Air Coil Litz Wire (wax)	2,500	0,580	15	1,40	25	76	30	30,19
000-L-0250-2	Air Coil Litz Wire (wax)	2,520	0,570	15	1,40	42	93	21	29,63
000-L-0260	Air Coil Litz Wire (wax)	2,600	0,590	15	1,40	25	76	30	30,53
000-L-0270	Air Coil Litz Wire (wax)	2,700	0,600	15	1,40	25	76	30	30,9
000-L-0280	Air Coil Litz Wire (wax)	2,800	0,610	15	1,40	25	79	30	31,09
000-L-0290	Air Coil Litz Wire (wax)	2,900	0,630	15	1,40	25	79	30	31,46
000-L-0300	Air Coil Litz Wire (wax)	3,000	0,640	15	1,40	25	79	30	31,86
000-L-0310	Air Coil Litz Wire (wax)	3,100	0,650	15	1,40	25	79	30	32,24
000-L-0315	Air Coil Litz Wire (wax)	3,150	0,650	15	1,40	25	79	30	32,32
000-L-0330	Air Coil Litz Wire (wax)	3,300	0,750	15	1,40	35	67	60	35,68
000-L-0360	Air Coil Litz Wire (wax)	3,600	0,770	15	1,40	35	68	60	36,92
000-L-0380	Air Coil Litz Wire (wax)	3,800	0,780	15	1,40	35	68	60	37,79
000-L-0390	Air Coil Litz Wire (wax)	3,900	0,800	15	1,40	35	68	60	37,97
000-L-0430	Air Coil Litz Wire (wax)	4,300	0,830	15	1,40	35	70	60	39,59
000-L-0440	Air Coil Litz Wire (wax)	4,400	0,890	15	1,40	35	73	60	40,34
000-L-0450	Air Coil Litz Wire (wax)	4,500	0,900	15	1,40	35	73	60	40,39
000-L-0470	Air Coil Litz Wire (wax)	4,700	0,900	15	1,40	35	73	60	41,23
000-L-0530	Air Coil Litz Wire (wax)	5,300	0,990	15	1,40	35	73	60	43,15
000-L-0550	Air Coil Litz Wire (wax)	5,500	1,000	15	1,40	35	75	60	43,65
000-L-0560	Air Coil Litz Wire (wax)	5,600	1,000	15	1,40	35	75	60	43,77
000-L-0680	Air Coil Litz Wire (wax)	6,800	1,100	15	1,40	35	77	60	46,91
000-L-0820	Air Coil Litz Wire (wax)	8,200	1,260	15	1,40	35	81	60	51,35
000-L-1500	Air Coil Litz Wire (wax)	15,000	1,750	15	1,40	35	93	60	74,02
000-L-1600	Air Coil Litz Wire (wax)	16,000	1,820	15	1,40	35	93	60	75,94
000-L-1700	Air Coil Litz Wire (wax)	17,000	1,880	15	1,40	35	95	60	77,74
000-L-1800	Air Coil Litz Wire (wax)	18,000	1,940	15	1,40	35	94	60	79,35
000-L-1600	Air Coil Litz Wire (wax)	16,000	1,820	15	1,40	35	93	60	75,94
000-L-1700	Air Coil Litz Wire (wax)	17,000	1,880	15	1,40	35	95	60	77,74
000-L-1800	Air Coil Litz Wire (wax)	18,000	1,940	15	1,40	35	94	60	79,35